

NEA/WPEC-17
ECN-R--98-014

International Evaluation Co-operation

VOLUME 17

**STATUS OF PSEUDO-FISSION-PRODUCT
CROSS-SECTIONS FOR FAST REACTORS**

*A report by the Working Party
on International Evaluation Co-operation
of the NEA Nuclear Science Committee*

CO-ORDINATOR AND MONITOR

H. Gruppelaar
Netherlands Energy
Research Foundation (ECN)
NETHERLANDS

NUCLEAR ENERGY AGENCY
ORGANISATION FOR ECONOMIC CO-OPERATION AND DEVELOPMENT

ORGANISATION FOR ECONOMIC CO-OPERATION AND DEVELOPMENT

Pursuant to Article 1 of the Convention signed in Paris on 14th December 1960, and which came into force on 30th September 1961, the Organisation for Economic Co-operation and Development (OECD) shall promote policies designed:

- to achieve the highest sustainable economic growth and employment and a rising standard of living in Member countries, while maintaining financial stability, and thus to contribute to the development of the world economy;
- to contribute to sound economic expansion in Member as well as non-member countries in the process of economic development; and
- to contribute to the expansion of world trade on a multilateral, non-discriminatory basis in accordance with international obligations.

The original Member countries of the OECD are Austria, Belgium, Canada, Denmark, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, Turkey, the United Kingdom and the United States. The following countries became Members subsequently through accession at the dates indicated hereafter; Japan (28th April 1964), Finland (28th January 1969), Australia (7th June 1971), New Zealand (29th May 1973), Mexico (18th May 1994), the Czech Republic (21st December 1995), Hungary (7th May 1996), Poland (22nd November 1996) and the Republic of Korea (12th December 1996). The Commission of the European Communities takes part in the work of the OECD (Article 13 of the OECD Convention).

NUCLEAR ENERGY AGENCY

The OECD Nuclear Energy Agency (NEA) was established on 1st February 1958 under the name of OEEC European Nuclear Energy Agency. It received its present designation on 20th April 1972, when Japan became its first non-European full Member. NEA membership today consist of all OECD Member countries, except New Zealand and Poland. The Commission of the European Communities takes part in the work of the Agency.

The primary objective of the NEA is to promote co-operation among the governments of its participating countries in furthering the development of nuclear power as a safe, environmentally acceptable and economic energy source.

This is achieved by:

- *encouraging harmonization of national regulatory policies and practices, with particular reference to the safety of nuclear installations, protection of man against ionising radiation and preservation of the environment, radioactive waste management, and nuclear third party liability and insurance;*
- *assessing the contribution of nuclear power to the overall energy supply by keeping under review the technical and economic aspects of nuclear power growth and forecasting demand and supply for the different phases of the nuclear fuel cycle;*
- *developing exchanges of scientific and technical information particularly through participation in common services;*
- *setting up international research and development programmes and joint undertakings.*

In these and related tasks, the NEA works in close collaboration with the International Atomic Energy Agency in Vienna, with which it has concluded a Co-operation Agreement, as well as with other international organisations in the nuclear field.

© OECD 1998

Permission to reproduce a portion of this work for non-commercial purposes or classroom use should be obtained through the Centre français d'exploitation du droit de copie (CCF), 20, rue des Grands-Augustins, 75006 Paris, France, Tel. (33-1) 44 07 47 70, Fax (33-1) 46 34 67 19, for every country except the United States. In the United States permission should be obtained through the Copyright Clearance Center, Customer Service, (508)750-8400, 222 Rosewood Drive, Danvers, MA 01923, USA, or CCC Online: <http://www.copyright.com/>. All other applications for permission to reproduce or translate all or part of this book should be made to OECD Publications, 2, rue André-Pascal, 75775 Paris Cedex 16, France.

FOREWORD

A Working Party on International Evaluation Co-operation was established under the sponsorship of the OECD/NEA Nuclear Science Committee (NSC) to promote the exchange of information on nuclear data evaluations, validation, and related topics. Its aim is also to provide a framework for co-operative activities between members of the major nuclear data evaluation projects. This includes the possible exchange of scientists in order to encourage co-operation. Requirements for experimental data resulting from this activity are compiled. The working party determines common criteria for evaluated nuclear data files with a view to assessing and improving the quality and completeness of evaluated data.

The parties to the project are: ENDF (United States), JEF/EFF (NEA Data Bank Member countries) and JENDL (Japan). Co-operation with evaluation projects of non-OECD countries, specifically the Russian BROND and Chinese CENDL projects, are organised through the Nuclear Data Section of the International Atomic Energy Agency (IAEA).

Subgroup 17 of the working party was initiated with the objective to assess the status and uncertainties of fission-product cross-section data files for fast reactor calculations. In addition it would pursue the analysis of the relevant integral experiments and take into account indications from these experiments. The possibility to recommend a unique evaluated fission-product data file would be examined.

The opinions expressed in this report are those of the authors only and do not necessarily represent the position of any Member country or international organisation. This report is published on the responsibility of the Secretary-General of the OECD.

Members of Subgroup 17

H. Gruppelaar, B.J. Pijlgroms

Netherlands Energy Research Foundation (ECN)
Petten, Netherlands

J.L. Kloosterman

Interfaculty Reactor Institute (IRI), Delft University of Technology
Delft, Netherlands

G. Rimpault

Commissariat à l'Énergie Atomique (CEA)
Cadarache, France

M. Kawai, T. Nakagawa, T. Watanabe,

A. Zukeran, Y. Nakajima, H. Matsunobu

JNDC (Toshiba, JAERI, Kawasaki Heavy Industry,
Hitachi, RIST, Data Engineering)
Japan

A. Ignatyuk, V. Koshcheev, M. Nikolaev, A. Thsiboulia

Institute of Physics Power Engineering (IPPE)
Obninsk, Russia

P. Smith

AEA Technology
Sponsored by BNFL, UK

TABLE OF CONTENTS

SUMMARY	7
1. Introduction	9
2. Benchmark description	11
3. Participants	13
3.1 CEA	13
3.2 ECN	14
3.3 IPPE	14
3.4 JNDC	15
4. Results for the lumped nuclide	16
4.1 One group cross-sections	16
4.2 Reactivity worths	17
4.3 Cross-section plots	18
4.4 Influence of the weighting spectrum	23
5. Individual fission-product cross-sections	26
5.1 One group cross-sections	26
5.2 Energy dependence of capture cross-sections	37
5.3 Inelastic scattering cross-sections	38

6. Conclusions	39
APPENDIX A <i>Nuclide concentrations</i>	41
APPENDIX B <i>Flux weighting spectra</i>	47
APPENDIX C <i>Detailed results for the lumped nuclide</i>	71
APPENDIX D <i>Detailed analysis of the energy dependence of individual fission-product capture cross-sections.....</i>	79

SUMMARY

Within the framework of the SG17 benchmark organised by a Working Party of the Nuclear Science Committee of the Nuclear Energy Agency, a comparison of lumped or pseudo-fission-product cross-sections for fast reactors has been made. Four institutions participated with data libraries based on the JEF-2.2, EAF-4.2, BROND-2, FOND-2.1, ADL-3 and JENDL-3.2 evaluated nuclear data files.

Several parameters have been compared with each other: the one group cross-sections and reactivity worths of the lumped nuclide for several partial absorption and scattering cross-sections, and the one group cross-sections of the individual fission-products. Graphs of the multi-group cross-sections of the lumped nuclide have also been compared, as well as graphs of capture cross-sections for 27 nuclides.

From two contributions based on JEF-2.2, it can be concluded that the data processing influences the capture cross-section by about 1% and the inelastic scattering cross-section by 2%. The differences between the lumped cross-sections of the different data libraries are surprisingly small: maximum 6% for capture and 9% for the inelastic scattering. Similar results are obtained for the reactivity effects. Since the reactivity worth of the lumped nuclide is dominated by the capture reaction, the maximum spread in the total reactivity worth is still only 5.3%.

There is a systematic difference between total, elastic and capture cross-sections of JENDL-3.2 and JEF-2.2 of the same order of magnitude. Possible reasons for this discrepancy have been indicated.

The one group capture and inelastic scattering cross-sections of most of the important individual fission-products differ by less than 10% (root mean square values). Larger differences are observed for unstable nuclides where there is a lack of experimental data. For the (n,2n) group cross-sections, which are rather sensitive to the weighting spectrum in the fast energy range, these differences are several tens of per cents.

The final conclusion is that the present status of lumped nuclide cross-sections for fast reactors is satisfactory, although improvements are possible as indicated in this report.

STATUS OF PSEUDO-FISSION-PRODUCT CROSS-SECTIONS FOR FAST REACTORS

1. Introduction

This report summarises the results of the Subgroup 17 (SG17) of the Working Party on Evaluation Co-ordination (WPEC) of the Nuclear Energy Agency (NEA) of the Organisation for Economic Co-operation and Development (OECD) in Paris. The objective of SG17 was to investigate the status of fission-product cross-section evaluations for fast reactor applications by means of comparison of the lumped fission-product effects in fast power reactors. The definition of the activities of the subgroup was established at the May 1995 meeting of the WPEC in Paris. The background was that for future development of fast power reactors with extended burn-up the reactivity effect of fission-products need to be known preferably with an uncertainty of about 5% (1σ).

An uncertainty of 5% in the reactivity effect is a rather small uncertainty compared to the actual uncertainty in the cross-sections (averaged over a fast-reactor flux spectrum) of the individual fission-products. However, since the reactivity effect is composed of a very large number of contributions of individual fission-products, cancellation of errors may occur, leading to a reduced uncertainty in the lumped effect. This could be true for statistical errors, but not for errors of systematic nature. Since for the bulk of the fission-products there are only few experimental data available in the fast energy range, most evaluated data rely heavily on calculations, with adjustments to available differential or in some cases integral data. For the radiative capture cross-sections the Hauser-Feshbach theory with width-fluctuation correction is used in all evaluations; a small systematic error could result from different formalisms used for the width fluctuation correction and global (optical model) parametrisations. However, in general local systematics were used for the parametrisation, reducing the effects of systematic errors. Also from experimental data adjustment a small systematic error could result. A rather small contribution results for (n,p) and (n, α) reactions. It is believed that altogether the systematic uncertainty in the lumped capture effect is below 5%.

Another component of the reactivity effect of fast power reactors is due to elastic and particularly inelastic scattering. In this case the non-negligible contributions (about 10%) to the total reactivity effect result from inelastic scattering mainly from excitation of the lowest levels. Here only few measurements exist and the evaluations are in general based upon Hauser-Feshbach theory with width fluctuation correction. There has been some concern that in the evaluations for most nuclides a spherical optical model was used and that direct excitation was neglected (exceptions for JENDL-3.2). Since it is known that for many nuclides in the fission-product mass range direct excitation cannot be neglected at high energies, it was also expected that at lower energies some effect could be seen. Early γ -ray measurements of (n,n') reactions and integral reactivity measurements also indicated that the current evaluations were in general too low at low energies. Another subgroup (SG10) deals with these questions and new measurements were made, e.g. for Pd and Mo isotopes. Meanwhile, it is clear that in the early evaluations of some fission-products the cross-sections for the excitation of low-lying states were too low. However the neglect of direct-collective effects was not the reason for the too low values at low energies; this was merely due to the optical-model parametrisation. A coupled channels optical model generally showed the best results. At higher energies these effects however are important. The expectation was that altogether the *uncertainty* in the lumped inelastic scattering reactivity effect could be larger than the corresponding capture effect. A figure of 30% would not be surprising.

A comparison of lumped fission-product capture cross-sections based upon different nuclear data libraries should reveal a spread in the data from which perhaps some conclusions could be drawn about the uncertainty and about the possible need to enhance evaluation efforts. An important condition is that the different libraries are independent. This is not completely true, since the same basic methodology and often the same experimental data were used. Also in some cases data for one library were adopted in another library. However there are some notable differences between the evaluations. First of all, different evaluators have used different parametrisations and in some evaluations more recent data have been used than in others. As an example, the JEF-2.2 fission-product file has been adjusted to integral data, the JENDL-3 data file has undergone extensive re-evaluation with recent data. The BROND-2 file is another source of independent data. Furthermore, new activation files like EAF-4.2 and ADL-3 have been issued recently with emphasis on radiative capture and other charged-particle emission reaction cross-sections. These new activation files are very complete, since they contain virtually all fission-product

cross-sections. Altogether it is believed that the outcome of an comparison could yield valuable indications with regard to the status of and uncertainty of the lumped fission-product effect in fast reactors.

Therefore, a computational benchmark was defined where participants were asked to calculate pseudo-fission-product cross-sections, using their own multi-group structure and given concentrations for the fissile nuclide ^{239}Pu . A micro flux weighting spectrum, typical for a fast power reactor has been supplied pointwise, but it was not strictly necessary to use it for the generation of multi-group constants, to avoid large amounts of work. The participant could also use its own library with a probably different weighting spectrum. However, the weighting spectrum was obligatory for the condensation to one group cross-sections. In a later phase also a pointwise adjoint flux spectrum was specified to allow for reactivity worth calculations. The results requested were: multi-group pseudo-cross-sections, one group pseudo-cross-sections and reactivity worths, mainly for capture and inelastic scattering. For further interpretation also the one group cross-sections of the individual fission-products were requested. All data necessary to perform the benchmark are included in this report. Almost all results are reproduced.

2. Benchmark description

The lumped or pseudo-fission-product nuclide accounts for the neutron absorption and scattering of all the individual fission-products present in the spent fuel due to the fissioning of one actinide atom. The effective yields of the individual fission-products are given in Appendix A for five different actinide atoms. In the benchmark, the yields of ^{239}Pu were used to calculate the cross-sections of the lumped nuclide according to:

$$\sigma^x = \sum_{n=1}^N \gamma_n \sigma_n^x \quad (2.1)$$

where γ_n is the effective yield or concentration of fission-product n and σ_n^x is the one group microscopic cross-section of that fission-product for reaction type x . The yields of all the fission-products specified in Appendix A sum to 2. If the contributions of some fission-products are omitted from the sum in Eq. 2.1, e.g. due to lack of cross-sections, the participant should specify the resulting sum of yields in his calculations. The cross-section of the individual fission-product n in Eq 2.1 is weighted over the total energy range by:

$$\sigma_n^x = \frac{\sum_{g=1}^G \Phi_g \sigma_{n,g}^x}{\sum_{g=1}^G \Phi_g} \quad (2.2)$$

with Φ_g the fine-group neutron spectrum. This function had to be derived by linear interpolation (lin-lin) from the pointwise neutron spectrum provided in the benchmark description (see Figure 2.1 and Appendix A). For scattering cross-sections, Eq. 2.2 reads:

$$\sigma_n^x = \frac{\sum_{g=1}^G \Phi_g \sum_{g'=1}^G \sigma_{n,g \rightarrow g'}^x}{\sum_{g=1}^G \Phi_g} \quad (2.3)$$

To be able to solve discrepancies, the participant also had to specify the energy group structure and weighting spectra used to calculate the fine-group microscopic cross-sections of the individual fission-products ($\sigma_{n,g}^x$ in Eq. 2.2 and $\sigma_{n,g \rightarrow g'}^x$ in Eq. 2.3). The preferred micro-flux weighting spectrum is the one specified in Appendix B.

The participants had to calculate the contribution of the lumped nuclide to the reactivity effect according to:


$$\rho^x = \frac{\sum_{g=1}^G \sigma_g^x \Phi_g^* \Phi_g}{\sum_{g=1}^G \Phi_g^* \Phi_g} \quad (2.4)$$

where Φ_g^* is the adjoint function. For a scattering cross-section, the reactivity effect is given by:

$$\rho^x = \frac{\sum_{g=1}^G \sigma_{g \rightarrow g'}^x (\Phi_g^* - \Phi_{g'}^*) \Phi_g}{\sum_{g=1}^G \Phi_g^* \Phi_g} \quad (2.5)$$

Also the denominator in Eq. 2.4 and 2.5 had to be specified by the participants. The adjoint function was given pointwise with a linear interpolation scheme (lin-lin), cf. 2.1 and Appendix B.

Figure 2.1. The pointwise neutron spectrum and adjoint function used in the benchmark



3. Participants

Contributions to the benchmark were received from CEA (France), ECN (the Netherlands), IPPE (Russia) and JNDC (Japan).

3.1 CEA

The contribution of the Commissariat à l'Énergie Atomique (CEA) is based on a fine-group version of the JEF-2.2 evaluated nuclear data file. The one group cross-sections and the corresponding reactivity worths of

80 individual fission-products have been calculated as well as the one group cross-sections and reactivity worths of the lumped nuclide. The sum of yields of all the 80 fission-products equals 1.90933.

3.2 ECN

The Netherlands Energy Research Foundation (ECN) contributed results based on the JEF-2.2 evaluated nuclear data file and the EAF-4.2 activation file. The first-mentioned file contains data for elastic and inelastic scattering and partial activation cross-sections, the second one contains only partial activation and transmutation cross-sections. The radiative capture cross-sections in EAF-4.2 for the important fission-product nuclides have been adopted from the JEF-2.2 file. It is noted that the JEF-2.2 fission-product file has been adjusted to available integral data (activation data and reactivity worths).

A fine-group library in XMAS structure (172 groups) is used, weighted with a thermal reactor spectrum and based on the JEF-2.2 evaluated nuclear data file. It contains the cross-sections of 155 individual fission-products with a sum of yields of 1.99936. From this library, one group cross-sections of all individual fission-products were calculated as well as the fine-group cross-sections and scattering matrices of the lumped nuclide. These were subsequently used to calculate the one group cross-sections and the reactivity worths of the lumped nuclide.

The extensive EAF-4.2 file was used for comparison and to calculate the influence of the weighting spectrum used in the preparation of the fine-group data library. Therefore, two fine-group libraries were made with different weighting spectra: one based on a thermal reactor spectrum (Maxwellian, 1/E and fission spectrum) and one based on the fast reactor spectrum specified in the benchmark. The fine-group cross-sections of all individual fission-products were used to calculate the fine-group cross-sections of the lumped nuclide, which were subsequently condensed into one group.

3.3 IPPE

Three different contributions of the Institute of Physics Power Engineering (IPPE) were received based on libraries from the BROND-2, FOND-2.1, and ADL-3 evaluated nuclear data files. The BROND-2 file contains original evaluations made in Russia. In some cases, results of integral data have been taken into account. The general purpose FOND-2.1 file contains BROND-2,

but has been extended with other evaluations. The ADL-3 file is an extended activation/transmutation library. The BROND-2 library contains only 49 of the 162 requested fission-products with a total cumulative yield of 1.3689; the extensive FOND-2.1 and ADL-3 libraries contain all 162 nuclides. For this reason, not all the BROND-2 results are reported here.

Two versions of the BROND-2 and FOND-2.1 libraries were used. First, existing fine-group versions with 299 energy groups were used to calculate the one group (n,γ) cross-sections of the individual fission-products and the fine-group and one group (n,γ) cross-section and the corresponding reactivity worth of the lumped nuclide. Secondly, broad-group libraries with 28 energy groups condensed with a standard weighting spectrum (not the one specified in this benchmark) were used to calculate the (n,γ) cross-section and the corresponding reactivity worth of the lumped nuclide, and the reactivity worth due to inelastic scattering (the inelastic scattering matrix in this FOND-2.1 library contains the contributions of 125 individual fission-products with a sum of yields of 1.9340). The broad-group FOND-2.1 library was also used to calculate the one group radiative capture cross-section of the lumped nuclide. This cross-section differs about 1% from the one group cross-section calculated by the fine-group version of the FOND-2.1 library and is omitted from the comparison in this report.

A fine-group version of the ADL-3 activation library with 299 energy groups was used to calculate for various reactions the one group cross-sections of the individual fission-products and the one group cross-sections and the reactivity worths of the lumped nuclide.

3.4 JNDC

JNDC is a joint contribution of Toshiba Corporation, the Japan Atomic Energy Research Institute, Kawasaki Heavy Industry, Hitachi, RIST and Data Engineering. Two contributions were received: one based on a 70-group library processed from the JENDL-3.2 evaluated nuclear data file and one based on a 73-group library. In both cases, a typical FBR spectrum was used for the micro flux weighting by the TIMS code. The JENDL-3.2 file contains 140 fission-products of the 162 requested ones (see Appendix A) with a sum of yields of 1.99714.

First, a 70-group data library was made containing elastic and inelastic scattering matrices, and absorption cross-sections in the energy range up to 10 MeV. This library contains the total absorption cross-sections, but no partial

capture cross-sections. From this library, one group cross-sections for absorption, elastic and inelastic scattering and the (n,2n) reaction of the individual fission-products were calculated as well as the one group cross-sections and the corresponding reactivity worths of the lumped nuclide. The results of this library have preference from the view point of reactor calculations.

Secondly, a 73-group data library was made based on the 70 group data library with three energy groups added in the range between 10 and 19.64 MeV. From this library, one group cross-sections were made for all reactions except the partial inelastic scattering ones. Also the fine-group cross-sections, the one group cross-sections and the corresponding reactivity worths of the lumped nuclide were calculated. From the view point of nuclear data evaluation, this library has preference.

4. Results for the lumped nuclide

4.1 One group cross-sections

The one group cross-sections of the pseudo-fission-products are given in Table 4.1 for the elastic scattering (MT=2), inelastic scattering (MT=4), (n,2n) reaction (MT=16), radiative capture (MT=102), (n,p) reaction (MT=103) and (n, α) reaction (MT=107). The last column of the table contains the maximum spread. First we discuss the important capture and inelastic scattering cross-sections. The maximum spread is about 6% for capture and about 9% for inelastic scattering. The highest values are for JEF-2.2 and rather low values for JENDL-3.2. Also the total and elastic scattering cross-sections are relatively low in JENDL-3.2. This suggests that the optical model parametrisations were quite different. A more detailed analysis is given in Section 5. For (n,2n), (n, α) and (n,p) there are large discrepancies. This has probably to do with the fact that these threshold cross-sections show a steep rise where the fission spectrum declines steeply. Since the shape of the cross-section is rather uncertain, this is reflected in the one group cross-section. It is noted that weighting spectrum differences as well as group structure differences may play a role, cf. Section 4.4. The contributions of the (n,p) and (n, α) reactions to the total absorption cross-section can be neglected in fast power reactors. This could change in systems with harder neutron spectra such as accelerator driven systems. The conclusion is that the 6% maximum spread in the capture cross seems reasonable, whereas the 9% spread in the inelastic cross-section is smaller than expected.

4.2 Reactivity worths

The corresponding table for the reactivity effects is given in Table 4.2. It is noted that the reactivity effects are given here with a normalisation that is different from common practice. Thus absolute values have no meaning. On average the total reactivity effect consists mainly of the radiative capture effect with a 10% contribution of inelastic scattering and very small contributions from the other components (less than 1%). Due to the fact that inelastic scattering cannot be calculated from the activation files a full comparison is only available for JEF-2.2, JENDL-3.2 and FOND-2.1 (after correction for missing nuclides). The maximum differences in the total reactivity is 5.5% and in the capture and inelastic scattering components 5.8% and 4.8%, respectively.

Table 4.1. One group cross-sections of the pseudo-nuclide

Lab	File	Flux ^a	2 (b)	4 (b)	16 (mb)	102 (b)	103 (μ b)	107 (μ b)	Total (b)
CEA	JEF-2.2 ^b		15.2	0.590		0.571			16.4
ECN	JEF-2.2	T	15.2	0.577	1.23	0.577	12.0	4.4	16.4
ECN	EAF-4.2 ^c	T			1.44	0.570	11.8	11.3	16.4
ECN	EAF-4.2 ^d	F			1.57	0.565	12.1	11.5	
JNDC	JENDL-3.2	F	14.4	0.531	1.12	0.546	5.4	21.4	15.5
IPPE	BROND-2 ^e			0.425	0.64	0.499			
IPPE	FOND-2.1			0.527	0.78	0.578	12.8	5.32	
IPPE	ADL-3				0.92	0.544	7.5	6.73	
Average ^f			14.8	0.545	1.12	0.561	10.0	9.9	15.9
Maxdiff (%)			5.4	9.0	70	5.9	74	172	5.7

^a Micro flux weighting spectrum (T is thermal, F is fast reactor weighting).

^b Not used for average to avoid double counting of JEF-2.2 values.

^c Not used for average; used to inspect the effect of the micro flux weighting.

^d (n, γ) cross-section not used for average because of relation with JEF-2.2.

^e Not used for average because of missing nuclides.

^f Numbers in *italics* are not included in the average.

Table 4.2. One group cross-sections of the pseudo-nuclide

Lab	File	Flux ^a	2 (au) ^j	4 (au)	16 (au) ^j	102 (au)	Total (au)	Total Corr ^h
CEA	JEF-2.2 ^b		-4.25	-0.0708		-0.580	-0.655	-0.656
ECN	JEF-2.2	T	-3.92	-0.0684	-0.694	-0.583	-0.656	-0.656
ECN	EAf-4.2 ^c	T				-0.576		
ECN	EAf-4.2 ^d	F				-0.571		-0.642
JNDC	JENDL-3.2	F	-4.67	-0.0652	-0.644	-0.546	-0.622	-0.622
IPPE	BROND-2 ^e			-0.0477		-0.504		
IPPE	FOND-2.1 ^f			-0.0632		-0.584		
IPPE	FOND-2.1 ^g			-0.0654		-0.584	-0.649	-0.654
IPPE	ADL-3			-0.0654		-0.550		-0.621
Average ⁱ			-4.30	-0.0663	-0.669	-0.566	-0.642	-0.639
Maxdiff (%)			17	4.8	7.5	5.8	5.3	5.5

^a Micro flux weighting spectrum (T is thermal, F is fast reactor weighting).

^b Not used for average to avoid double counting of JEF-2.2 values.

^c Not used for average; used to inspect the effect of the micro flux weighting (see also Table 4.3).

^d (n,γ) cross-section not used for average because of relation with JEF-2.2.

^e Not used for average because of missing nuclides.

^f Not used for average because of missing nuclides.

^g Corrected for missing nuclides (factor 2/1.934 for MT=4).

^h Missing data supplemented with average value of missing components.

ⁱ Numbers in *italics* are not included in the average.

^j Numbers have been multiplied with 10³.

4.3 Cross-section plots

In Appendix C all data have been plotted for capture, inelastic scattering and (n,2n) cross-sections. In this chapter, a detailed analysis is made mainly based on JEF-2.2, FOND-2.1 and JENDL-3.2.

First the plots of group cross-sections for the radiative capture cross-section are compared (see Figures 4.1 and 4.2). Because the cross-sections of the lumped nuclide show a 1/v behaviour above 100 keV, the same curves multiplied with the square root of the energy are shown in Figures 4.3 and 4.4, respectively. In the energy range above 100 keV, the various evaluations only differ by a small factor. At lower energies, the resonance structure is visible and

Figure 4.1. The radiative capture cross-section of the lumped nuclide as a function of the energy

Above 1 keV, the pseudo-fission-product behaves as a $1/v$ nuclide. The EAF-4.2 results are not shown because they are very close to JEF-2.2. The BROND-2 results are shown in Appendix C where a full comparison is given. The ADL-3 results are not available.




Figure 4.2. The radiative capture cross-section of the lumped nuclide as a function of the energy in the range between 0.1 eV and 10 keV

The main differences are due to the different energy group structures used by the participants. The EAF-4.2 results are very close to JEF-2.2, the BROND-2 results are shown in Appendix C and the ADL-3 results are not available. Note that the 0.6 eV resonance seen in JENDL-3.2 originates from ^{155}Eu .




Figure 4.3. The radiative capture cross-section of the lumped nuclide multiplied with the square root of the energy as a function of the energy

The differences in the unresolved energy range are evident from this figure. Again, the EAF-4.2 results are very close to JEF-2.2, the BROND-2 results are shown in Appendix C and the ADL-3 results are not available.





Figure 4.4. The radiative capture cross-section of the lumped nuclide multiplied with the square root of the energy as a function of the energy in the range between 0.1 eV and 10 keV

Again, the EAF-4.2 results are very close to JEF-2.2, the BROND-2 results are shown in Appendix C and the ADL-3 results are not available. Note that the 0.6 eV resonance seen in JENDL-3.2 originates from ^{155}Eu .



some differences between the evaluations is seen from the graphs. At the thermal groups the differences merely reflect the differences in the group structures. This also holds to a certain extent at the highest energies; above 10 MeV there are some differences in the direct-collective capture contributions. Altogether, since in the important energy range above 100 eV, most of the resonance structure has averaged out, there is good reason to believe that the hypothesis of cancellation of errors is correct for fast reactors and that in fact only systematic errors determine the uncertainty in fast capture effect. From the curves in Figures 4.3 and 4.4, it is seen that JENDL-3.2 is generally lower than JEF-2.2 and FOND-2.1 above 100 eV. In particular there are differences in the “unresolved range” from 1 to 100 keV. The resonance at 0.6 eV visible in Figure 4.2 for JENDL-3.2 originates from ^{153}Eu . This resonance has been measured but was not adopted in JEF-2.2 and FOND-2.1, where artificial resonances have been adopted (see further Appendix D).

Secondly, the plots of inelastic scattering cross-sections are inspected (see Figure 4.5). Here there is remarkable agreement between 200 keV and 10 MeV, but there are some differences below 200 keV. Apparently, cancellation of errors works well above 100 keV, but since there are many less nuclides with levels below 200 keV and since these have different threshold energies, the cross-section below 200 keV shows a large spread. As the region up to 200 keV is quite important in fast reactors it could be worthwhile to concentrate on these nuclides. Further analysis shows that the cross-section at 10 keV is mainly due to ^{151}Sm and to a lesser extent due to ^{103}Ru . Other important nuclides with thresholds below 200 keV are ^{101}Ru , ^{133}Cs , ^{103}Rh , ^{145}Nd , ^{107}Pd and ^{149}Sm .

The plots for the (n,2n) cross-section show a large spread (see Figure 4.6), which is partly due to the different group structures and flux weighting spectra used, see further the discussion in Section 4.4. Still it is curious that at 14 MeV, for which many (n,2n) measurement data are available, the FOND-2.1 library is too low. This needs further investigation. The EAF-4.2 evaluation was adjusted to 14 MeV data or systematics. Similar actions were made for JENDL-3.2.

4.4 Influence of the weighting spectrum

As mentioned in Section 3.2, the basic EAF-4.2 file has been collapsed to a 172-group cross-section data library in the XMAS group structure by use of two different weighting spectra: a light-water reactor spectrum (Maxwellian, 1/E and fission spectrum) and the fast reactor spectrum shown in Figure 2.1. Subsequently the two fine-group libraries were collapsed to one group by the neutron spectrum provided in the benchmark.

Figure 4.5. The inelastic scattering cross-section of the lumped nuclide as a function of the energy

In the MeV range, the deviations are smallest. At the lower energies (10 keV), the nuclides ^{151}Sm and ^{103}Ru dominate the cross-section. Other important nuclides with thresholds below 200 keV are ^{101}Ru , ^{133}Cs , ^{103}Rh , ^{145}Nd , ^{107}Pd and ^{149}Sm .




Figure 4.6. The (n,2n) cross-section of the lumped nuclide as a function of the energy

Note that some of the discrepancies result from the use of different group structures and different weighting spectra.




Table 4.3 shows the two results. When the thermal weighting spectrum is used, the threshold reactions have up to 8% smaller cross-sections and less negative reactivity worths than in case the fast weighting spectrum is used. This effect is quite large. Apparently, the threshold reactions are very sensitive to the weighting spectrum used. The difference for the radiative capture cross-section is, however, less than 1%. For the inelastic cross-sections as far as available on EAF-4.2 (for production of metastable states only) the differences are below 2% (not shown in Table 4.3). Therefore, the use of a pseudo-fission-product based on individual nuclide cross-sections weighted with a thermal reactor spectrum is justified, provided the number of fine energy groups is sufficiently large.

Table 4.3. One group cross-sections and reactivity worths calculated with the EAF-4.2 activation file processed by thermal and fast weighting spectrums

MT	Thermal	Fast	Ratio	MT	Thermal	Fast	Ratio
One group cross-sections				Reactivity worths			
16	1.443e-03	1.572e-03	0.918	102	-5.760e-01	-5.709e-01	1.009
17	3.220e-05	3.478e-05	0.926	103	-1.746e-05	-1.792e-05	0.974
102	5.703e-01	5.653e-01	1.009	104	-1.764e-06	-1.851e-06	0.953
103	1.179e-05	1.212e-05	0.973	105	-1.694e-07	-1.817e-07	0.932
104	8.235e-07	8.613e-07	0.956	106	-5.168e-09	-5.476e-09	0.944
105	7.417e-08	7.950e-08	0.933	107	-1.482e-05	-1.506e-05	0.984
106	2.298e-09	2.430e-09	0.946	111	-3.073e-08	-3.268e-08	0.940
107	1.129e-05	1.147e-05	0.984				
111	1.348e-08	1.430e-08	0.942				

The results of Table 4.3 should also be compared with those of Tables 4.1 and 4.2. For the (n,2n) reaction, the EAF-4.2 file gives higher cross-sections than JEF-2.2, which is probably due to the missing data in JEF-2.2 (see Section 5). There is a good agreement for the (n, γ) and (n,p) cross-sections. For the (n, α) reaction the EAF-4.2 data seem quite high.

5. Individual fission-product cross-sections

5.1 One group cross-sections

Table 5.1 gives the one group radiative capture cross-sections for 130 nuclides in order of descending importance (according to the product of concentration and cross-section). In the French data set some nuclides are lacking in the lumped fission-product (values set to zero). The differences between the CEA and ECN results reflect the processing differences.

Intercomparison of the data for the various nuclides reveals that there are still rather large differences between the values of the cross-sections of different nuclides. The strong resonance absorbers ^{149}Sm , ^{151}Sm , ^{153}Eu , ^{155}Eu have high cross-sections also in fast power reactors. The last columns of Table 5.1 contain the averages and root mean square values. Note that in this table, JEF-2.2 is counted twice, which may give too optimistic results. Furthermore, there are other dependencies between the libraries, as some evaluations have been adopted in one or more different libraries. Therefore, the RMS values are only indicative. From the top-20 nuclides the RMS values are less than 10%, except for the nuclides ^{151}Sm , ^{103}Ru , ^{135}Cs . These are unstable nuclides, for which there are almost no measurements. Integral data are available for these nuclides and have been used in the JEF-2.2 evaluation. From the next 20 nuclides the one with RMS larger than 20% are ^{155}Eu , ^{96}Zr , and ^{95}Zr . It is recommended to have a closer look at these nuclides. More generally, the largest uncertainties come from unstable nuclides. Still, the average RMS value for the top 40 nuclides is below 10%. The systematic difference in the pseudo-cross-sections of JENDL-3.2 and JEF-2.2 could partly be attributed to the following nuclides belonging to the “top 20”: ^{149}Sm , ^{99}Tc , ^{147}Pm , ^{151}Sm , ^{103}Ru , ^{97}Mo , ^{153}Eu and ^{109}Ag .

Table 5.2 gives the one group inelastic scattering cross-sections for JEF-2.2 and JENDL-3.2 for the most important nuclides in order of descending importance. The activation libraries EAF-4.2 and ADL-3 do not contain total inelastic scattering cross-sections. The differences between the values of the cross-sections for different nuclides are smaller than in the case of radiative capture. The largest values are obtained for ^{151}Sm and ^{103}Ru , which are nuclides with rather low excitation levels (below 100 keV). In the top 20 nuclides, JENDL-3.2 shows a trend of larger values for even-mass nuclides and smaller ones for odd-mass nuclides, compared to JEF-2.2. This trend could come from the contributions of direct inelastic scattering for even-mass nuclides. The RMS values for the top 40 nuclides are less than 15%, except for the nuclides ^{104}Ru , ^{131}Xe , ^{139}La , ^{151}Sm , ^{144}Ce (but only two different evaluations were considered). These nuclides should be inspected in more detail. The average RMS value for the top 40 nuclides is less than 8%, which is surprisingly small.

From Table 5.3 where the (n,2n) one group cross-sections are compared, it becomes evident that the JEF-2.2 data file does not contain data for all nuclides. The RMS values are in general below 35%, however the cross-section difference is rather systematic, with relatively low values for ADL-3. This needs further investigation.

**Table 5.1. One group cross-sections for radiative capture (MT=102)
of the nuclides in order of descending importance determined by
the product of the cross-section (FOND-2.1) and yield of the nuclide**

Institute Library	CEA JEF-2.2	ECN JEF-2.2	IPPE FOND-2.1	IPPE ADL-3	JNDC JENDL-3.2	Average	RMS ^a (%)
¹⁰¹ Ru	0.7143	0.7243	0.7616	0.7141	0.7523	0.7333	2.71
¹⁰⁵ Pd	0.9369	0.9490	0.9161	0.8568	0.9594	0.9236	3.94
¹⁴⁸ Sm	2.5398	2.5437	2.8700	2.6540	2.2990	2.5813	7.17
⁹⁹ Tc	0.6301	0.6479	0.6561	0.6152	0.5923	0.6283	3.65
¹³³ Cs	0.5072	0.5167	0.5184	0.4715	0.4874	0.5003	3.62
¹⁰⁷ Pd	1.0569	1.0700	1.0399	0.9840	1.0520	1.0406	2.87
¹⁰³ Rh	0.6751	0.6832	0.6526	0.6124	0.6774	0.6601	3.94
¹⁴⁷ Pm	1.5064	1.5167	1.4309	1.3335	1.2753	1.4126	6.72
¹⁵¹ Sm	3.3618	3.3998	2.9413	2.6922	2.1080	2.9006	16.43
¹⁰³ Ru	1.1828	1.1992	1.2140	1.1416	0.5047	1.0485	26.03
⁹⁷ Mo	0.3351	0.3406	0.3568	0.3159	0.3484	0.3394	4.08
¹⁴⁵ Nd	0.5657	0.5700	0.5124	0.4755	0.5648	0.5377	6.99
¹³¹ Xe	0.2917	0.2937	0.3323	0.3018	0.3461	0.3131	7.03
¹⁵³ Eu	2.7363	2.7655	2.9288	2.4251	2.5958	2.6903	6.31
¹⁴³ Nd	0.3592	0.3550	0.3370	0.3080	0.3589	0.3437	5.70
¹⁰² Ru	0.1558	0.1581	0.1796	0.1732	0.1642	0.1662	5.41
¹⁰⁹ Ag	0.7846	0.7927	0.7203	0.6705	0.6916	0.7319	6.69
¹⁰⁴ Ru	0.1517	0.1546	0.1658	0.1572	0.1685	0.1596	4.06
¹³⁵ Cs	0.2379	0.2445	0.1361	0.2269	0.2284	0.2148	18.56
¹⁴¹ Pr	0.1553	0.1582	0.1540	0.1360	0.1564	0.1520	5.34
⁹⁵ Mo	0.3180	0.3204	0.3351	0.3096	0.3360	0.3238	3.16
⁹⁸ Mo	0.1233	0.1280	0.1179	0.1067	0.1194	0.1191	5.97
¹⁰⁰ Mo	0.0933	0.0938	0.1011	0.0862	0.1000	0.0949	5.64
¹⁵⁵ Eu	2.8163	2.8428	2.9559	2.6783	1.3368	2.5260	23.80
¹⁰⁸ Pd	0.1778	0.1770	0.2507	0.2352	0.2358	0.2153	14.60
¹³² Xe	0.0689	0.0708	0.0755	0.0804	0.0980	0.0787	13.27
⁹³ Zr	0.1349	0.1335	0.1042	0.0924	0.1057	0.1141	14.94
¹⁵² Sm	0.4951	0.4956	0.5077	0.4768	0.4799	0.4910	2.31
¹⁴¹ Ce	0.2970	0.2963	0.2960	0.2754	0.2977	0.2925	2.93
¹²⁹ I	0.3644	0.3700	0.3804	0.3566	0.3840	0.3711	2.72
¹⁰⁶ Ru	0.0922	0.0871	0.0946	0.0887	0.0916	0.0909	2.91
⁹⁶ Zr	0.0343	0.0358	0.0590	0.0550	0.0391	0.0447	22.98
¹⁰⁶ Pd	0.1994	0.2027	0.2553	0.1959	0.2772	0.2261	14.85
¹²⁷ I	0.6168	0.6199	0.6307	0.5806	0.6028	0.6102	2.83
¹⁴⁶ Nd	0.0947	0.0956	0.1100	0.0911	0.1076	0.0998	7.57
¹⁴⁸ Nd	0.1703	0.1681	0.1636	0.1609	0.1469	0.1620	5.08
¹³⁴ Xe	0.0361	0.0360	0.0374	0.0292	0.0272	0.0332	12.53
¹³⁹ La	0.0339	0.0333	0.0390	0.0320	0.0343	0.0345	6.86
⁹⁵ Nb	0.3469	0.3496	0.2705	0.3311	0.3669	0.3330	9.99
⁹⁵ Zr	0.0651	0.0643	0.1229	0.0586	0.1489	0.0919	40.13

^a As the columns are not all independent, the RMS value is only indicative and might be too small.

Table 5.1. Continued

Institute Library	CEA JEF-2.2	ECN JEF-2.2	IPPE FOND-2.1	IPPE ADL-3	JNDC JENDL-3.2	Average	RMS (%)
¹¹⁰ Pd	0.0970	0.0985	0.2189	0.0920	0.1291	0.1271	37.53
¹¹¹ Cd	0.4605	0.4665	0.4683	0.4350	0.7475	0.5155	22.62
¹⁴⁷ Sm	1.4571	1.4660	1.4183	1.3243	1.2719	1.3875	5.52
¹⁵⁰ Nd	0.1728	0.1748	0.1729	0.1668	0.1626	0.1700	2.68
¹⁵⁴ Eu	3.0951	3.1233	3.1720	2.9430	3.4503	3.1567	5.24
¹⁴³ Pr	0.4094	0.4095	0.4206	0.3847	0.1263	0.3501	32.13
¹⁵⁷ Gd	1.8214	1.8389	1.6372	1.4989	1.3578	1.6308	11.36
⁹² Zr	0.0365	0.0368	0.0433	0.0425	0.0418	0.0402	7.26
⁹¹ Zr	0.0796	0.0789	0.0790	0.0720	0.0913	0.0801	7.77
¹⁵⁶ Gd	0.6203	0.6156	0.7077	0.6631	0.7059	0.6625	6.00
⁹⁴ Zr	0.0229	0.0237	0.0271	0.0262	0.0258	0.0251	6.22
¹⁴⁷ Nd	1.0075	1.0173	0.7995	0.9482	1.2315	1.0008	13.90
¹³⁷ Cs	0.0274	0.0280	0.0160	0.0264	0.0160	0.0228	24.34
¹⁴² Ce	0.0436	0.0442	0.0186	0.0196	0.0252	0.0302	37.57
¹⁴⁴ Ce	0.0493	0.0490	0.0337	0.0470	0.0241	0.0406	24.85
¹⁵⁹ Tb	0.0000	1.7482	2.0672	1.6488	1.8546	1.8297	8.48
¹⁵⁴ Sm	0.2479	0.2507	0.2729	0.2514	0.2471	0.2540	3.77
⁸³ Kr	0.0000	0.2465	0.2422	0.2232	0.2806	0.2481	8.34
¹⁴⁴ Nd	0.0800	0.0807	0.0936	0.0758	0.0829	0.0826	7.23
¹²⁸ Te	0.0418	0.0416	0.1029	0.0387	0.0408	0.0531	46.81
¹⁴⁸ Pm	4.1510	4.1781	4.2530	5.8795	3.2167	4.3357	19.84
¹⁴⁹ Pm	3.5314	3.5548	3.6200	3.3688	1.2367	3.0623	29.93
¹⁴⁰ Ce	0.0138	0.0135	0.0123	0.0142	0.0061	0.0120	24.95
¹¹⁶ Cd	0.0000	0.1182	0.8856	0.1139	0.0823	0.3000	112.80
⁸¹ Br	0.0000	0.4293	0.3892	0.4048	0.2777	0.3752	15.48
¹²⁵ Sb	0.3184	0.3217	0.3216	0.0000	0.4493	0.3527	15.82
¹⁶¹ Dy	0.0000	2.5911	2.5856	2.4223	0.0000	2.5330	3.09
⁹⁹ Mo	0.5052	0.5132	0.5176	0.4907	0.3780	0.4810	10.87
¹¹⁵ In	0.4711	0.4772	0.4755	0.4540	0.6084	0.4972	11.30
¹⁰⁴ Pd	0.0000	0.2016	0.3311	0.1921	0.2993	0.2560	23.57
⁹¹ Y	0.0461	0.0467	0.0472	0.0445	0.0891	0.0547	31.47
¹³¹ I	0.1686	0.1706	0.1743	0.1613	0.2808	0.1911	23.56
¹¹³ Cd	0.4092	0.4134	0.4128	0.3865	0.5273	0.4299	11.57
⁸⁴ Kr	0.0000	0.0699	0.0664	0.0629	0.0519	0.0628	10.77
¹¹² Cd	0.2421	0.2443	0.2535	0.2399	0.2084	0.2377	6.45
¹²⁹ Te	0.0000	0.1387	0.1387	2.7649	0.7658	0.9520	113.18
¹⁵⁰ Sm	0.4543	0.4583	0.3408	0.3237	0.4341	0.4022	14.41
¹²¹ Sb	0.4657	0.4707	0.4663	0.4467	0.4414	0.4582	2.57
¹⁰⁰ Ru	0.0000	0.1996	0.1991	0.1886	0.2067	0.1985	3.26
¹⁵⁸ Gd	0.0000	0.3337	0.3356	0.3126	0.3417	0.3309	3.32
¹³⁰ Te	0.0143	0.0147	0.0149	0.0137	0.0129	0.0141	5.11
¹⁰⁵ Rh	0.5905	0.5988	0.6036	0.0000	0.6544	0.6119	4.09
¹⁴⁰ Ba	0.0000	0.0188	0.0691	0.0185	0.0024	0.0272	92.16
⁸⁷ Rb	0.0247	0.0248	0.0248	0.0213	0.0292	0.0249	10.11
¹³³ Xe	0.1351	0.1287	0.1275	0.1184	0.1380	0.1295	5.26

Table 5.1. Continued

Institute Library	CEA JEF-2.2	ECN JEF-2.2	IPPE FOND-2.1	IPPE ADL-3	JNDC JENDL-3.2	Average	RMS ^a (%)
¹¹⁴ Cd	0.0000	0.2785	0.2818	0.2611	0.1882	0.2524	15.00
¹⁵⁵ Gd	0.0000	2.9068	2.9057	2.6694	2.6347	2.7792	4.59
¹⁴⁸ Sm	0.0000	0.3686	0.3110	0.2907	0.2885	0.3147	10.27
⁹⁰ Sr	0.0131	0.0134	0.0134	0.0126	0.0100	0.0125	10.25
¹⁴⁰ La	0.3773	0.3788	0.3919	0.3507	0.0000	0.3747	3.99
¹³⁶ Xe	0.0031	0.0031	0.0031	0.0029	0.0011	0.0026	28.79
⁸⁹ Y	0.0000	0.0174	0.0145	0.0225	0.0178	0.0180	16.00
¹²⁷ Te	0.0000	0.4100	0.4100	3.1977	0.8786	1.2241	94.39
¹³⁸ Ba	0.0033	0.0034	0.0036	0.0034	0.0052	0.0038	18.71
¹¹¹ Ag	0.0000	0.7936	0.8141	0.7389	0.0000	0.7822	4.06
¹⁴⁸ Pm	0.0000	3.9372	4.2530	3.9542	1.9922	3.5342	25.44
¹¹⁷ Sn	0.0000	0.2228	0.2243	0.2129	0.2377	0.2244	3.93
¹⁴³ Ce	0.0000	0.3364	0.3512	0.3144	0.0000	0.3340	4.53
⁸⁹ Sr	0.0000	0.0225	0.0226	0.0214	0.0126	0.0198	21.01
¹¹⁰ Cd	0.0000	0.2714	0.2658	0.2640	0.2200	0.2553	8.06
¹¹⁸ Sn	0.0000	0.1255	0.1264	0.1204	0.0890	0.1153	13.34
¹²³ Sb	0.0000	0.2560	0.2558	0.2471	0.2849	0.2610	5.46
¹⁶⁰ Gd	0.0000	0.2236	0.1696	0.1726	0.2248	0.1977	13.44
⁷⁷ Se	0.0000	0.4126	0.3864	0.3936	0.3970	0.3974	2.41
¹²³ Sn	0.0000	0.1232	0.1239	0.1179	0.3672	0.1831	58.09
¹²⁵ Te	0.0000	0.4001	0.4019	0.3696	0.3783	0.3875	3.59
⁸⁰ Se	0.0000	0.0582	0.0493	0.0545	0.0422	0.0510	11.75
⁸⁵ Kr	0.0000	0.0436	0.0066	0.0413	0.0597	0.0378	51.29
¹²⁵ Sn	0.0000	0.3681	0.3791	0.3539	0.0000	0.3670	2.81
¹¹⁹ Sn	0.0000	0.0643	0.0630	0.0587	0.1847	0.0927	57.35
¹³⁶ Ba	0.0000	0.0531	0.0505	0.0453	0.0700	0.0547	16.90
¹³⁷ Ba	0.0000	0.0649	0.0680	0.0642	0.0822	0.0698	10.42
¹²⁴ Sn	0.0000	0.0265	0.0281	0.0288	0.0150	0.0246	22.89
¹²⁰ Sn	0.0000	0.0454	0.0454	0.0585	0.0456	0.0487	11.63
⁸⁶ Kr	0.0000	0.0039	0.0034	0.0040	0.0028	0.0036	13.46
¹³⁶ Cs	0.0000	0.3023	0.3187	0.2888	0.2535	0.2908	8.26
⁸⁵ Rb	0.2193	0.2245	0.1979	0.2063	0.2767	0.2250	12.24
⁷⁸ Se	0.0000	0.0806	0.0682	0.0706	0.0917	0.0778	11.95
¹³⁰ Xe	0.0000	0.1265	0.1267	0.1461	0.2729	0.1680	36.33
¹²⁸ Xe	0.0000	0.1905	0.1886	0.2026	0.2600	0.2104	13.82
⁹⁶ Mo	0.0000	0.0859	0.0901	0.0873	0.0893	0.0882	1.88
¹⁶⁰ Dy	0.0000	2.2301	2.2255	2.1165	0.0000	2.1907	2.40
⁸² Se	0.0000	0.0093	0.0094	0.0092	0.0288	0.0142	59.66
¹²⁶ Sn	0.0000	0.0070	0.0070	0.0071	0.0085	0.0074	8.26
¹⁶² Dy	0.0000	0.9439	0.9456	0.8971	0.0000	0.9289	2.42
¹²² Sn	0.0000	0.0234	0.0238	0.0231	0.0276	0.0245	7.56
⁸⁸ Sr	0.0000	0.0010	0.0010	0.0011	0.0041	0.0018	73.81
¹⁵⁶ Eu	0.0000	0.0696	0.0713	0.0650	0.7202	0.2315	121.87
¹⁵⁴ Gd	0.0000	1.1355	1.3159	1.2452	0.9733	1.1675	11.07
¹³⁴ Ba	0.0000	0.1164	0.1120	0.1038	0.2081	0.1351	31.40

Table 5.2. One group cross-sections for inelastic scattering (MT=4) of the nuclides in order of descending importance determined by the product of the cross-section (JENDL-3.2) and yield of the nuclide

Institute Library	CEA JEF-2.2	ECN JEF-2.2	JNDC JENDL-3.2	Average	RMS ^a (%)
¹⁰¹ Ru	0.6176	0.6012	0.4748	0.5646	11.30
¹³³ Cs	0.4675	0.4576	0.4411	0.4554	2.39
⁹⁹ Tc	0.4633	0.4487	0.3599	0.4239	10.78
¹⁰³ Rh	0.4129	0.4028	0.4041	0.4066	1.11
¹³⁵ Cs	0.3057	0.2998	0.2615	0.2890	6.78
¹⁰⁴ Ru	0.2127	0.2072	0.2919	0.2373	16.30
¹⁰⁵ Pd	0.5106	0.4970	0.3870	0.4649	11.90
¹⁰⁰ Mo	0.2716	0.2641	0.2852	0.2736	3.19
¹⁰⁷ Ru	0.1940	0.1884	0.2426	0.2083	11.68
¹⁴¹ Pr	0.3522	0.3448	0.3577	0.3516	1.50
¹⁴⁵ Nd	0.5086	0.4985	0.5236	0.5103	2.02
¹⁰³ Ru	1.0791	1.0630	0.9858	1.0426	3.91
⁹⁷ Mo	0.2611	0.2549	0.2947	0.2703	6.47
¹³¹ Xe	0.5059	0.4955	0.3559	0.4524	15.12
¹⁰⁷ Pd	0.5094	0.4961	0.4284	0.4780	7.42
¹⁴⁰ Sm	0.9357	0.9174	0.9073	0.9202	1.28
¹³⁹ La	0.2745	0.2693	0.1850	0.2429	16.90
⁹⁸ Mo	0.1898	0.1880	0.1956	0.1911	1.68
¹⁰⁶ Ru	0.2860	0.2792	0.3048	0.2900	3.74
¹³⁷ Cs	0.1718	0.1685	0.1565	0.1656	3.96
¹³⁴ Xe	0.1670	0.1656	0.1268	0.1532	12.17
¹⁵¹ Sm	1.9461	1.9303	1.1939	1.6901	20.76
¹⁴² Ce	0.2104	0.2064	0.1706	0.1958	9.13
¹³² Xe	0.2088	0.2054	0.1559	0.1900	12.71
¹⁴⁷ Pm	0.5153	0.5027	0.4834	0.5005	2.62
⁹³ Zr	0.2349	0.2301	0.2062	0.2237	5.61
¹⁴⁶ Nd	0.3134	0.3060	0.3054	0.3082	1.18
⁹⁵ Mo	0.3383	0.3319	0.3328	0.3343	0.85
¹⁴⁸ Nd	0.3780	0.3695	0.3943	0.3806	2.71
¹⁰⁹ Ag	0.4323	0.4218	0.4105	0.4215	2.11
⁹⁴ Zr	0.1380	0.1368	0.1543	0.1431	5.57
¹³⁶ Xe	0.1156	0.1144	0.0924	0.1075	9.91
¹⁰⁸ Pd	0.2604	0.2547	0.2531	0.2561	1.23
¹⁵⁰ Nd	0.6038	0.5902	0.5478	0.5806	4.11
¹⁴⁴ Ce	0.4548	0.4433	0.2091	0.3691	30.67
¹⁴³ Nd	0.1570	0.1554	0.1380	0.1501	5.74
¹⁵² Sm	0.7550	0.7364	0.6112	0.7009	9.11
⁹² Zr	0.1322	0.1310	0.1510	0.1381	6.63
¹³⁸ Ba	0.1087	0.1076	0.0849	0.1004	10.91
⁹⁶ Zr	0.0883	0.0874	0.0838	0.0865	2.26

^a As the columns are not all independent, the RMS value is only indicative and might be too small.

Table 5.2. Continued

Institute Library	CEA JEF-2.2	ECN JEF-2.2	JNDC JENDL-3.2	Average	RMS (%)
⁹⁶ Zr	0.0883	0.0874	0.0838	0.0865	2.26
¹²⁹ I	0.4695	0.4605	0.4174	0.4491	5.06
¹⁴⁰ Ce	0.0684	0.0676	0.0780	0.0713	6.61
¹⁵³ Eu	1.0290	1.0051	0.7759	0.9367	12.18
¹¹⁰ Pd	0.2897	0.2838	0.2884	0.2873	0.88
¹³⁰ Te	0.1155	0.1145	0.1292	0.1198	5.60
⁹⁰ Sr	0.1056	0.1047	0.1303	0.1135	10.47
¹⁰⁶ Pd	0.2263	0.2208	0.2036	0.2169	4.46
¹⁵⁴ Sm	0.5118	0.4997	0.6552	0.5556	12.71
¹²⁷ I	0.5195	0.5089	0.4693	0.4992	4.33
⁸⁷ Rb	0.1884	0.1840	0.1813	0.1846	1.58
¹⁴⁴ Nd	0.2105	0.2071	0.2132	0.2103	1.18
⁸³ Kr	0.0000	0.6619	0.5107	0.5863	12.90
¹⁴³ Pr	0.3973	0.3895	0.4662	0.4177	8.26
⁹⁵ Zr	0.1093	0.1083	0.0956	0.1044	5.97
⁹¹ Y	0.1741	0.1713	0.1875	0.1776	3.99
⁹¹ Zr	0.0851	0.0845	0.0913	0.0870	3.51
¹⁵⁵ Eu	0.7267	0.7078	0.6595	0.6980	4.05
¹¹¹ Cd	0.4115	0.4014	0.3348	0.3826	8.90
¹³⁴ Cs	0.7659	0.7546	0.8764	0.7990	6.87
¹⁴¹ Ce	0.1437	0.1421	0.1078	0.1312	12.62
¹⁴⁷ Nd	0.6425	0.6295	0.8092	0.6938	11.79
¹²⁸ Te	0.1524	0.1506	0.1433	0.1488	2.65
⁹⁵ Nb	0.1814	0.1794	0.1316	0.1641	14.03
⁸⁹ Y	0.0000	0.1013	0.0827	0.0920	10.13
¹⁵⁶ Gd	0.5917	0.5773	0.5054	0.5581	6.76
¹⁵⁷ Gd	0.8340	0.8158	0.8253	0.8251	0.90
⁸⁸ Sr	0.0000	0.0404	0.0505	0.0455	11.16
¹⁴⁷ Sm	0.5573	0.5452	0.5243	0.5423	2.51
⁹⁹ Mo	0.5006	0.4874	0.6881	0.5587	16.41
⁸⁴ Kr	0.0000	0.1638	0.1147	0.1392	17.62
¹⁴⁰ Ba	0.0000	0.1311	0.1522	0.1416	7.44
¹³¹ I	0.2701	0.2646	0.2820	0.2722	2.66
⁸⁶ Kr	0.0000	0.1114	0.0655	0.0885	25.98
¹³³ Xe	0.1951	0.1925	0.2571	0.2149	13.88
¹⁵⁸ Gd	0.0000	0.5067	0.5507	0.5287	4.16
⁸¹ Br	0.0000	0.2173	0.3164	0.2669	18.56
⁸⁹ Sr	0.0000	0.0366	0.0790	0.0578	36.74
¹²⁹ Te	0.0000	0.1390	0.1850	0.1620	14.20
¹¹⁹ Sn	0.0000	0.5773	0.6247	0.6010	3.94
⁸⁵ Kr	0.0000	0.0537	0.0620	0.0579	7.16
¹⁵⁰ Sm	0.3317	0.3243	0.3734	0.3431	6.30
⁸² Se	0.0000	0.1211	0.1439	0.1325	8.59
¹²¹ Sb	0.4425	0.4348	0.4908	0.4560	5.44
¹⁰⁰ Ru	0.0000	0.1609	0.2071	0.1840	12.55

Table 5.2. Continued

Institute Library	CEA JEF-2.2	ECN JEF-2.2	JNDC JENDL-3.2	Average	RMS (%)
¹²⁶ Sn	0.0000	0.0667	0.1018	0.0842	20.81
¹¹³ Cd	0.3898	0.3776	0.3305	0.3659	6.99
¹²⁵ Sb	0.1746	0.1714	0.1819	0.1759	2.50
¹⁵⁹ Tb	0.0000	0.9638	0.6133	0.7885	22.23
¹¹² Cd	0.1488	0.1457	0.1849	0.1598	11.15
¹⁰⁴ Pd	0.0000	0.2035	0.1922	0.1979	2.86
¹⁵⁴ Eu	0.9158	0.8918	0.4550	0.7542	28.08
¹⁵⁶ Eu	0.0000	1.3320	1.1121	1.2221	9.00
¹¹⁷ Sn	0.0000	0.3214	0.3463	0.3339	3.73
¹⁴⁶ Sm	0.0000	0.1982	0.2462	0.2222	10.81
¹⁰⁵ Rh	0.2872	0.2806	0.4240	0.3306	20.00
¹¹⁴ Cd	0.0000	0.1390	0.2030	0.1710	18.72
¹⁶⁰ Gd	0.0000	0.5105	0.5664	0.5385	5.19
⁸⁰ Se	0.0000	0.1235	0.1525	0.1380	10.51
¹¹⁶ Cd	0.0000	0.1597	0.2119	0.1858	14.04
¹⁴⁶ Pm	0.5045	0.4923	0.6892	0.5620	16.03
¹²⁴ Sn	0.0000	0.0645	0.1035	0.0840	23.23
¹¹⁵ In	0.1190	0.1177	0.1393	0.1253	7.89
¹³⁶ Ba	0.0000	0.1298	0.1353	0.1326	2.07
¹²⁷ Te	0.0000	0.1215	0.2295	0.1755	30.78
¹⁵³ Sm	0.0000	1.4055	1.3639	1.3847	1.50
¹⁴⁶ Pm	0.6098	0.5942	0.4980	0.5673	8.71
¹³⁷ Ba	0.0000	0.1851	0.1415	0.1633	13.37
¹²³ Sb	0.0000	0.2208	0.2576	0.2392	7.70
¹¹⁰ Cd	0.0000	0.1255	0.1674	0.1464	14.30
¹⁵⁵ Gd	0.0000	0.7726	0.7637	0.7681	0.57
¹²² Sn	0.0000	0.0727	0.0983	0.0855	14.99
¹²⁰ Sn	0.0000	0.0670	0.1002	0.0836	19.87
¹²⁵ Te	0.0000	0.5385	0.5546	0.5466	1.46
¹¹⁸ Sn	0.0000	0.0608	0.0959	0.0784	22.36
¹²³ Sn	0.0000	0.0907	0.1487	0.1197	24.24
⁷⁸ Se	0.0000	0.1294	0.1652	0.1473	12.15
⁷⁷ Se	0.0000	0.3267	0.4345	0.3806	14.16
⁹⁶ Mo	0.0000	0.1160	0.1833	0.1496	22.48
⁸⁵ Rb	0.2460	0.2403	0.3057	0.2640	11.20
¹³⁰ Xe	0.0000	0.2370	0.1742	0.2056	15.27
¹⁴⁸ Pm	0.0000	0.5942	0.7662	0.6802	12.64
¹³⁶ Cs	0.0000	0.1827	0.3319	0.2573	29.00
¹⁴² Nd	0.0000	0.0744	0.0974	0.0859	13.37
¹²⁶ Xe	0.0000	0.2641	0.2022	0.2331	13.27
¹³⁴ Ba	0.0000	0.1694	0.1688	0.1691	0.18
¹²⁶ Te	0.0000	0.1412	0.1532	0.1472	4.09
⁹⁰ Zr	0.0000	0.0501	0.0590	0.0545	8.14
⁸² Kr	0.0000	0.1753	0.1342	0.1548	13.29
¹¹⁵ Sn	0.0000	0.1916	0.2001	0.1958	2.16

Table 5.3. One group cross-sections for (n,2n) reactions (MT=16) of the nuclides in order of descending importance determined by the product of the cross-section (ADL-3) and yield of the nuclide

Institute Library	CEA JEF-2.2	ECN JEF-2.2	IPPE ADL-3	JNDC JENDL-3.2	Average	RMS ^a (%)
¹⁴² Ce	1.1818	1.0179	1.0874	0.9124	1.0499	9.37
¹⁴⁵ Nd	3.9818	3.8276	1.5629	3.2449	3.1543	30.40
¹⁴⁵ Nd	2.6339	2.5023	1.0868	1.8441	2.0168	30.48
¹⁰¹ Ru	1.0978	0.9987	0.6108	1.0233	0.9326	20.31
¹³¹ Xe	2.0694	1.9330	0.9326	1.1105	1.5114	32.83
¹⁴⁴ Ce	1.6126	1.4160	1.2582	1.2309	1.3794	11.02
⁹⁷ Mo	0.0000	0.0000	0.5574	0.5398	0.5486	1.61
¹³⁷ Cs	0.4922	0.3927	0.4355	0.3799	0.4251	10.32
¹³⁶ Xe	0.7068	0.5802	0.3998	0.5135	0.5501	20.20
⁹³ Zr	0.8254	0.7369	0.6553	1.0138	0.8078	16.50
¹⁰⁷ Pd	2.2136	2.0801	0.8043	1.2667	1.5912	36.52
¹⁴¹ Ce	2.0727	1.9468	2.0871	3.2376	2.3361	22.40
⁹⁶ Zr	0.6988	0.6158	0.4580	0.5241	0.5742	15.88
¹⁰⁵ Pd	1.1214	1.0192	0.4507	0.7754	0.8417	30.70
¹³⁴ Xe	0.6174	0.4972	0.2839	0.2728	0.4178	34.91
¹³⁵ Cs	0.3927	0.2867	0.2716	0.2671	0.3045	16.89
¹⁰⁰ Mo	0.5894	0.5017	0.3109	0.3065	0.4271	28.67
¹⁴⁹ Sm	4.1049	3.9494	1.5415	2.6303	3.0565	34.21
¹⁵¹ Sm	2.9146	2.7685	2.4655	2.4093	2.6395	7.94
¹⁴⁶ Nd	1.1233	1.0230	0.6855	0.6612	0.8733	23.27
¹⁰³ Ru	2.2548	2.1410	1.0694	1.6210	1.7716	26.56
¹³⁹ La	0.5170	0.4278	0.2676	0.2497	0.3655	30.54
¹⁰⁴ Ru	0.0000	0.0000	0.2434	0.2903	0.2669	8.78
¹⁴⁸ Nd	1.4448	1.3391	0.8781	0.8036	1.1164	25.02
¹³³ Cs	0.4921	0.4005	0.2254	0.2128	0.3327	35.53
⁹⁸ Mo	0.4841	0.3964	0.2514	0.2423	0.3435	29.58
⁹⁴ Zr	0.0000	0.0000	0.3308	0.3609	0.3458	4.35
¹³⁸ Ba	0.4936	0.3937	0.2701	0.2665	0.3560	26.55
⁹⁵ Zr	1.0420	0.9499	0.7379	1.2580	0.9969	18.73
¹³² Xe	0.4985	0.3889	0.2375	0.2064	0.3328	35.45
¹⁴⁷ Pm	1.0495	0.9402	0.7492	0.5796	0.8296	21.69
¹⁰² Ru	0.0000	0.0000	0.1723	0.2058	0.1890	8.86
⁹⁹ Tc	0.4543	0.3697	0.1973	0.2010	0.3056	36.18
¹⁰⁶ Ru	0.0000	0.0000	0.2971	0.3716	0.3344	11.15
¹⁴⁰ Ce	0.0000	0.0000	0.2043	0.1914	0.1978	3.27
¹⁵⁰ Nd	1.3084	1.1096	0.8256	0.6928	0.9841	24.41
⁹⁰ Sr	0.0000	0.0000	0.4331	0.4335	0.4333	0.04
¹⁰³ Rh	0.3539	0.2761	0.1669	0.1389	0.2340	36.82
¹⁴¹ Pr	0.3735	0.2902	0.1736	0.1826	0.2550	32.30
⁹⁵ Mo	0.0000	0.0000	0.3382	0.3408	0.3395	0.38

^a As the columns are not all independent, the RMS value is only indicative and might be too small.

Table 5.3. One group cross-sections for (n,2n) reactions (MT=16)

Institute Library	CEA JEF-2.2	ECN JEF-2.2	IPPE ADL-3	JNDC JENDL-3.2	Average	RMS (%)
¹⁴⁰ Ba	0.0000	2.4793	1.7190	1.5348	1.9110	21.39
⁹² Zr	0.0000	0.0000	0.2253	0.2366	0.2309	2.44
¹³⁰ Te	0.0000	0.0000	0.3499	0.3008	0.3254	7.54
⁹¹ Zr	0.4528	0.4000	0.3370	0.3101	0.3750	14.81
¹⁴⁴ Nd	0.9323	0.8359	0.5527	0.4850	0.7015	26.70
¹⁴⁷ Nd	0.0000	0.0000	3.1135	4.9516	4.0325	22.79
¹⁰⁸ Pd	0.4641	0.3716	0.1749	0.2133	0.3060	38.36
⁸⁹ Sr	0.0000	0.0000	0.7110	1.2691	0.9901	28.18
¹⁵² Sm	0.8242	0.7408	0.4670	0.3803	0.6031	30.57
⁹¹ Y	0.0000	0.0000	0.4003	0.3647	0.3825	4.66
¹⁴³ Pr	0.0000	0.0000	0.8734	0.7758	0.8246	5.92
¹⁰⁹ Ag	0.3879	0.3136	0.1785	0.1790	0.2648	33.96
⁹⁵ Nb	0.4757	0.3922	0.2893	0.2776	0.3587	22.56
¹¹¹ Cd	0.8347	0.7483	0.5800	0.7638	0.7317	12.77
¹²⁸ Te	0.0000	0.0000	0.2773	0.2267	0.2520	10.02
¹⁴⁰ La	0.0000	0.0000	3.9566	0.0000	3.9566	0.00
¹¹⁰ Pd	0.5779	0.4859	0.2284	0.3032	0.3988	34.98
¹³³ Xe	0.0000	0.0000	0.9399	1.2794	1.1096	15.30
¹²⁹ I	0.3965	0.3107	0.2297	0.2434	0.2950	22.41
¹²⁰ Te	0.0000	0.0000	0.8330	1.5979	1.2155	31.46
⁸⁵ Kr	0.0000	0.0000	0.2869	0.6447	0.4658	38.40
¹⁵⁴ Sm	0.0000	0.0000	0.5825	0.4901	0.5363	8.61
¹⁵³ Eu	0.7206	0.6040	0.3774	0.2563	0.4896	37.31
⁹⁹ Mo	0.0000	0.0000	1.5544	2.1806	1.8675	16.77
¹⁰⁶ Pd	0.3844	0.2929	0.1378	0.1692	0.2461	40.11
¹⁵⁷ Gd	0.0000	0.0000	1.5178	1.2578	1.3878	9.37
¹⁴³ Ce	0.0000	0.0000	3.4956	0.0000	3.4956	0.00
¹³⁴ Cs	0.0000	0.0000	0.8867	0.9711	0.9289	4.54
¹⁴⁷ Sm	2.6939	2.5681	0.9539	0.8208	1.7592	49.70
¹²⁶ Sn	0.0000	0.0000	0.3984	0.4161	0.4073	2.17
⁸⁷ Rb	0.0000	0.0000	0.0959	0.1044	0.1002	4.25
¹⁵⁵ Eu	0.6982	0.5957	0.5030	0.3643	0.5403	22.74
⁸⁶ Kr	0.0000	0.1518	0.1141	0.0885	0.1181	22.03
¹²⁷ I	0.3880	0.3255	0.2162	0.2331	0.2907	24.05
¹⁵⁴ Eu	1.0676	0.9558	1.6655	1.2818	1.2427	21.79
¹¹³ Cd	0.6090	0.5296	0.9032	1.1662	0.8020	31.44
⁸⁸ Sr	0.0000	0.0000	0.0553	0.0483	0.0518	6.80
⁸³ Kr	0.0000	0.6797	0.2187	0.3625	0.4203	45.82
⁸⁹ Y	0.0000	0.0720	0.0490	0.0433	0.0548	22.62
¹⁵⁶ Gd	0.6199	0.5188	0.3587	0.3074	0.4512	27.65
¹⁵⁰ Sm	0.0000	0.0000	0.5997	0.3996	0.4997	20.02
¹¹⁹ Sn	0.0000	0.0000	0.8365	1.3121	1.0743	22.14
¹⁵⁸ Gd	0.0000	0.0000	0.5982	0.5008	0.5495	8.87
¹³¹ I	0.0000	0.0000	0.2435	0.3070	0.2752	11.54
¹²⁵ Sb	0.0000	0.0000	0.2931	0.2520	0.2726	7.52

Table 5.3. One group cross-sections for (n,2n) reactions (MT=16)

Institute Library	CEA JEF-2.2	ECN JEF-2.2	IPPE ADL-3	JNDC JENDL-3.2	Average	RMS (%)
¹³² Te	0.0000	0.0000	0.3962	0.0000	0.3962	0.00
¹²⁴ Sn	0.0000	0.0000	0.3355	0.3282	0.3318	1.11
⁸⁴ Kr	0.0000	0.1263	0.0705	0.0628	0.0865	32.69
¹⁵⁶ Eu	0.0000	0.0000	1.9911	1.3876	1.6894	17.86
¹⁴⁸ Pm	0.0000	0.0000	2.0836	2.1593	2.1214	1.78
¹⁴⁸ Sm	0.0000	0.0000	0.4725	0.4138	0.4431	6.62
¹³⁷ Ba	0.0000	0.0000	0.6610	0.8709	0.7660	13.70
¹¹⁷ Sn	0.0000	0.0000	0.5407	0.8909	0.7158	24.46
¹²⁷ Te	0.0000	0.0000	0.7215	1.1535	0.9375	23.04
¹⁶¹ Dy	0.0000	0.0000	1.4646	0.0000	1.4646	0.00
⁸² Se	0.0000	0.0000	0.1208	0.1422	0.1315	8.16
¹²³ Sn	0.0000	0.0000	0.7066	2.2047	1.4556	51.46
¹⁶⁰ Gd	0.0000	0.0000	0.7977	0.7502	0.7740	3.07
¹⁵⁹ Tb	0.0000	0.6496	0.4991	0.4648	0.5378	14.92
¹¹² Cd	0.0000	0.0000	0.1476	0.1672	0.1574	6.22
¹¹⁴ Cd	0.0000	0.0000	0.1915	0.2356	0.2135	10.32
¹²² Sn	0.0000	0.0000	0.2762	0.2667	0.2714	1.75
¹³⁶ Ba	0.0000	0.0000	0.2321	0.1867	0.2094	10.85
¹⁰⁰ Ru	0.0000	0.0000	0.1242	0.1511	0.1376	9.75
¹⁵³ Sm	0.0000	0.0000	2.5744	1.7546	2.1645	18.94
¹¹⁶ Cd	0.0000	0.0000	0.2617	0.2859	0.2738	4.42
¹¹⁵ In	0.0000	0.0000	0.1825	0.1617	0.1721	6.05
¹⁴⁹ Pm	0.0000	0.0000	0.7706	0.7371	0.7539	2.22
¹²⁰ Sn	0.0000	0.0000	0.2113	0.2052	0.2082	1.46
¹²¹ Sb	0.0000	0.0000	0.2142	0.1598	0.1870	14.55
¹⁰⁴ Pd	0.0000	0.2287	0.1014	0.1155	0.1485	38.36
¹⁵⁵ Gd	0.0000	0.0000	1.3381	0.9688	1.1534	16.01
¹⁴⁸ Pm	0.0000	0.0000	2.8793	2.1593	2.5193	14.29
¹³⁶ Cs	0.0000	0.0000	1.2428	1.1047	1.1737	5.88
¹²⁵ Te	0.0000	0.0000	0.9264	1.0398	0.9831	5.77
¹¹⁸ Sn	0.0000	0.0000	0.1708	0.1529	0.1618	5.54
⁸¹ Br	0.0000	0.0000	0.0754	0.0808	0.0781	3.44
¹²⁵ Sn	0.0000	0.0000	0.9031	0.0000	0.9031	0.00
⁸⁰ Se	0.0000	0.0000	0.0954	0.1055	0.1004	5.00
¹⁰⁵ Rh	0.0000	0.0000	0.1620	0.2340	0.1979	18.19
¹²³ Sb	0.0000	0.0000	0.2339	0.2306	0.2322	0.70
¹¹⁵ Cd	0.0000	0.0000	0.8746	0.0000	0.8746	0.00
¹¹¹ Ag	0.0000	0.0000	0.2272	0.0000	0.2272	0.00
¹¹⁰ Cd	0.0000	0.0000	0.1120	0.0957	0.1038	7.88
⁹⁶ Mo	0.0000	0.0000	0.1709	0.1648	0.1678	1.81
⁷⁷ Se	0.0000	0.0000	0.2817	0.5030	0.3923	28.20
¹⁶⁰ Tb	0.0000	0.0000	1.7044	0.0000	1.7044	0.00
¹³⁰ Xe	0.0000	0.2918	0.1753	0.1914	0.2195	23.49
¹⁴² Nd	0.0000	0.0000	0.1202	0.1387	0.1295	7.14
⁷⁸ Se	0.0000	0.0000	0.0655	0.0669	0.0662	1.05

5.2 Energy dependence of capture cross-sections

A detailed analysis of the energy dependence of the most important fission-product capture cross-sections has been provided by JNDC. The 20 most important nuclides and seven discrepant nuclides have been inspected by means of a comparison of JEF-2.2, JENDL-3.2, ENDF/B-VI, and BROND-2 evaluations together with experimental data. The graphs and detailed comments are given in Appendix A and in Appendix D.

The main observations with respect to the differences between JEF-2.2 and JENDL-3.2 are:

- JENDL-3.2 cross-sections are smaller than those of JEF-2.2 for important unstable nuclides like ^{151}Sm , ^{103}Ru and ^{155}Eu for which experimental data are lacking in the unresolved energy range. In these cases the evaluation methodology plays an important role. In a number of cases JEF-2.2 data had been adjusted to integral data.
- For a number of nuclides, there are more recent experimental data which have the tendency to be smaller than previous data. This holds in particular for ^{109}Ag and ^{149}Sm . Since JENDL-3.2 is based upon these more recent data, the JENDL-3.2 cross-sections have the tendency to be smaller than the JEF-2.2 ones. In the low energy region below 10 eV, the lumped fission-product capture cross-section is mainly determined by ^{155}Eu . JENDL-3.2 was evaluated on the basis of experimental data of thermal values and resonance parameters. Note that in BROND, the new data have been considered, but in the case of ^{149}Sm these data were not adopted. In general new data do not always imply improvements.
- Finally, it is noted that the JNDC analysis of STEK integral reactivity data shows an underestimation of JENDL-3.2 for nuclides with masses larger than $A=130$, whereas most JEF-2.2 evaluations have been adjusted to these measurements (former RCN evaluations). The JNDC and ECN analyses of STEK are not exactly the same and may reflect differences due to self-shielding treatment or other computational differences. The experimental error of STEK data is less than 5% (1σ), while the estimated systematic error was of the order of 5%, due to systematic uncertainties in the flux and adjoint function. However, it is not excluded that this value is higher.

- Following the above observations, it seems difficult to indicate one possible cause of the differences between JENDL-3.2 and JEF-2.2 capture cross-section evaluations. There are three aspects:
 1. Evaluation methodology, mostly relevant to unstable nuclides without experimental data, but also important in the difficult unresolved resonance range;
 2. Use of recent differential data;
 3. Use of integral data.

Detailed analysis with the help of the graphs and discussion as given in Appendix D is required to further resolve this discrepancy.

Finally, we add some suggestions here to inspect the evaluation methodology. A common reason could be the optical-model parametrisation or the systematics used for the (p-wave) strength functions. More generally, it is suggested to compare the yield-averaged values of S_0 , S_1 , Γ_γ and D_0 of the various evaluations, to assess possible reasons for systematic differences. These parameters determine the unresolved resonance range and are difficult to extract from resolved resonance parameters if there is a significant fraction of missed (p-wave) resonances. The optical model should match the s- and p-wave strength functions. In the high-energy part of the resolved-resonance range, a correction for missed resonances should be made. All these points are well known to the evaluators, but in order to make progress it is necessary to re-investigate such possible sources of differences.

5.3 Inelastic scattering cross-sections

There is no detailed analysis of the energy dependence of inelastic scattering cross-sections. However, a lot of work on fission-product inelastic scattering cross-sections has been performed in the framework of another working group (SG10). In this working group, emphasis is given to the evaluation methods used for inelastic scattering that are traditionally based upon the spherical optical model in most of the older evaluations. Direct effects should be accounted for by means of DWBA or coupled channels optical models. However, this is of marginal interest to the reactivity effect of fission-products in fast reactors. More important could be the observed underprediction in inelastic scattering cross-sections near $A=100$ in most of the older evaluations, related to the adopted optical-model parametrisation. In general in JENDL-3.2 the most recent data have been used and direct effects were accounted for by the DWBA model.

6. Conclusions

The major results are summarised in Tables 6.1 and 6.2, which have been extracted from Sections 4.1 and 4.2.

Table 6.1. One group cross-sections of the pseudo-nuclide

File	2 (n,n) (b)	4 (n,n') (b)	16 (n,2n) (mb)	102 (n,γ) (b)	103 (n,p) (μb)	107 (n,α) (μb)	Total (b)
JEF-2.2	15.2	0.577	1.23	0.577	12.0	4.4	16.4
EAF-4.2 ^d			1.57		12.1	11.5	
JENDL-3.2	14.4	0.531	1.12	0.546	5.4	21.4	15.5
FOND-2.1		0.527	0.78	0.578	12.8	5.32	
ADL-3			0.92	0.544	7.5	6.73	
Average	14.8	0.545	1.12	0.561	10.0	9.9	15.9
Maxdiff (%)	5.4	9.0	70	5.9	74	172	5.7

Table 6.2. Reactivity effects of the pseudo-nuclide (arbitrary units)

File	2 (n,n) (au) ^b	4 (n,n') (au)	16 (n,2n) (au) ^b	102 (n,γ) (au)	Total (au)
JEF-2.2	-3.92	-0.0684	-0.694	-0.583	-0.656
JENDL-3.2	-4.67	-0.0652	-0.644	-0.546	-0.622
FOND-2.1 ^a		-0.0654		-0.584	-0.649
ADL-3		-0.0654		-0.550	
Average	-4.30	-0.0663	-0.669	-0.566	-0.642
Maxdiff (%)	17	4.8	7.5	5.8	5.3

^a Corrected for missing nuclides (factor 2/1.934 for MT=4).

^b Numbers have been multiplied with 10³.

From the previous sections we may conclude that the considered data evaluations give a maximum spread in lumped one group cross-sections averaged over the spectrum of a large fast power reactor of about 6% for capture and 9% for inelastic scattering. On average the reactivity effect consists mainly of the radiative capture effect with a 10% contribution of inelastic scattering. The total reactivity effect has a maximum spread of 5.3%. Data processing errors are small for these cross-sections, in contrast to those for (n,2n), (n,p) and (n,α) cross-sections.

Inspection of the differences did not reveal large problems in the libraries for capture and inelastic scattering cross-sections. However, there is a 5 to 6% systematic difference in the lumped one group cross-sections between

JENDL-3.2 and JEF-2.2. This is partly ascribed to different evaluations of important absorbers like ^{149}Sm , ^{99}Tc , ^{147}Pm , ^{151}Sm , ^{103}Ru , ^{97}Mo , ^{153}Eu and ^{109}Ag . Re-investigation of these evaluations is recommended, in particular for the unstable nuclides. For the inelastic scattering cross-sections some improvements could be obtained by re-investigating the data for nuclides with low-lying levels, below 200 keV (e.g. ^{101}Ru , ^{133}Cs , ^{103}Rh , ^{145}Nd , ^{103}Ru , ^{107}Pd and ^{149}Sm).

However, improvements for a few individual fission-products will not easily solve the remaining discrepancies, since there are also systematic differences. These are probably caused by the evaluation method and/or the adjustment to integral data (JEF-2.2). For capture the unresolved resonance treatment with the difficulties in parametrisation of strength functions, level spacing and radiation widths due to missed resonances, and the treatment of width fluctuations could be important. Also the background correction in the resolved energy range can play a role. Adjusted data could have a systematic uncertainty, which is typically of the order of 5%. It is noted that there are also for some nuclides discrepancies between integral data (e.g. between STEK reactivity worth measurements and CFRMF activation measurements). New integral experiments could be considered for a number of fission-products.

For inelastic cross-sections, the optical model choice and parametrisation as well as width-fluctuation factor treatment could be different in various evaluations. It is not easy to assess such differences in the evaluation methods.

The main point to be further investigated is the systematic difference of 5-6% in the total, elastic and capture cross-sections between JENDL-3.2 and JEF-2.2. There is probably no single cause of this discrepancy. Three aspects of relevance are:

1. The evaluation methodology for unstable nuclides and possibly the unresolved resonance treatment;
2. Use of more recent experimental data in JENDL-3.2;
3. Use of integral data in JEF-2.2. Detailed analysis with the help of graphs as given in Appendix D is required to further resolve this discrepancy, in particular for the top 20 nuclides.

Finally, in spite of the above mentioned problems, the status of lumped fission-product cross-sections is satisfactory for fast reactor applications, although some improvements are possible as indicated in this report.

APPENDIX A

Nuclide Concentrations

Table A.1. Nuclides and concentrations in the lumped fission-product.
For the benchmark, the yields of ^{239}Pu were used.

Nuclide	Identification	^{235}U	^{238}U	^{239}Pu	^{240}Pu	^{241}Pu
^{76}Ge	320760	.00015	.00001	.00011	.00001	.00000
^{75}As	330750	.00007	.00000	.00000	.00000	.00000
^{77}Se	340770	.00029	.00004	.00013	.00014	.00010
^{78}Se	340780	.00056	.00014	.00035	.00029	.00019
^{79}Se	340790	.00091	.00040	.00053	.00053	.00037
^{80}Se	340800	.00151	.00087	.00090	.00091	.00068
^{82}Se	340820	.00390	.00250	.00235	.00209	.00171
^{81}Br	350810	.00246	.00157	.00137	.00148	.00109
^{82}Br	350820	.00000	.00000	.00000	.00000	.00000
^{82}Kr	360820	.00006	.00003	.00006	.00003	.00002
^{83}Kr	360830	.00601	.00390	.00348	.00312	.00245
^{84}Kr	360840	.01084	.00559	.00565	.00458	.00377
^{85}Kr	360850	.01380	.00715	.00655	.00589	.00501
^{86}Kr	360860	.01928	.01382	.00878	.00793	.00674
^{85}Rb	370850	.00029	.00015	.00014	.00012	.00010
^{86}Rb	370860	.00001	.00000	.00000	.00000	.00000
^{87}Rb	370870	.02548	.01700	.01150	.01019	.00884
^{86}Sr	380860	.00004	.00000	.00001	.00000	.00000
^{88}Sr	380880	.03641	.02102	.01421	.01281	.01135
^{89}Sr	380890	.01278	.00956	.00543	.00499	.00424
^{90}Sr	380900	.05075	.03115	.01875	.01964	.01752
^{89}Y	390890	.03156	.02202	.01285	.01110	.00960
^{90}Y	390900	.00001	.00001	.00001	.00001	.00000
^{91}Y	390910	.01763	.01332	.00864	.00847	.00746
^{90}Zr	400900	.00043	.00026	.00016	.00016	.00014
^{91}Zr	400910	.03532	.02499	.01660	.01537	.01376
^{92}Zr	400920	.05639	.04312	.03061	.02930	.02579
^{93}Zr	400930	.05964	.04700	.03791	.03531	.03153
^{94}Zr	400940	.06449	.05107	.04274	.04232	.03773
^{95}Zr	400950	.02315	.02063	.01757	.01773	.01701
^{96}Zr	400960	.06553	.05744	.04939	.05027	.04737
^{95}Nb	410950	.01146	.00991	.00854	.00839	.00811
^{95}Mo	420950	.02925	.02417	.02118	.01998	.01955
^{96}Mo	420960	.00060	.00025	.00025	.00023	.00020
^{97}Mo	420970	.05848	.05804	.05200	.05280	.05080
^{98}Mo	420980	.06136	.06127	.05650	.05568	.05495
^{99}Mo	420990	.00091	.00112	.00099	.00108	.00101
^{100}Mo	421000	.06355	.06151	.06439	.06041	.05951

(continued on next page)

Table A.1. Continued

Nuclide	Identification	²³⁵ U	²³⁸ U	²³⁹ Pu	²⁴⁰ Pu	²⁴¹ Pu
⁹⁹ Tc	430990	.05349	.06007	.05500	.05552	.05294
¹⁰⁰ Ru	441000	.00152	.00165	.00153	.00149	.00144
¹⁰¹ Ru	441010	.05327	.05944	.06387	.05848	.05876
¹⁰² Ru	441020	.04816	.06361	.06834	.06165	.06099
¹⁰³ Ru	441030	.00796	.01479	.01592	.01549	.01526
¹⁰⁴ Ru	441040	.02366	.05702	.06499	.05791	.05900
¹⁰⁶ Ru	441060	.00365	.02337	.03378	.04131	.04267
¹⁰³ Rh	451030	.02509	.04346	.04810	.04391	.04404
¹⁰⁵ Rh	451050	.00013	.00034	.00048	.00055	.00056
¹⁰⁴ Pd	461040	.00067	.00112	.00126	.00112	.00113
¹⁰⁵ Pd	461050	.01426	.03348	.04837	.05230	.05430
¹⁰⁶ Pd	461060	.00149	.00679	.01105	.01148	.01200
¹⁰⁷ Pd	461070	.00172	.01234	.03083	.04078	.04110
¹⁰⁸ Pd	461080	.00078	.00684	.02415	.03321	.03912
¹¹⁰ Pd	461100	.00045	.00139	.00923	.01200	.01691
¹⁰⁹ Ag	471090	.00054	.00201	.01632	.02139	.02758
¹¹¹ Ag	471110	.00001	.00004	.00021	.00030	.00045
¹¹⁰ Cd	481100	.00001	.00005	.00042	.00052	.00067
¹¹¹ Cd	481110	.00027	.00073	.00410	.00558	.00854
¹¹² Cd	481120	.00039	.00071	.00135	.00288	.00433
¹¹³ Cd	481130	.00034	.00055	.00091	.00150	.00222
¹¹⁴ Cd	481140	.00034	.00046	.00100	.00102	.00103
¹¹⁵ Cd	481150	.00000	.00001	.00001	.00001	.00001
^{115m} Cd	481151	.00001	.00001	.00008	.00008	.00007
¹¹⁶ Cd	481160	.00036	.00035	.00064	.00085	.00100
¹¹⁵ In	491150	.00020	.00037	.00089	.00086	.00097
¹¹⁵ Sn	501150	.00001	.00002	.00004	.00004	.00005
¹¹⁶ Sn	501160	.00000	.00001	.00002	.00002	.00002
¹¹⁷ Sn	501170	.00037	.00034	.00064	.00085	.00090
¹¹⁸ Sn	501180	.00039	.00034	.00065	.00080	.00087
¹¹⁹ Sn	501190	.00042	.00034	.00066	.00080	.00086
¹²⁰ Sn	501200	.00044	.00034	.00067	.00085	.00085
¹²² Sn	501220	.00048	.00037	.00069	.00095	.00093
¹²³ Sn	501230	.00030	.00022	.00039	.00063	.00057
¹²⁴ Sn	501240	.00060	.00042	.00120	.00120	.00111
¹²⁵ Sn	501250	.00004	.00005	.00011	.00010	.00007
¹²⁶ Sn	501260	.00104	.00100	.00303	.00316	.00240
¹²¹ Sb	511210	.00045	.00035	.00066	.00083	.00088
¹²² Sb	511220	.00000	.00000	.00000	.00000	.00000
¹²³ Sb	511230	.00024	.00017	.00030	.00046	.00043
¹²⁴ Sb	511240	.00000	.00000	.00000	.00000	.00000
¹²⁵ Sb	511250	.00063	.00066	.00163	.00138	.00095

(continued on next page)

Table A.1. Continued

Nuclide	Identification	²³⁵ U	²³⁸ U	²³⁹ Pu	²⁴⁰ Pu	²⁴¹ Pu
¹²⁶ Sb	511260	.00001	.00000	.00001	.00001	.00000
¹²⁷ Sb	511270	.00005	.00004	.00012	.00010	.00008
¹²² Te	521220	.00001	.00001	.00002	.00002	.00002
¹²³ Te	521230	.00000	.00000	.00000	.00000	.00000
¹²⁴ Te	521240	.00000	.00000	.00000	.00000	.00000
¹²⁵ Te	521250	.00005	.00005	.00012	.00009	.00007
^{125m} Te	521251	.00001	.00001	.00001	.00001	.00001
¹²⁶ Te	521260	.00006	.00001	.00008	.00005	.00002
^{127m} Te	521271	.00017	.00013	.00045	.00033	.00028
¹²⁸ Te	521280	.00321	.00506	.00790	.00618	.00520
^{129m} Te	521291	.00108	.00189	.00230	.00215	.00179
¹³⁰ Te	521300	.01439	.01959	.01956	.01889	.01534
¹³² Te	521320	.00089	.00095	.00104	.00104	.00094
¹²⁷ I	531270	.00174	.00132	.00446	.00318	.00277
¹²⁹ I	531290	.00442	.00713	.00897	.00783	.00664
¹³¹ I	531310	.00153	.00185	.00218	.00184	.00150
¹²⁸ Xe	541280	.00005	.00003	.00012	.00008	.00007
¹²⁹ Xe	541290	.00000	.00000	.00000	.00000	.00000
¹³⁰ Xe	541300	.00008	.00012	.00018	.00013	.00011
¹³¹ Xe	541310	.03063	.03391	.04139	.03224	.02683
¹³² Xe	541320	.04761	.04546	.05273	.04823	.04405
¹³³ Xe	541330	.00206	.00184	.00223	.00199	.00191
¹³⁴ Xe	541340	.07155	.06172	.07229	.06270	.06102
¹³⁶ Xe	541360	.05993	.06292	.06776	.07121	.07112
¹³³ Cs	551330	.06293	.05152	.06441	.05353	.05231
¹³⁴ Cs	551340	.00169	.00120	.00153	.00123	.00121
¹³⁵ Cs	551350	.06393	.05627	.07424	.06772	.06705
¹³⁶ Cs	551360	.00004	.00003	.00009	.00007	.00005
¹³⁷ Cs	551370	.06228	.06949	.06342	.06948	.07181
¹³⁴ Ba	561340	.00014	.00008	.00011	.00008	.00008
¹³⁵ Ba	561350	.00000	.00000	.00000	.00000	.00000
¹³⁶ Ba	561360	.00024	.00016	.00082	.00056	.00031
¹³⁷ Ba	561370	.00047	.00051	.00057	.00050	.00052
¹³⁸ Ba	561380	.06692	.06477	.04936	.06465	.06738
¹⁴⁰ Ba	561400	.00433	.00493	.00414	.00456	.00461
¹³⁹ La	571390	.07087	.06083	.06053	.05802	.06093
¹⁴⁰ La	571400	.00057	.00065	.00054	.00060	.00061
¹⁴⁰ Ce	581400	.05322	.05506	.04787	.04868	.05031
¹⁴¹ Ce	581410	.01178	.01124	.01176	.01027	.01074
¹⁴² Ce	581420	.05878	.05054	.04924	.05302	.04990
¹⁴³ Ce	581430	.00048	.00042	.00039	.00047	.00050
¹⁴⁴ Ce	581440	.03849	.03424	.02642	.03057	.03336

(continued on next page)

Table A.1. Continued

Nuclide	Identification	²³⁵ U	²³⁸ U	²³⁹ Pu	²⁴⁰ Pu	²⁴¹ Pu
¹⁴¹ Pr	591410	.04854	.04277	.04611	.03757	.04006
¹⁴³ Pr	591430	.00467	.00403	.00372	.00452	.00481
¹⁴² Nd	601420	.00028	.00024	.00026	.00021	.00022
¹⁴³ Nd	601430	.05270	.04163	.03970	.04464	.04854
¹⁴⁴ Nd	601440	.01301	.01104	.00876	.00975	.01075
¹⁴⁵ Nd	601450	.03778	.04086	.03010	.03268	.03477
¹⁴⁶ Nd	601460	.03016	.03897	.02557	.02847	.03051
¹⁴⁷ Nd	601470	.00133	.00186	.00141	.00161	.00176
¹⁴⁸ Nd	601480	.01691	.02359	.01715	.01814	.01929
¹⁵⁰ Nd	601500	.00715	.01464	.01039	.01157	.01290
¹⁴⁷ Pm	611470	.01651	.02131	.01664	.01768	.01979
¹⁴⁸ Pm	611480	.00004	.00005	.00004	.00004	.00005
^{148m} Pm	611481	.00020	.00025	.00019	.00020	.00023
¹⁴⁹ Pm	611490	.00015	.00025	.00019	.00023	.00024
¹⁴⁷ Sm	621470	.00135	.00168	.00133	.00137	.00155
¹⁴⁸ Sm	621480	.00086	.00104	.00083	.00084	.00096
¹⁴⁹ Sm	621490	.01017	.01620	.01265	.01404	.01520
¹⁵⁰ Sm	621500	.00076	.00117	.00093	.00099	.00109
¹⁵¹ Sm	621510	.00400	.00928	.00761	.00851	.00911
¹⁵² Sm	621520	.00350	.00751	.00759	.00850	.00930
¹⁵³ Sm	621530	.00002	.00006	.00007	.00008	.00009
¹⁵⁴ Sm	621540	.00097	.00213	.00321	.00405	.00447
¹⁵³ Eu	631530	.00182	.00390	.00463	.00508	.00574
¹⁵⁴ Eu	631540	.00020	.00042	.00051	.00054	.00061
¹⁵⁵ Eu	631550	.00034	.00105	.00214	.00267	.00295
¹⁵⁶ Eu	631560	.00002	.00009	.00020	.00027	.00030
¹⁵⁴ Gd	641540	.00000	.00001	.00001	.00001	.00001
¹⁵⁵ Gd	641550	.00001	.00004	.00009	.00011	.00012
¹⁵⁶ Gd	641560	.00017	.00071	.00166	.00215	.00246
¹⁵⁷ Gd	641570	.00007	.00027	.00093	.00122	.00139
¹⁵⁸ Gd	641580	.00006	.00021	.00089	.00111	.00135
¹⁶⁰ Gd	641600	.00001	.00003	.00033	.00033	.00039
¹⁵⁹ Tb	651590	.00003	.00008	.00043	.00053	.00062
¹⁶⁰ Tb	651600	.00000	.00000	.00002	.00002	.00002
¹⁶¹ Tb	651610	.00000	.00000	.00001	.00002	.00001
¹⁶⁰ Dy	661600	.00000	.00000	.00001	.00002	.00002
¹⁶¹ Dy	661610	.00000	.00001	.00020	.00029	.00020
¹⁶² Dy	661620	.00000	.00000	.00002	.00003	.00002
¹⁶³ Dy	661630	.00000	.00000	.00000	.00000	.00000
¹⁶⁴ Dy	661640	.00000	.00000	.00000	.00000	.00000

APPENDIX B

Flux Weighting Spectra

Table B.1. Energy, adjoint function and neutron spectrum used in the benchmark. A plot of these functions is shown in Figure 2.1.

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
1.0000e-05	1.6514e+01	1.0000e-07	1.5050e-03	1.6551e+01	6.9514e-07
4.0000e-03	1.6596e+01	9.4092e-07	5.9500e-03	1.6594e+01	1.1309e-06
8.4500e-03	1.6565e+01	1.3589e-06	1.2500e-02	1.6514e+01	1.6199e-06
1.7500e-02	1.6452e+01	1.8611e-06	2.2500e-02	1.6389e+01	2.0656e-06
2.7500e-02	1.6324e+01	2.2432e-06	3.2500e-02	1.6259e+01	2.4110e-06
3.8500e-02	1.6180e+01	2.5839e-06	4.6000e-02	1.6084e+01	2.7486e-06
5.4000e-02	1.5982e+01	2.8882e-06	6.2500e-02	1.5876e+01	3.0004e-06
7.2000e-02	1.5761e+01	3.0750e-06	7.8500e-02	1.5684e+01	3.1074e-06
8.7500e-02	1.5588e+01	3.1115e-06	9.7500e-02	1.5484e+01	3.0934e-06
1.0750e-01	1.5396e+01	3.0129e-06	1.2450e-01	1.5263e+01	2.8713e-06
1.3700e-01	1.5175e+01	2.7523e-06	1.4319e-01	1.5142e+01	2.6593e-06
1.4970e-01	1.5113e+01	2.5525e-06	1.5652e-01	1.5089e+01	2.4231e-06
1.6486e-01	1.5063e+01	2.2548e-06	1.7485e-01	1.5041e+01	2.0661e-06
1.8450e-01	1.5033e+01	1.8784e-06	1.9390e-01	1.5035e+01	1.6835e-06
2.0397e-01	1.5045e+01	1.4781e-06	2.1457e-01	1.5061e+01	1.2613e-06
2.2679e-01	1.5082e+01	1.0341e-06	2.4079e-01	1.5108e+01	8.1646e-07
2.5576e-01	1.5140e+01	6.4440e-07	2.7176e-01	1.5177e+01	5.3851e-07
2.9000e-01	1.5221e+01	5.2560e-07	3.0725e-01	1.5262e+01	5.8324e-07
3.1725e-01	1.5283e+01	6.7412e-07	3.2733e-01	1.5294e+01	8.5925e-07
3.4233e-01	1.5284e+01	1.2297e-06	3.5996e-01	1.5245e+01	1.8211e-06
3.8046e-01	1.5162e+01	2.4875e-06	3.9550e-01	1.5065e+01	3.0619e-06
4.0699e-01	1.4963e+01	3.7117e-06	4.2350e-01	1.4777e+01	4.5382e-06
4.4134e-01	1.4552e+01	5.3877e-06	4.5835e-01	1.4321e+01	6.2143e-06
4.7601e-01	1.4051e+01	6.9883e-06	4.9250e-01	1.3768e+01	7.6897e-06
5.0981e-01	1.3426e+01	8.3004e-06	5.2560e-01	1.3086e+01	8.7289e-06
5.3579e-01	1.2854e+01	9.0820e-06	5.5348e-01	1.2452e+01	9.5000e-06
5.8112e-01	1.1803e+01	9.8217e-06	6.1014e-01	1.1079e+01	9.8890e-06
6.3908e-01	1.0333e+01	9.7074e-06	6.6785e-01	9.5567e+00	9.3455e-06
6.9378e-01	8.8102e+00	8.8032e-06	7.2328e-01	7.9345e+00	7.9788e-06
7.6077e-01	6.7906e+00	7.1261e-06	7.8500e-01	6.0270e+00	6.4566e-06
8.0472e-01	5.3699e+00	5.6599e-06	8.3472e-01	4.3828e+00	4.8409e-06
8.5500e-01	3.7321e+00	4.2874e-06	8.6821e-01	3.3180e+00	3.6697e-06
8.9321e-01	2.5786e+00	2.8576e-06	9.2000e-01	1.8303e+00	2.1522e-06
9.4000e-01	1.3347e+00	1.5781e-06	9.6100e-01	8.9101e-01	1.0782e-06
9.7900e-01	5.6678e-01	7.3174e-07	9.9100e-01	3.9286e-01	3.3494e-07
1.0080e+00	2.2987e-01	3.4927e-08	1.0275e+00	9.7176e-02	2.3584e-09
1.0400e+00	5.7082e-02	1.2664e-09	1.0580e+00	5.2392e-02	1.2091e-09
1.0755e+00	6.0544e-02	1.9075e-09	1.0885e+00	9.2845e-02	3.6846e-09
1.1035e+00	1.5213e-01	6.6656e-09	1.1165e+00	2.2861e-01	1.2104e-08
1.1365e+00	3.9172e-01	2.1390e-08	1.1600e+00	6.0618e-01	3.4296e-08
1.1861e+00	8.5567e-01	5.1846e-08	1.2186e+00	1.1638e+00	7.2413e-08

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
1.2510e+00	1.4690e+00	9.2571e-08	1.2835e+00	1.7713e+00	1.1165e-07
1.3188e+00	2.0987e+00	1.2861e-07	1.3538e+00	2.4208e+00	1.4211e-07
1.3873e+00	2.7136e+00	1.5268e-07	1.4223e+00	3.0044e+00	1.6055e-07
1.4575e+00	3.2994e+00	1.6547e-07	1.4875e+00	3.5555e+00	1.6841e-07
1.5221e+00	3.8287e+00	1.6968e-07	1.5672e+00	4.1464e+00	1.6960e-07
1.6098e+00	4.4254e+00	1.6835e-07	1.6498e+00	4.6736e+00	1.6611e-07
1.6910e+00	4.9160e+00	1.6402e-07	1.7335e+00	5.1514e+00	1.6158e-07
1.7760e+00	5.3729e+00	1.5896e-07	1.8185e+00	5.5821e+00	1.5800e-07
1.8477e+00	5.7177e+00	1.5557e-07	1.8700e+00	5.8209e+00	1.5227e-07
1.9072e+00	5.9810e+00	1.5031e-07	1.9523e+00	6.1641e+00	1.4932e-07
1.9972e+00	6.3366e+00	1.4943e-07	2.0398e+00	6.4900e+00	1.5018e-07
2.0798e+00	6.6408e+00	1.5112e-07	2.1150e+00	6.7756e+00	1.5136e-07
2.1577e+00	6.9253e+00	1.5141e-07	2.2137e+00	7.1166e+00	1.5096e-07
2.2712e+00	7.2834e+00	1.5024e-07	2.3301e+00	7.4235e+00	1.4971e-07
2.3712e+00	7.5198e+00	1.4918e-07	2.4021e+00	7.5922e+00	1.4819e-07
2.4533e+00	7.7063e+00	1.4659e-07	2.5175e+00	7.8368e+00	1.4503e-07
2.5750e+00	7.9481e+00	1.4338e-07	2.6296e+00	8.0553e+00	1.4142e-07
2.6896e+00	8.1795e+00	1.3963e-07	2.7439e+00	8.2953e+00	1.3761e-07
2.8030e+00	8.4155e+00	1.3514e-07	2.8739e+00	8.5576e+00	1.3230e-07
2.9466e+00	8.7034e+00	1.2926e-07	3.0212e+00	8.8380e+00	1.2618e-07
3.0981e+00	8.9309e+00	1.2349e-07	3.1775e+00	8.9959e+00	1.2135e-07
3.2588e+00	9.0625e+00	1.1873e-07	3.3404e+00	9.1401e+00	1.1571e-07
3.4236e+00	9.2415e+00	1.1244e-07	3.5102e+00	9.3582e+00	1.0830e-07
3.5991e+00	9.4779e+00	1.0350e-07	3.6902e+00	9.5849e+00	1.0179e-07
3.7836e+00	9.6623e+00	1.0214e-07	3.8794e+00	9.7253e+00	1.0014e-07
3.9640e+00	9.7810e+00	9.3918e-08	4.0647e+00	9.8805e+00	8.4453e-08
4.1815e+00	1.0045e+01	7.3368e-08	4.2874e+00	1.0223e+01	7.3422e-08
4.3959e+00	1.0406e+01	7.9826e-08	4.5072e+00	1.0594e+01	7.8787e-08
4.6213e+00	1.0702e+01	7.7633e-08	4.7383e+00	1.0707e+01	7.4761e-08
4.8582e+00	1.0690e+01	6.9518e-08	4.9812e+00	1.0674e+01	6.5579e-08
5.0646e+00	1.0662e+01	6.3262e-08	5.1070e+00	1.0656e+01	6.1636e-08
5.1497e+00	1.0650e+01	6.0102e-08	5.1928e+00	1.0639e+01	5.8606e-08
5.2363e+00	1.0615e+01	5.7080e-08	5.2801e+00	1.0584e+01	5.5791e-08
5.3242e+00	1.0553e+01	5.4481e-08	5.3688e+00	1.0521e+01	5.3260e-08
5.4138e+00	1.0490e+01	5.2199e-08	5.4590e+00	1.0458e+01	5.1183e-08
5.5047e+00	1.0425e+01	5.0119e-08	5.5508e+00	1.0393e+01	4.9076e-08
5.5972e+00	1.0360e+01	4.8003e-08	5.6441e+00	1.0327e+01	4.6841e-08
5.6913e+00	1.0294e+01	4.5672e-08	5.7389e+00	1.0235e+01	4.4394e-08
5.7870e+00	1.0049e+01	4.3167e-08	5.8354e+00	9.7600e+00	4.1942e-08
5.8842e+00	9.4689e+00	4.0528e-08	5.9334e+00	9.1751e+00	3.9016e-08
5.9831e+00	8.8789e+00	3.7290e-08	6.0332e+00	8.5803e+00	3.5212e-08
6.0837e+00	8.2791e+00	3.2934e-08	6.1345e+00	7.9754e+00	3.0540e-08
6.1859e+00	7.6691e+00	2.8253e-08	6.2377e+00	7.3604e+00	2.5967e-08
6.2898e+00	7.0490e+00	2.3519e-08	6.3425e+00	6.7349e+00	2.1035e-08
6.3956e+00	6.4185e+00	1.8395e-08	6.4491e+00	6.0990e+00	1.4832e-08

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
6.5030e+00	5.7772e+00	9.3627e-09	6.5575e+00	5.4527e+00	3.6889e-09
6.6124e+00	5.1252e+00	9.2182e-10	6.6677e+00	4.7950e+00	8.7657e-10
6.7235e+00	4.4621e+00	4.3045e-09	6.7797e+00	4.1266e+00	1.5391e-08
6.8365e+00	3.9154e+00	3.1664e-08	6.8937e+00	4.0199e+00	4.7359e-08
6.9513e+00	4.3156e+00	6.1788e-08	7.0095e+00	4.6139e+00	7.4658e-08
7.0682e+00	4.9148e+00	8.4983e-08	7.1273e+00	5.2182e+00	9.2292e-08
7.1869e+00	5.5242e+00	9.6419e-08	7.2471e+00	5.8328e+00	9.8035e-08
7.3078e+00	6.1439e+00	9.8901e-08	7.3689e+00	6.4576e+00	1.0068e-07
7.4306e+00	6.7738e+00	1.0309e-07	7.4928e+00	7.0929e+00	1.0421e-07
7.5555e+00	7.4146e+00	1.0079e-07	7.6187e+00	7.7388e+00	8.8309e-08
7.6825e+00	8.0660e+00	6.4581e-08	7.7468e+00	8.3959e+00	4.3556e-08
7.8116e+00	8.7283e+00	4.8161e-08	7.8769e+00	9.0635e+00	8.7718e-08
7.9428e+00	9.2657e+00	1.3917e-07	8.0093e+00	9.3096e+00	1.7303e-07
8.0763e+00	9.3296e+00	1.8948e-07	8.1439e+00	9.3499e+00	1.9783e-07
8.2120e+00	9.3702e+00	2.0265e-07	8.2808e+00	9.3908e+00	2.0548e-07
8.3501e+00	9.4116e+00	2.0617e-07	8.4200e+00	9.4325e+00	2.0356e-07
8.4904e+00	9.4535e+00	1.9584e-07	8.5615e+00	9.4748e+00	1.8816e-07
8.6331e+00	9.4962e+00	1.9054e-07	8.7053e+00	9.5179e+00	1.9842e-07
8.7782e+00	9.5506e+00	2.0670e-07	8.8516e+00	9.5964e+00	2.1598e-07
8.9257e+00	9.6446e+00	2.2189e-07	9.0004e+00	9.6931e+00	2.2418e-07
9.0757e+00	9.7421e+00	2.2478e-07	9.1517e+00	9.7915e+00	2.2363e-07
9.2282e+00	9.8413e+00	2.2161e-07	9.3055e+00	9.8915e+00	2.2141e-07
9.3834e+00	9.9422e+00	2.2227e-07	9.4619e+00	9.9932e+00	2.2220e-07
9.5411e+00	9.8944e+00	2.2205e-07	9.6209e+00	9.4322e+00	2.2320e-07
9.7014e+00	8.7540e+00	2.2357e-07	9.7826e+00	8.0699e+00	2.2212e-07
9.8645e+00	7.3800e+00	2.1949e-07	9.9470e+00	6.6849e+00	2.1456e-07
1.0030e+01	5.9840e+00	2.0764e-07	1.0114e+01	5.2780e+00	1.9458e-07
1.0199e+01	4.5662e+00	1.8601e-07	1.0284e+01	3.8459e+00	1.8880e-07
1.0370e+01	3.1214e+00	1.8844e-07	1.0457e+01	2.3884e+00	1.8402e-07
1.0544e+01	1.8197e+00	1.7400e-07	1.0633e+01	1.8985e+00	1.5203e-07
1.0721e+01	2.4523e+00	1.1655e-07	1.0811e+01	3.0092e+00	8.0801e-08
1.0902e+01	3.5723e+00	7.2241e-08	1.0993e+01	4.1417e+00	1.0387e-07
1.1085e+01	4.7141e+00	1.6102e-07	1.1178e+01	5.2897e+00	2.1781e-07
1.1271e+01	5.8715e+00	2.6401e-07	1.1366e+01	6.4595e+00	2.9961e-07
1.1461e+01	7.0538e+00	3.2157e-07	1.1557e+01	7.6511e+00	3.2101e-07
1.1654e+01	8.2516e+00	2.8792e-07	1.1751e+01	8.8583e+00	2.0385e-07
1.1850e+01	9.4712e+00	1.6548e-07	1.1948e+01	1.0087e+01	3.1094e-07
1.2049e+01	1.0709e+01	4.9879e-07	1.2149e+01	1.1338e+01	5.7007e-07
1.2251e+01	1.1969e+01	5.7046e-07	1.2354e+01	1.2607e+01	5.6690e-07
1.2457e+01	1.3137e+01	5.8629e-07	1.2561e+01	1.3388e+01	5.9828e-07
1.2666e+01	1.3472e+01	5.9680e-07	1.2772e+01	1.3556e+01	5.9747e-07
1.2879e+01	1.3641e+01	6.0412e-07	1.2987e+01	1.3727e+01	6.1079e-07
1.3095e+01	1.3814e+01	6.0338e-07	1.3205e+01	1.3901e+01	5.7158e-07
1.3316e+01	1.3989e+01	5.0821e-07	1.3427e+01	1.4077e+01	5.0631e-07
1.3540e+01	1.4167e+01	5.5624e-07	1.3653e+01	1.4257e+01	5.6205e-07

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
1.3767e+01	1.4348e+01	5.4761e-07	1.3882e+01	1.4439e+01	5.3804e-07
1.3998e+01	1.4532e+01	5.2148e-07	1.4115e+01	1.4625e+01	4.4287e-07
1.4233e+01	1.4719e+01	3.6021e-07	1.4353e+01	1.4813e+01	4.2313e-07
1.4473e+01	1.4909e+01	3.9102e-07	1.4594e+01	1.5005e+01	2.3880e-07
1.4716e+01	1.5103e+01	3.4321e-07	1.4839e+01	1.5147e+01	6.4532e-07
1.4963e+01	1.5110e+01	8.6620e-07	1.5088e+01	1.5046e+01	9.4219e-07
1.5214e+01	1.4981e+01	9.5924e-07	1.5342e+01	1.4915e+01	9.7369e-07
1.5471e+01	1.4849e+01	1.0128e-06	1.5600e+01	1.4783e+01	1.0781e-06
1.5730e+01	1.4716e+01	1.1497e-06	1.5862e+01	1.4648e+01	1.2040e-06
1.5995e+01	1.4580e+01	1.2502e-06	1.6129e+01	1.4511e+01	1.2908e-06
1.6264e+01	1.4441e+01	1.2992e-06	1.6400e+01	1.4372e+01	1.2661e-06
1.6537e+01	1.4301e+01	1.2369e-06	1.6675e+01	1.4230e+01	1.2797e-06
1.6815e+01	1.4158e+01	1.3693e-06	1.6956e+01	1.4086e+01	1.4335e-06
1.7098e+01	1.4013e+01	1.4480e-06	1.7241e+01	1.3939e+01	1.3918e-06
1.7385e+01	1.3865e+01	1.0864e-06	1.7530e+01	1.3791e+01	6.6340e-07
1.7677e+01	1.3663e+01	8.1886e-07	1.7825e+01	1.3408e+01	1.4523e-06
1.7974e+01	1.3073e+01	1.9006e-06	1.8124e+01	1.2735e+01	2.0757e-06
1.8276e+01	1.2394e+01	2.1279e-06	1.8429e+01	1.2050e+01	2.1517e-06
1.8584e+01	1.1703e+01	2.1581e-06	1.8739e+01	1.1354e+01	2.1468e-06
1.8895e+01	1.1002e+01	2.1007e-06	1.9053e+01	1.0647e+01	1.9823e-06
1.9213e+01	1.0288e+01	1.8516e-06	1.9374e+01	9.9264e+00	1.7955e-06
1.9537e+01	9.5612e+00	1.7570e-06	1.9700e+01	9.1938e+00	1.7482e-06
1.9864e+01	8.8241e+00	1.7753e-06	2.0030e+01	8.4510e+00	1.7684e-06
2.0198e+01	8.0735e+00	1.4557e-06	2.0367e+01	7.6937e+00	1.0691e-06
2.0538e+01	7.3116e+00	6.4305e-07	2.0709e+01	6.9251e+00	1.6794e-07
2.0883e+01	6.5352e+00	2.2232e-07	2.1058e+01	6.3042e+00	1.0720e-06
2.1234e+01	6.3151e+00	2.2675e-06	2.1412e+01	6.4089e+00	3.1625e-06
2.1591e+01	6.5037e+00	3.6864e-06	2.1771e+01	6.5990e+00	3.7866e-06
2.1953e+01	6.6952e+00	3.0957e-06	2.2137e+01	6.7924e+00	2.2269e-06
2.2323e+01	6.8903e+00	3.2851e-06	2.2510e+01	6.9889e+00	5.2178e-06
2.2698e+01	7.0882e+00	6.0024e-06	2.2888e+01	7.1885e+00	6.2557e-06
2.3079e+01	7.2899e+00	6.4671e-06	2.3273e+01	7.3919e+00	6.5531e-06
2.3467e+01	7.4946e+00	6.5790e-06	2.3663e+01	7.5984e+00	6.5044e-06
2.3861e+01	7.6930e+00	6.4641e-06	2.4061e+01	7.7769e+00	6.7286e-06
2.4263e+01	7.8596e+00	6.9128e-06	2.4466e+01	7.9430e+00	6.8930e-06
2.4671e+01	8.0270e+00	6.8769e-06	2.4877e+01	8.1117e+00	6.9358e-06
2.5086e+01	8.1973e+00	7.0188e-06	2.5295e+01	8.2834e+00	7.0147e-06
2.5507e+01	8.3702e+00	6.9200e-06	2.5720e+01	8.4579e+00	6.6769e-06
2.5935e+01	8.5461e+00	5.4097e-06	2.6152e+01	8.6352e+00	4.3311e-06
2.6371e+01	8.6953e+00	5.8508e-06	2.6592e+01	8.7206e+00	7.7371e-06
2.6815e+01	8.7408e+00	8.1427e-06	2.7038e+01	8.7611e+00	7.8086e-06
2.7265e+01	8.7817e+00	7.8442e-06	2.7494e+01	8.8024e+00	8.3201e-06
2.7724e+01	8.8233e+00	8.4111e-06	2.7956e+01	8.8444e+00	8.4259e-06
2.8190e+01	8.8656e+00	8.3776e-06	2.8425e+01	8.8870e+00	8.2324e-06
2.8663e+01	8.9085e+00	8.0792e-06	2.8902e+01	8.9303e+00	8.0746e-06

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
2.9145e+01	8.9545e+00	8.1703e-06	2.9389e+01	8.9815e+00	8.2649e-06
2.9634e+01	9.0092e+00	8.3745e-06	2.9883e+01	9.0371e+00	8.4368e-06
3.0133e+01	9.0652e+00	8.4312e-06	3.0384e+01	9.0935e+00	8.3916e-06
3.0639e+01	9.1221e+00	8.2921e-06	3.0895e+01	9.1510e+00	8.2680e-06
3.1154e+01	9.1800e+00	8.4515e-06	3.1414e+01	9.2093e+00	8.6013e-06
3.1677e+01	9.2389e+00	8.4787e-06	3.1943e+01	9.2687e+00	8.0557e-06
3.2210e+01	9.1326e+00	7.8038e-06	3.2480e+01	8.7994e+00	8.1690e-06
3.2752e+01	8.4340e+00	8.5363e-06	3.3026e+01	8.0658e+00	8.5790e-06
3.3302e+01	7.6950e+00	8.5402e-06	3.3580e+01	7.3208e+00	8.5576e-06
3.3861e+01	6.9433e+00	8.3616e-06	3.4144e+01	6.5624e+00	7.7993e-06
3.4430e+01	6.1781e+00	7.3979e-06	3.4718e+01	5.7912e+00	7.2101e-06
3.5009e+01	5.4009e+00	7.1351e-06	3.5302e+01	5.0072e+00	7.5665e-06
3.5597e+01	4.7542e+00	8.7243e-06	3.5895e+01	4.6684e+00	8.6589e-06
3.6195e+01	4.6074e+00	4.4255e-06	3.6498e+01	4.5458e+00	6.7859e-07
3.6804e+01	4.4838e+00	2.0487e-06	3.7112e+01	4.4212e+00	5.8555e-06
3.7422e+01	4.3580e+00	9.4199e-06	3.7736e+01	4.2944e+00	1.0927e-05
3.8052e+01	4.2302e+00	7.9129e-06	3.8370e+01	4.1655e+00	9.3512e-06
3.8691e+01	4.1140e+00	1.4858e-05	3.9014e+01	4.0951e+00	1.6050e-05
3.9341e+01	4.0955e+00	1.6782e-05	3.9671e+01	4.0959e+00	1.7643e-05
4.0003e+01	4.0963e+00	1.8308e-05	4.0337e+01	4.0967e+00	1.8508e-05
4.0674e+01	4.0971e+00	1.8323e-05	4.1015e+01	4.0975e+00	1.3816e-05
4.1358e+01	4.0979e+00	7.5972e-06	4.1704e+01	4.0983e+00	1.2594e-05
4.2053e+01	4.0987e+00	2.1010e-05	4.2406e+01	4.0991e+00	2.3015e-05
4.2760e+01	4.1285e+00	2.3490e-05	4.3118e+01	4.2682e+00	2.3533e-05
4.3479e+01	4.4896e+00	2.3316e-05	4.3843e+01	4.7126e+00	2.1494e-05
4.4210e+01	4.9378e+00	1.4486e-05	4.4580e+01	5.1647e+00	1.6632e-05
4.4953e+01	5.3935e+00	2.5166e-05	4.5328e+01	5.6242e+00	2.6443e-05
4.5707e+01	5.8567e+00	2.6582e-05	4.6090e+01	6.0913e+00	2.6168e-05
4.6476e+01	6.3281e+00	2.5350e-05	4.6865e+01	6.5379e+00	2.4392e-05
4.7257e+01	6.6849e+00	2.1987e-05	4.7652e+01	6.7977e+00	2.2431e-05
4.8051e+01	6.9115e+00	2.6099e-05	4.8453e+01	7.0261e+00	2.7424e-05
4.8859e+01	7.1417e+00	2.6699e-05	4.9268e+01	7.2583e+00	2.5320e-05
4.9680e+01	7.3758e+00	2.0136e-05	5.0096e+01	7.4003e+00	2.1959e-05
5.0516e+01	7.3243e+00	3.0108e-05	5.0938e+01	7.2410e+00	3.1799e-05
5.1364e+01	7.1570e+00	3.1722e-05	5.1794e+01	7.0722e+00	3.0314e-05
5.2227e+01	6.9867e+00	1.9986e-05	5.2665e+01	6.9005e+00	2.1346e-05
5.3105e+01	6.8137e+00	3.3446e-05	5.3550e+01	6.7905e+00	3.5474e-05
5.3998e+01	6.9222e+00	3.5566e-05	5.4449e+01	7.1457e+00	3.5046e-05
5.4905e+01	7.3715e+00	3.3539e-05	5.5364e+01	7.5991e+00	3.0233e-05
5.5828e+01	7.8283e+00	3.1727e-05	5.6294e+01	8.0596e+00	3.4597e-05
5.6766e+01	8.2931e+00	3.1070e-05	5.7242e+01	8.5285e+00	2.7144e-05
5.7721e+01	8.7657e+00	2.8181e-05	5.8204e+01	9.0049e+00	3.2334e-05
5.8691e+01	9.2460e+00	2.9566e-05	5.9181e+01	9.4892e+00	3.1165e-05
5.9677e+01	9.7343e+00	4.1069e-05	6.0176e+01	9.9816e+00	4.5514e-05
6.0680e+01	1.0231e+01	4.7047e-05	6.1187e+01	1.0482e+01	4.6965e-05

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
6.1699e+01	1.0691e+01	4.5239e-05	6.2216e+01	1.0791e+01	4.4411e-05
6.2736e+01	1.0825e+01	4.3541e-05	6.3261e+01	1.0859e+01	4.6029e-05
6.3790e+01	1.0894e+01	5.0711e-05	6.4324e+01	1.0928e+01	5.8540e-05
6.4862e+01	1.0963e+01	5.9556e-05	6.5405e+01	1.0999e+01	2.9327e-05
6.5953e+01	1.1034e+01	1.0351e-05	6.6505e+01	1.1070e+01	2.9691e-05
6.7061e+01	1.1106e+01	5.5724e-05	6.7623e+01	1.1143e+01	7.0324e-05
6.8188e+01	1.1180e+01	7.4105e-05	6.8758e+01	1.1217e+01	7.5936e-05
6.9334e+01	1.1254e+01	7.6447e-05	6.9915e+01	1.1292e+01	7.6591e-05
7.0499e+01	1.1330e+01	7.7748e-05	7.1089e+01	1.1368e+01	8.1615e-05
7.1684e+01	1.1407e+01	8.3465e-05	7.2284e+01	1.1446e+01	6.2603e-05
7.2889e+01	1.1486e+01	6.1912e-05	7.3499e+01	1.1526e+01	7.2652e-05
7.4114e+01	1.1566e+01	5.8412e-05	7.4734e+01	1.1607e+01	5.2856e-05
7.5360e+01	1.1648e+01	7.3626e-05	7.5990e+01	1.1689e+01	9.8363e-05
7.6626e+01	1.1731e+01	1.0248e-04	7.7267e+01	1.1773e+01	1.0404e-04
7.7914e+01	1.1815e+01	1.0597e-04	7.8566e+01	1.1858e+01	1.0473e-04
7.9223e+01	1.1901e+01	1.0188e-04	7.9886e+01	1.1945e+01	7.7095e-05
8.0554e+01	1.1988e+01	6.7619e-05	8.1228e+01	1.2033e+01	9.1642e-05
8.1909e+01	1.2077e+01	1.0203e-04	8.2594e+01	1.2122e+01	1.0349e-04
8.3285e+01	1.2168e+01	1.0378e-04	8.3982e+01	1.2168e+01	1.0108e-04
8.4685e+01	1.2122e+01	8.4108e-05	8.5393e+01	1.2073e+01	8.3347e-05
8.6108e+01	1.2024e+01	1.1125e-04	8.6829e+01	1.1974e+01	1.3234e-04
8.7555e+01	1.1923e+01	1.4329e-04	8.8288e+01	1.1873e+01	1.4264e-04
8.9027e+01	1.1821e+01	1.4979e-04	8.9772e+01	1.1770e+01	1.2684e-04
9.0523e+01	1.1718e+01	1.0362e-04	9.1281e+01	1.1665e+01	1.3701e-04
9.2044e+01	1.1612e+01	1.5332e-04	9.2815e+01	1.1559e+01	1.5856e-04
9.3591e+01	1.1505e+01	1.7295e-04	9.4374e+01	1.1451e+01	1.6837e-04
9.5165e+01	1.1396e+01	1.5643e-04	9.5960e+01	1.1341e+01	1.5349e-04
9.6763e+01	1.1286e+01	1.5857e-04	9.7573e+01	1.1230e+01	1.6172e-04
9.8390e+01	1.1173e+01	1.6485e-04	9.9213e+01	1.1116e+01	1.7574e-04
1.0004e+02	1.1058e+01	2.3579e-04	1.0088e+02	1.1001e+01	2.6395e-04
1.0172e+02	1.0942e+01	1.2501e-04	1.0258e+02	1.0883e+01	5.2683e-05
1.0344e+02	1.0824e+01	1.3336e-04	1.0430e+02	1.0764e+01	1.3737e-04
1.0517e+02	1.0703e+01	1.5101e-04	1.0605e+02	1.0643e+01	1.7797e-04
1.0694e+02	1.0581e+01	1.9958e-04	1.0784e+02	1.0519e+01	2.4273e-04
1.0873e+02	1.0457e+01	2.4081e-04	1.0965e+02	1.0394e+01	2.3448e-04
1.1056e+02	1.0330e+01	2.3479e-04	1.1149e+02	1.0266e+01	2.3943e-04
1.1242e+02	1.0201e+01	2.3866e-04	1.1336e+02	1.0136e+01	2.3720e-04
1.1431e+02	1.0089e+01	2.7029e-04	1.1527e+02	1.0074e+01	2.6271e-04
1.1623e+02	1.0071e+01	1.4590e-04	1.1721e+02	1.0067e+01	1.4960e-04
1.1819e+02	1.0064e+01	1.9943e-04	1.1917e+02	1.0060e+01	2.2923e-04
1.2017e+02	1.0057e+01	2.6479e-04	1.2118e+02	1.0053e+01	2.5300e-04
1.2219e+02	1.0050e+01	2.8137e-04	1.2322e+02	1.0046e+01	3.0102e-04
1.2425e+02	1.0043e+01	3.0086e-04	1.2528e+02	1.0039e+01	2.8992e-04
1.2633e+02	1.0035e+01	2.9108e-04	1.2739e+02	1.0032e+01	3.0087e-04
1.2846e+02	1.0028e+01	3.0217e-04	1.2953e+02	1.0024e+01	2.9817e-04

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
1.3062e+02	1.0020e+01	2.9388e-04	1.3171e+02	1.0016e+01	2.9711e-04
1.3281e+02	1.0012e+01	2.8358e-04	1.3393e+02	1.0009e+01	2.6731e-04
1.3505e+02	1.0005e+01	2.9563e-04	1.3618e+02	1.0001e+01	3.1429e-04
1.3731e+02	9.9966e+00	3.2633e-04	1.3846e+02	9.9926e+00	3.4799e-04
1.3962e+02	9.9885e+00	3.4629e-04	1.4079e+02	9.9844e+00	3.4217e-04
1.4197e+02	9.9802e+00	3.1384e-04	1.4316e+02	9.9780e+00	3.1184e-04
1.4436e+02	9.9780e+00	3.0992e-04	1.4556e+02	9.9782e+00	2.9213e-04
1.4678e+02	9.9785e+00	3.3227e-04	1.4801e+02	9.9787e+00	3.6137e-04
1.4925e+02	9.9789e+00	3.6993e-04	1.5050e+02	9.9792e+00	3.5070e-04
1.5175e+02	9.9794e+00	3.4766e-04	1.5302e+02	9.9796e+00	3.7135e-04
1.5431e+02	9.9799e+00	3.6499e-04	1.5560e+02	9.9801e+00	3.3805e-04
1.5690e+02	9.9803e+00	3.3663e-04	1.5821e+02	9.9806e+00	3.7222e-04
1.5953e+02	9.9808e+00	3.9044e-04	1.6087e+02	9.9811e+00	3.8467e-04
1.6222e+02	9.9813e+00	3.8897e-04	1.6357e+02	9.9816e+00	2.9570e-04
1.6494e+02	9.9818e+00	2.8749e-04	1.6632e+02	9.9821e+00	3.8500e-04
1.6772e+02	9.9824e+00	4.0670e-04	1.6912e+02	9.9826e+00	3.9912e-04
1.7053e+02	9.9829e+00	4.0161e-04	1.7197e+02	9.9831e+00	4.3691e-04
1.7340e+02	9.9834e+00	4.4283e-04	1.7485e+02	9.9837e+00	4.3906e-04
1.7631e+02	9.9817e+00	4.1469e-04	1.7779e+02	9.9754e+00	4.0619e-04
1.7928e+02	9.9667e+00	4.1848e-04	1.8078e+02	9.9581e+00	4.1914e-04
1.8229e+02	9.9493e+00	4.0984e-04	1.8381e+02	9.9405e+00	4.0280e-04
1.8535e+02	9.9315e+00	6.1204e-04	1.8690e+02	9.9226e+00	6.6463e-04
1.8847e+02	9.9135e+00	2.7871e-04	1.9005e+02	9.9043e+00	1.6080e-04
1.9164e+02	9.8951e+00	3.2330e-04	1.9325e+02	9.8858e+00	3.7165e-04
1.9486e+02	9.8765e+00	3.6521e-04	1.9649e+02	9.8670e+00	4.0580e-04
1.9813e+02	9.8575e+00	4.2376e-04	1.9979e+02	9.8479e+00	4.3565e-04
2.0146e+02	9.8382e+00	4.4630e-04	2.0315e+02	9.8284e+00	4.4030e-04
2.0485e+02	9.8186e+00	5.8070e-04	2.0656e+02	9.8087e+00	4.7188e-04
2.0829e+02	9.7987e+00	3.3216e-04	2.1003e+02	9.7885e+00	4.6655e-04
2.1179e+02	9.7784e+00	5.1783e-04	2.1356e+02	9.7681e+00	5.2637e-04
2.1535e+02	9.7577e+00	5.0962e-04	2.1716e+02	9.7473e+00	5.1121e-04
2.1897e+02	9.7368e+00	5.1312e-04	2.2080e+02	9.7262e+00	5.1548e-04
2.2265e+02	9.7155e+00	5.3426e-04	2.2451e+02	9.7046e+00	5.4149e-04
2.2640e+02	9.6938e+00	5.4495e-04	2.2829e+02	9.6828e+00	5.5164e-04
2.3020e+02	9.6717e+00	5.2665e-04	2.3213e+02	9.6606e+00	5.3489e-04
2.3406e+02	9.6493e+00	6.1883e-04	2.3603e+02	9.6380e+00	4.7591e-04
2.3800e+02	9.6265e+00	4.0750e-04	2.3999e+02	9.6150e+00	5.5347e-04
2.4200e+02	9.6033e+00	5.8415e-04	2.4403e+02	9.5916e+00	6.0794e-04
2.4606e+02	9.5798e+00	6.1576e-04	2.4813e+02	9.5678e+00	5.9222e-04
2.5020e+02	9.5558e+00	5.5794e-04	2.5230e+02	9.5437e+00	5.7422e-04
2.5441e+02	9.5321e+00	6.0504e-04	2.5654e+02	9.5214e+00	6.0717e-04
2.5869e+02	9.5111e+00	5.8981e-04	2.6085e+02	9.5008e+00	5.7066e-04
2.6303e+02	9.4903e+00	6.1254e-04	2.6524e+02	9.4797e+00	6.5321e-04
2.6745e+02	9.4690e+00	6.8586e-04	2.6969e+02	9.4583e+00	6.9852e-04
2.7194e+02	9.4474e+00	5.0662e-04	2.7422e+02	9.4365e+00	4.4408e-04

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
2.7651e+02	9.4255e+00	6.3363e-04	2.7883e+02	9.4143e+00	7.1933e-04
2.8116e+02	9.4031e+00	7.0961e-04	2.8352e+02	9.3918e+00	7.0726e-04
2.8589e+02	9.3804e+00	7.1109e-04	2.8828e+02	9.3689e+00	6.0675e-04
2.9069e+02	9.3573e+00	6.2968e-04	2.9313e+02	9.3456e+00	7.5899e-04
2.9558e+02	9.3338e+00	7.6219e-04	2.9805e+02	9.3220e+00	7.6764e-04
3.0055e+02	9.3100e+00	7.5909e-04	3.0306e+02	9.2979e+00	7.5966e-04
3.0560e+02	9.2857e+00	7.7891e-04	3.0815e+02	9.2734e+00	7.5105e-04
3.1074e+02	9.2610e+00	7.4879e-04	3.1333e+02	9.2485e+00	7.8726e-04
3.1595e+02	9.2359e+00	8.1872e-04	3.1860e+02	9.2232e+00	8.0997e-04
3.2127e+02	9.2104e+00	7.7533e-04	3.2395e+02	9.1975e+00	7.7211e-04
3.2666e+02	9.1845e+00	8.1586e-04	3.2940e+02	9.1713e+00	8.4110e-04
3.3215e+02	9.1581e+00	8.1470e-04	3.3494e+02	9.1447e+00	7.7179e-04
3.3774e+02	9.1327e+00	8.0157e-04	3.4056e+02	9.1241e+00	9.3980e-04
3.4341e+02	9.1176e+00	9.7223e-04	3.4629e+02	9.1110e+00	6.9630e-04
3.4918e+02	9.1044e+00	6.2106e-04	3.5211e+02	9.0978e+00	8.2066e-04
3.5505e+02	9.0911e+00	8.8634e-04	3.5802e+02	9.0843e+00	8.9285e-04
3.6102e+02	9.0774e+00	8.6155e-04	3.6405e+02	9.0705e+00	8.6149e-04
3.6709e+02	9.0636e+00	8.7985e-04	3.7016e+02	9.0566e+00	8.5846e-04
3.7325e+02	9.0495e+00	8.3870e-04	3.7638e+02	9.0424e+00	8.5831e-04
3.7953e+02	9.0352e+00	8.8682e-04	3.8271e+02	9.0280e+00	8.7461e-04
3.8591e+02	9.0207e+00	8.7795e-04	3.8914e+02	9.0133e+00	8.9983e-04
3.9239e+02	9.0059e+00	8.8621e-04	3.9568e+02	8.9984e+00	8.3359e-04
3.9899e+02	8.9908e+00	8.4499e-04	4.0233e+02	8.9832e+00	8.2694e-04
4.0570e+02	8.9755e+00	7.7319e-04	4.0910e+02	8.9678e+00	8.1819e-04
4.1251e+02	8.9620e+00	8.9788e-04	4.1597e+02	8.9611e+00	9.2605e-04
4.1944e+02	8.9633e+00	9.3441e-04	4.2296e+02	8.9654e+00	9.4991e-04
4.2650e+02	8.9676e+00	9.4670e-04	4.3007e+02	8.9698e+00	8.6651e-04
4.3366e+02	8.9720e+00	8.6668e-04	4.3729e+02	8.9743e+00	9.4693e-04
4.4095e+02	8.9765e+00	9.5365e-04	4.4464e+02	8.9788e+00	9.5844e-04
4.4837e+02	8.9811e+00	9.3506e-04	4.5212e+02	8.9834e+00	8.8872e-04
4.5590e+02	8.9857e+00	9.0956e-04	4.5972e+02	8.9881e+00	9.0608e-04
4.6356e+02	8.9904e+00	9.1682e-04	4.6744e+02	8.9928e+00	9.8045e-04
4.7136e+02	8.9952e+00	9.7891e-04	4.7530e+02	8.9976e+00	9.3298e-04
4.7927e+02	9.0001e+00	9.4060e-04	4.8328e+02	9.0026e+00	9.6931e-04
4.8733e+02	9.0051e+00	9.5541e-04	4.9140e+02	9.0076e+00	9.6578e-04
4.9551e+02	9.0101e+00	9.6191e-04	4.9966e+02	9.0126e+00	9.6546e-04
5.0385e+02	9.0152e+00	9.7016e-04	5.0807e+02	9.0178e+00	9.8042e-04
5.1232e+02	9.0204e+00	9.6473e-04	5.1660e+02	9.0231e+00	8.7685e-04
5.2092e+02	9.0257e+00	8.6263e-04	5.2528e+02	9.0284e+00	9.6276e-04
5.2968e+02	9.0311e+00	9.5105e-04	5.3412e+02	9.0338e+00	9.3753e-04
5.3858e+02	9.0366e+00	1.0052e-03	5.4309e+02	9.0394e+00	1.0222e-03
5.4763e+02	9.0421e+00	1.0144e-03	5.5222e+02	9.0450e+00	1.0060e-03
5.5684e+02	9.0478e+00	1.0038e-03	5.6150e+02	9.0507e+00	1.0179e-03
5.6620e+02	9.0493e+00	1.1167e-03	5.7093e+02	9.0411e+00	1.1187e-03
5.7571e+02	9.0301e+00	9.4292e-04	5.8053e+02	9.0190e+00	1.0253e-03

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
5.8538e+02	9.0078e+00	1.2757e-03	5.9028e+02	8.9966e+00	1.0628e-03
5.9522e+02	8.9852e+00	9.3368e-04	6.0021e+02	8.9738e+00	1.0914e-03
6.0523e+02	8.9622e+00	1.1146e-03	6.1029e+02	8.9506e+00	1.1888e-03
6.1539e+02	8.9388e+00	1.0771e-03	6.2054e+02	8.9270e+00	9.9656e-04
6.2574e+02	8.9151e+00	1.0692e-03	6.3098e+02	8.9030e+00	1.0944e-03
6.3626e+02	8.8909e+00	1.1483e-03	6.4159e+02	8.8786e+00	1.1595e-03
6.4695e+02	8.8663e+00	1.2865e-03	6.5237e+02	8.8538e+00	1.3991e-03
6.5783e+02	8.8413e+00	1.0208e-03	6.6333e+02	8.8286e+00	8.8728e-04
6.6888e+02	8.8159e+00	1.1216e-03	6.7448e+02	8.8030e+00	1.1280e-03
6.8013e+02	8.7900e+00	1.1785e-03	6.8582e+02	8.7769e+00	1.1280e-03
6.9155e+02	8.7637e+00	1.0984e-03	6.9734e+02	8.7504e+00	1.2004e-03
7.0317e+02	8.7370e+00	1.1026e-03	7.0906e+02	8.7235e+00	1.0616e-03
7.1499e+02	8.7119e+00	1.1533e-03	7.2097e+02	8.7027e+00	1.1754e-03
7.2701e+02	8.6937e+00	1.1631e-03	7.3310e+02	8.6847e+00	1.1601e-03
7.3923e+02	8.6756e+00	1.1817e-03	7.4541e+02	8.6665e+00	1.1412e-03
7.5165e+02	8.6572e+00	1.1417e-03	7.5794e+02	8.6479e+00	1.1445e-03
7.6429e+02	8.6385e+00	1.1563e-03	7.7068e+02	8.6290e+00	1.1732e-03
7.7713e+02	8.6195e+00	1.1612e-03	7.8363e+02	8.6098e+00	1.1321e-03
7.9019e+02	8.6001e+00	1.1464e-03	7.9680e+02	8.5903e+00	1.2217e-03
8.0347e+02	8.5804e+00	1.2175e-03	8.1019e+02	8.5704e+00	1.2627e-03
8.1698e+02	8.5604e+00	1.0995e-03	8.2381e+02	8.5503e+00	1.0172e-03
8.3070e+02	8.5423e+00	1.2123e-03	8.3765e+02	8.5399e+00	1.3298e-03
8.4466e+02	8.5409e+00	1.2483e-03	8.5173e+02	8.5418e+00	9.6983e-04
8.5886e+02	8.5428e+00	9.9375e-04	8.6605e+02	8.5438e+00	1.1630e-03
8.7329e+02	8.5448e+00	1.2194e-03	8.8060e+02	8.5458e+00	1.2281e-03
8.8797e+02	8.5468e+00	1.2023e-03	8.9540e+02	8.5478e+00	1.1401e-03
9.0289e+02	8.5488e+00	1.0984e-03	9.1045e+02	8.5499e+00	1.1543e-03
9.1807e+02	8.5509e+00	1.2200e-03	9.2575e+02	8.5520e+00	1.2929e-03
9.3350e+02	8.5530e+00	1.1207e-03	9.4131e+02	8.5541e+00	1.1718e-03
9.4918e+02	8.5552e+00	1.2293e-03	9.5713e+02	8.5563e+00	1.0627e-03
9.6514e+02	8.5439e+00	1.1277e-03	9.7321e+02	8.5155e+00	1.3384e-03
9.8136e+02	8.4846e+00	1.3352e-03	9.8957e+02	8.4533e+00	1.0347e-03
9.9785e+02	8.4219e+00	1.0325e-03	1.0062e+03	8.3901e+00	1.1730e-03
1.0146e+03	8.3581e+00	1.1752e-03	1.0231e+03	8.3258e+00	1.1447e-03
1.0317e+03	8.2931e+00	1.2335e-03	1.0403e+03	8.2604e+00	1.3260e-03
1.0490e+03	8.2273e+00	1.1243e-03	1.0578e+03	8.1939e+00	1.0432e-03
1.0666e+03	8.1602e+00	1.1570e-03	1.0755e+03	8.1264e+00	1.1959e-03
1.0845e+03	8.0921e+00	1.2582e-03	1.0936e+03	8.0575e+00	1.1900e-03
1.1028e+03	8.0227e+00	1.0897e-03	1.1120e+03	7.9876e+00	1.1970e-03
1.1213e+03	7.9614e+00	1.3340e-03	1.1307e+03	7.9581e+00	1.1553e-03
1.1401e+03	7.9685e+00	9.1725e-04	1.1497e+03	7.9791e+00	1.1280e-03
1.1593e+03	7.9897e+00	1.2831e-03	1.1691e+03	8.0004e+00	1.1899e-03
1.1788e+03	8.0112e+00	1.2603e-03	1.1887e+03	8.0221e+00	1.1692e-03
1.1986e+03	8.0331e+00	1.0891e-03	1.2087e+03	8.0441e+00	1.2135e-03
1.2188e+03	8.0554e+00	1.3727e-03	1.2290e+03	8.0666e+00	1.4937e-03

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
1.2393e+03	8.0779e+00	1.1996e-03	1.2496e+03	8.0893e+00	1.0860e-03
1.2600e+03	8.1009e+00	1.1774e-03	1.2706e+03	8.1125e+00	1.1679e-03
1.2813e+03	8.1243e+00	1.2798e-03	1.2920e+03	8.1361e+00	1.2577e-03
1.3028e+03	8.1481e+00	1.2459e-03	1.3137e+03	8.1601e+00	1.2504e-03
1.3247e+03	8.1722e+00	1.2347e-03	1.3358e+03	8.1797e+00	1.2513e-03
1.3470e+03	8.1799e+00	1.2585e-03	1.3583e+03	8.1777e+00	1.2671e-03
1.3696e+03	8.1754e+00	1.3431e-03	1.3811e+03	8.1732e+00	1.2836e-03
1.3926e+03	8.1709e+00	1.1354e-03	1.4043e+03	8.1686e+00	1.1568e-03
1.4160e+03	8.1663e+00	1.1743e-03	1.4278e+03	8.1640e+00	1.1720e-03
1.4398e+03	8.1616e+00	1.2098e-03	1.4518e+03	8.1592e+00	1.2730e-03
1.4640e+03	8.1568e+00	1.1807e-03	1.4763e+03	8.1465e+00	1.1203e-03
1.4886e+03	8.1279e+00	1.2512e-03	1.5010e+03	8.1088e+00	1.3348e-03
1.5136e+03	8.0896e+00	1.1398e-03	1.5263e+03	8.0701e+00	1.0358e-03
1.5391e+03	8.0505e+00	1.1395e-03	1.5519e+03	8.0308e+00	1.1146e-03
1.5649e+03	8.0109e+00	1.2108e-03	1.5781e+03	7.9908e+00	1.3068e-03
1.5913e+03	7.9706e+00	1.0867e-03	1.6045e+03	7.9502e+00	9.6775e-04
1.6179e+03	7.9297e+00	1.0164e-03	1.6315e+03	7.9089e+00	1.0788e-03
1.6452e+03	7.8880e+00	1.1313e-03	1.6590e+03	7.8669e+00	1.1000e-03
1.6728e+03	7.8456e+00	1.0920e-03	1.6868e+03	7.8241e+00	1.1099e-03
1.7009e+03	7.8025e+00	1.0583e-03	1.7152e+03	7.7808e+00	1.0075e-03
1.7295e+03	7.7588e+00	1.1071e-03	1.7440e+03	7.7365e+00	1.1284e-03
1.7586e+03	7.7142e+00	1.1943e-03	1.7733e+03	7.6982e+00	9.7512e-04
1.7882e+03	7.6920e+00	8.1158e-04	1.8031e+03	7.6893e+00	9.8680e-04
1.8182e+03	7.6865e+00	1.0159e-03	1.8335e+03	7.6838e+00	9.7996e-04
1.8488e+03	7.6809e+00	9.5865e-04	1.8643e+03	7.6781e+00	9.7595e-04
1.8798e+03	7.6753e+00	9.6063e-04	1.8956e+03	7.6724e+00	8.9992e-04
1.9114e+03	7.6695e+00	8.8162e-04	1.9274e+03	7.6666e+00	1.0102e-03
1.9435e+03	7.6636e+00	1.1391e-03	1.9598e+03	7.6607e+00	8.2348e-04
1.9762e+03	7.6577e+00	6.4775e-04	1.9928e+03	7.6546e+00	8.5982e-04
2.0095e+03	7.6516e+00	7.9876e-04	2.0263e+03	7.6485e+00	7.3842e-04
2.0432e+03	7.6454e+00	7.7590e-04	2.0603e+03	7.6423e+00	7.6245e-04
2.0775e+03	7.6391e+00	7.2856e-04	2.0949e+03	7.6360e+00	7.1228e-04
2.1125e+03	7.6328e+00	7.5350e-04	2.1302e+03	7.6295e+00	7.0408e-04
2.1479e+03	7.6257e+00	6.7714e-04	2.1659e+03	7.6211e+00	6.6612e-04
2.1841e+03	7.6163e+00	5.7917e-04	2.2024e+03	7.6115e+00	5.6661e-04
2.2208e+03	7.6067e+00	5.9401e-04	2.2394e+03	7.6018e+00	5.7997e-04
2.2581e+03	7.5969e+00	5.0828e-04	2.2770e+03	7.5920e+00	4.7368e-04
2.2961e+03	7.5870e+00	4.7469e-04	2.3153e+03	7.5820e+00	4.6384e-04
2.3346e+03	7.5769e+00	4.2831e-04	2.3542e+03	7.5718e+00	3.9660e-04
2.3738e+03	7.5666e+00	3.8602e-04	2.3937e+03	7.5614e+00	3.7432e-04
2.4138e+03	7.5561e+00	3.4698e-04	2.4339e+03	7.5509e+00	2.9974e-04
2.4543e+03	7.5455e+00	2.8169e-04	2.4748e+03	7.5401e+00	2.6511e-04
2.4956e+03	7.5347e+00	2.5112e-04	2.5164e+03	7.5292e+00	2.4695e-04
2.5375e+03	7.5237e+00	2.0943e-04	2.5588e+03	7.5182e+00	1.8033e-04
2.5802e+03	7.5125e+00	1.6141e-04	2.6018e+03	7.5069e+00	1.4221e-04

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
2.6235e+03	7.5012e+00	1.3565e-04	2.6454e+03	7.4954e+00	1.2109e-04
2.6676e+03	7.4896e+00	1.0753e-04	2.6899e+03	7.4838e+00	9.6432e-05
2.7124e+03	7.4779e+00	8.6299e-05	2.7351e+03	7.4719e+00	7.8119e-05
2.7580e+03	7.4659e+00	7.1258e-05	2.7811e+03	7.4599e+00	6.6330e-05
2.8044e+03	7.4553e+00	6.3130e-05	2.8279e+03	7.4530e+00	6.2344e-05
2.8515e+03	7.4517e+00	6.0075e-05	2.8754e+03	7.4504e+00	5.9528e-05
2.8994e+03	7.4490e+00	6.2924e-05	2.9237e+03	7.4477e+00	6.6842e-05
2.9482e+03	7.4463e+00	7.2241e-05	2.9728e+03	7.4450e+00	7.8137e-05
2.9977e+03	7.4436e+00	8.4490e-05	3.0228e+03	7.4422e+00	9.2374e-05
3.0481e+03	7.4407e+00	1.0227e-04	3.0736e+03	7.4393e+00	1.1201e-04
3.0993e+03	7.4379e+00	1.2190e-04	3.1253e+03	7.4364e+00	1.3363e-04
3.1514e+03	7.4350e+00	1.4353e-04	3.1778e+03	7.4335e+00	1.5271e-04
3.2043e+03	7.4320e+00	1.6665e-04	3.2311e+03	7.4305e+00	1.8303e-04
3.2582e+03	7.4290e+00	1.9274e-04	3.2855e+03	7.4275e+00	2.0050e-04
3.3130e+03	7.4260e+00	2.1224e-04	3.3407e+03	7.4244e+00	2.2251e-04
3.3687e+03	7.4228e+00	2.3985e-04	3.3969e+03	7.4213e+00	2.5934e-04
3.4253e+03	7.4197e+00	2.5899e-04	3.4539e+03	7.4174e+00	2.5765e-04
3.4829e+03	7.4144e+00	2.7757e-04	3.5120e+03	7.4113e+00	3.0527e-04
3.5413e+03	7.4082e+00	2.9945e-04	3.5710e+03	7.4051e+00	3.0098e-04
3.6009e+03	7.4019e+00	3.1072e-04	3.6311e+03	7.3987e+00	3.1673e-04
3.6615e+03	7.3955e+00	3.3083e-04	3.6921e+03	7.3923e+00	3.2880e-04
3.7229e+03	7.3890e+00	3.3981e-04	3.7541e+03	7.3857e+00	3.3478e-04
3.7855e+03	7.3824e+00	3.4350e-04	3.8172e+03	7.3790e+00	3.6507e-04
3.8492e+03	7.3757e+00	3.5919e-04	3.8814e+03	7.3723e+00	3.4538e-04
3.9138e+03	7.3688e+00	3.3724e-04	3.9466e+03	7.3654e+00	3.4938e-04
3.9796e+03	7.3619e+00	3.6394e-04	4.0129e+03	7.3584e+00	3.6566e-04
4.0464e+03	7.3548e+00	3.6119e-04	4.0803e+03	7.3512e+00	3.6555e-04
4.1145e+03	7.3476e+00	3.7655e-04	4.1489e+03	7.3440e+00	3.6650e-04
4.1836e+03	7.3403e+00	3.6201e-04	4.2186e+03	7.3366e+00	3.8155e-04
4.2539e+03	7.3329e+00	3.8859e-04	4.2896e+03	7.3295e+00	3.7477e-04
4.3255e+03	7.3263e+00	3.7133e-04	4.3616e+03	7.3230e+00	3.8533e-04
4.3981e+03	7.3197e+00	3.9199e-04	4.4349e+03	7.3164e+00	4.0519e-04
4.4720e+03	7.3130e+00	4.0265e-04	4.5095e+03	7.3096e+00	3.9037e-04
4.5473e+03	7.3062e+00	3.9631e-04	4.5853e+03	7.3028e+00	4.0514e-04
4.6236e+03	7.2993e+00	4.1462e-04	4.6624e+03	7.2958e+00	4.1143e-04
4.7014e+03	7.2923e+00	4.1135e-04	4.7406e+03	7.2888e+00	4.2313e-04
4.7804e+03	7.2852e+00	4.2112e-04	4.8204e+03	7.2816e+00	4.2167e-04
4.8607e+03	7.2779e+00	4.2990e-04	4.9014e+03	7.2742e+00	4.2525e-04
4.9424e+03	7.2705e+00	4.2930e-04	4.9838e+03	7.2668e+00	4.3637e-04
5.0255e+03	7.2630e+00	4.3691e-04	5.0675e+03	7.2592e+00	4.3599e-04
5.1099e+03	7.2554e+00	4.3637e-04	5.1526e+03	7.2515e+00	4.4593e-04
5.1958e+03	7.2476e+00	4.4862e-04	5.2393e+03	7.2437e+00	4.4333e-04
5.2831e+03	7.2385e+00	4.4088e-04	5.3273e+03	7.2319e+00	4.3301e-04
5.3719e+03	7.2250e+00	4.3170e-04	5.4169e+03	7.2180e+00	4.3737e-04
5.4621e+03	7.2110e+00	4.0730e-04	5.5079e+03	7.2039e+00	3.8072e-04

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
5.5539e+03	7.1968e+00	3.8287e-04	5.6004e+03	7.1896e+00	3.5870e-04
5.6474e+03	7.1823e+00	3.3938e-04	5.6946e+03	7.1750e+00	3.6263e-04
5.7423e+03	7.1676e+00	3.9932e-04	5.7903e+03	7.1601e+00	4.1416e-04
5.8388e+03	7.1526e+00	4.2423e-04	5.8876e+03	7.1451e+00	4.2662e-04
5.9369e+03	7.1374e+00	4.3028e-04	5.9866e+03	7.1297e+00	4.2629e-04
6.0366e+03	7.1220e+00	4.0870e-04	6.0871e+03	7.1141e+00	4.2440e-04
6.1381e+03	7.1062e+00	3.8184e-04	6.1895e+03	7.0983e+00	3.4636e-04
6.2413e+03	7.0902e+00	3.7630e-04	6.2935e+03	7.0821e+00	3.8205e-04
6.3461e+03	7.0740e+00	4.0117e-04	6.3993e+03	7.0658e+00	4.1510e-04
6.4528e+03	7.0575e+00	4.1539e-04	6.5068e+03	7.0515e+00	4.0090e-04
6.5613e+03	7.0491e+00	3.9777e-04	6.6161e+03	7.0480e+00	4.2921e-04
6.6715e+03	7.0468e+00	4.2127e-04	6.7274e+03	7.0457e+00	4.0396e-04
6.7836e+03	7.0445e+00	4.1728e-04	6.8404e+03	7.0434e+00	4.0984e-04
6.8976e+03	7.0422e+00	3.9440e-04	6.9554e+03	7.0410e+00	4.0339e-04
7.0136e+03	7.0398e+00	4.0382e-04	7.0723e+03	7.0386e+00	4.0355e-04
7.1315e+03	7.0374e+00	3.9720e-04	7.1912e+03	7.0362e+00	3.8477e-04
7.2513e+03	7.0349e+00	3.6591e-04	7.3120e+03	7.0337e+00	3.5190e-04
7.3732e+03	7.0324e+00	3.4259e-04	7.4349e+03	7.0312e+00	3.2794e-04
7.4971e+03	7.0299e+00	3.1401e-04	7.5598e+03	7.0286e+00	2.9124e-04
7.6231e+03	7.0273e+00	2.8096e-04	7.6869e+03	7.0260e+00	2.7867e-04
7.7512e+03	7.0247e+00	2.6865e-04	7.8161e+03	7.0233e+00	2.6366e-04
7.8815e+03	7.0220e+00	2.7092e-04	7.9474e+03	7.0206e+00	2.7840e-04
8.0139e+03	7.0193e+00	2.7532e-04	8.0810e+03	7.0179e+00	2.8093e-04
8.1487e+03	7.0165e+00	2.8737e-04	8.2168e+03	7.0151e+00	2.8277e-04
8.2855e+03	7.0133e+00	2.8765e-04	8.3549e+03	7.0105e+00	3.0072e-04
8.4248e+03	7.0072e+00	3.1389e-04	8.4953e+03	7.0038e+00	3.1871e-04
8.5664e+03	7.0004e+00	3.2743e-04	8.6381e+03	6.9969e+00	3.3575e-04
8.7104e+03	6.9934e+00	3.4351e-04	8.7833e+03	6.9899e+00	3.5127e-04
8.8568e+03	6.9864e+00	3.5564e-04	8.9309e+03	6.9828e+00	3.6358e-04
9.0056e+03	6.9792e+00	3.6831e-04	9.0810e+03	6.9756e+00	3.6762e-04
9.1570e+03	6.9720e+00	3.7238e-04	9.2336e+03	6.9683e+00	3.8708e-04
9.3109e+03	6.9646e+00	3.9467e-04	9.3888e+03	6.9608e+00	3.8601e-04
9.4673e+03	6.9570e+00	3.8824e-04	9.5466e+03	6.9532e+00	3.9308e-04
9.6265e+03	6.9494e+00	3.9160e-04	9.7070e+03	6.9455e+00	4.0263e-04
9.7883e+03	6.9416e+00	4.0474e-04	9.8701e+03	6.9377e+00	4.1015e-04
9.9528e+03	6.9337e+00	4.1345e-04	1.0036e+04	6.9297e+00	3.9881e-04
1.0120e+04	6.9256e+00	3.8933e-04	1.0205e+04	6.9212e+00	4.0534e-04
1.0290e+04	6.9167e+00	4.1048e-04	1.0376e+04	6.9122e+00	3.8687e-04
1.0463e+04	6.9076e+00	3.8861e-04	1.0551e+04	6.9030e+00	4.0644e-04
1.0639e+04	6.8984e+00	4.0624e-04	1.0728e+04	6.8937e+00	4.0199e-04
1.0818e+04	6.8890e+00	4.1630e-04	1.0909e+04	6.8842e+00	4.0749e-04
1.1000e+04	6.8794e+00	3.9413e-04	1.1092e+04	6.8746e+00	3.9175e-04
1.1185e+04	6.8697e+00	3.9438e-04	1.1278e+04	6.8648e+00	4.0918e-04
1.1373e+04	6.8598e+00	4.0082e-04	1.1468e+04	6.8548e+00	3.8386e-04
1.1564e+04	6.8498e+00	3.8308e-04	1.1661e+04	6.8447e+00	3.7431e-04

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
1.1758e+04	6.8396e+00	3.5197e-04	1.1857e+04	6.8344e+00	3.4794e-04
1.1956e+04	6.8292e+00	3.4204e-04	1.2056e+04	6.8239e+00	3.3053e-04
1.2157e+04	6.8186e+00	3.2622e-04	1.2258e+04	6.8133e+00	3.1257e-04
1.2361e+04	6.8079e+00	3.0774e-04	1.2464e+04	6.8024e+00	3.0689e-04
1.2569e+04	6.7969e+00	2.9256e-04	1.2674e+04	6.7914e+00	2.9396e-04
1.2780e+04	6.7858e+00	3.0323e-04	1.2887e+04	6.7802e+00	2.9964e-04
1.2995e+04	6.7745e+00	3.0419e-04	1.3104e+04	6.7705e+00	3.1197e-04
1.3213e+04	6.7691e+00	3.0366e-04	1.3324e+04	6.7685e+00	3.1438e-04
1.3435e+04	6.7679e+00	3.3872e-04	1.3548e+04	6.7674e+00	3.3584e-04
1.3661e+04	6.7668e+00	3.4058e-04	1.3775e+04	6.7662e+00	3.5947e-04
1.3890e+04	6.7656e+00	3.6464e-04	1.4007e+04	6.7650e+00	3.7864e-04
1.4124e+04	6.7644e+00	3.8645e-04	1.4242e+04	6.7638e+00	3.7044e-04
1.4361e+04	6.7632e+00	3.6023e-04	1.4482e+04	6.7626e+00	3.4905e-04
1.4603e+04	6.7620e+00	3.2088e-04	1.4725e+04	6.7614e+00	2.8700e-04
1.4848e+04	6.7608e+00	2.5739e-04	1.4972e+04	6.7601e+00	2.3155e-04
1.5097e+04	6.7595e+00	2.0871e-04	1.5224e+04	6.7589e+00	1.9354e-04
1.5351e+04	6.7582e+00	1.8677e-04	1.5480e+04	6.7576e+00	1.8651e-04
1.5609e+04	6.7569e+00	1.9308e-04	1.5740e+04	6.7562e+00	2.0183e-04
1.5871e+04	6.7547e+00	2.1336e-04	1.6004e+04	6.7523e+00	2.2127e-04
1.6138e+04	6.7496e+00	2.2417e-04	1.6273e+04	6.7469e+00	2.3348e-04
1.6410e+04	6.7442e+00	2.4644e-04	1.6547e+04	6.7415e+00	2.4987e-04
1.6686e+04	6.7387e+00	2.5368e-04	1.6825e+04	6.7360e+00	2.6003e-04
1.6966e+04	6.7332e+00	2.6616e-04	1.7108e+04	6.7304e+00	2.7158e-04
1.7251e+04	6.7275e+00	2.7076e-04	1.7395e+04	6.7247e+00	2.7566e-04
1.7541e+04	6.7218e+00	2.8465e-04	1.7688e+04	6.7189e+00	2.8427e-04
1.7836e+04	6.7160e+00	2.7934e-04	1.7985e+04	6.7130e+00	2.8844e-04
1.8136e+04	6.7100e+00	2.8663e-04	1.8287e+04	6.7070e+00	2.8690e-04
1.8440e+04	6.7040e+00	2.9686e-04	1.8595e+04	6.7009e+00	2.9326e-04
1.8750e+04	6.6978e+00	2.9996e-04	1.8907e+04	6.6947e+00	2.9433e-04
1.9065e+04	6.6916e+00	2.8667e-04	1.9225e+04	6.6884e+00	2.9862e-04
1.9386e+04	6.6852e+00	3.0496e-04	1.9548e+04	6.6820e+00	2.9100e-04
1.9711e+04	6.6788e+00	2.8866e-04	1.9876e+04	6.6755e+00	2.9749e-04
2.0043e+04	6.6722e+00	2.9405e-04	2.0210e+04	6.6689e+00	3.0066e-04
2.0379e+04	6.6655e+00	3.1065e-04	2.0550e+04	6.6622e+00	3.0706e-04
2.0722e+04	6.6595e+00	2.9900e-04	2.0895e+04	6.6581e+00	3.0204e-04
2.1070e+04	6.6572e+00	3.0665e-04	2.1247e+04	6.6562e+00	3.0010e-04
2.1424e+04	6.6553e+00	2.9394e-04	2.1603e+04	6.6543e+00	2.9011e-04
2.1784e+04	6.6534e+00	2.9274e-04	2.1967e+04	6.6524e+00	2.9902e-04
2.2151e+04	6.6514e+00	2.9139e-04	2.2336e+04	6.6504e+00	2.8253e-04
2.2523e+04	6.6494e+00	2.7565e-04	2.2711e+04	6.6484e+00	2.6223e-04
2.2901e+04	6.6474e+00	2.6219e-04	2.3093e+04	6.6464e+00	2.7810e-04
2.3286e+04	6.6453e+00	2.8048e-04	2.3481e+04	6.6443e+00	2.8663e-04
2.3678e+04	6.6432e+00	2.8778e-04	2.3876e+04	6.6422e+00	2.9564e-04
2.4076e+04	6.6411e+00	3.1399e-04	2.4277e+04	6.6400e+00	3.2600e-04
2.4480e+04	6.6389e+00	3.4322e-04	2.4685e+04	6.6378e+00	3.7360e-04

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
2.4892e+04	6.6367e+00	3.9796e-04	2.5100e+04	6.6356e+00	4.0175e-04
2.5310e+04	6.6345e+00	4.1379e-04	2.5522e+04	6.6334e+00	4.2059e-04
2.5735e+04	6.6322e+00	4.0226e-04	2.5950e+04	6.6311e+00	3.8796e-04
2.6167e+04	6.6305e+00	3.6681e-04	2.6386e+04	6.6305e+00	3.1557e-04
2.6607e+04	6.6307e+00	2.5845e-04	2.6830e+04	6.6309e+00	2.1010e-04
2.6971e+04	6.6310e+00	1.7563e-04	2.7084e+04	6.6311e+00	1.3928e-04
2.7281e+04	6.6312e+00	1.0087e-04	2.7509e+04	6.6314e+00	7.5385e-05
2.7740e+04	6.6315e+00	6.3506e-05	2.7972e+04	6.6317e+00	6.3007e-05
2.8206e+04	6.6319e+00	6.8578e-05	2.8412e+04	6.6321e+00	7.3787e-05
2.8530e+04	6.6322e+00	7.7671e-05	2.8680e+04	6.6324e+00	8.5728e-05
2.8920e+04	6.6327e+00	9.7973e-05	2.9162e+04	6.6330e+00	1.0926e-04
2.9406e+04	6.6334e+00	1.1955e-04	2.9652e+04	6.6337e+00	1.2805e-04
2.9900e+04	6.6340e+00	1.3670e-04	3.0150e+04	6.6343e+00	1.4676e-04
3.0403e+04	6.6346e+00	1.5238e-04	3.0657e+04	6.6350e+00	1.5734e-04
3.0913e+04	6.6353e+00	1.6296e-04	3.1172e+04	6.6356e+00	1.6680e-04
3.1433e+04	6.6360e+00	1.6751e-04	3.1696e+04	6.6363e+00	1.7024e-04
3.1961e+04	6.6366e+00	1.7520e-04	3.2229e+04	6.6370e+00	1.7584e-04
3.2499e+04	6.6373e+00	1.7781e-04	3.2771e+04	6.6377e+00	1.8190e-04
3.3045e+04	6.6381e+00	1.8513e-04	3.3321e+04	6.6386e+00	1.8626e-04
3.3600e+04	6.6392e+00	1.8977e-04	3.3881e+04	6.6399e+00	1.9105e-04
3.4165e+04	6.6406e+00	1.8998e-04	3.4451e+04	6.6412e+00	1.9089e-04
3.4739e+04	6.6419e+00	1.9357e-04	3.5029e+04	6.6426e+00	1.9868e-04
3.5323e+04	6.6433e+00	1.9576e-04	3.5618e+04	6.6439e+00	1.9190e-04
3.5916e+04	6.6446e+00	1.8844e-04	3.6217e+04	6.6453e+00	1.8524e-04
3.6520e+04	6.6460e+00	1.8578e-04	3.6826e+04	6.6468e+00	1.8442e-04
3.7134e+04	6.6475e+00	1.8468e-04	3.7444e+04	6.6482e+00	1.8503e-04
3.7758e+04	6.6489e+00	1.8599e-04	3.8074e+04	6.6497e+00	1.8671e-04
3.8392e+04	6.6504e+00	1.8492e-04	3.8714e+04	6.6512e+00	1.8454e-04
3.9038e+04	6.6528e+00	1.8674e-04	3.9364e+04	6.6554e+00	1.8620e-04
3.9694e+04	6.6583e+00	1.8328e-04	4.0026e+04	6.6611e+00	1.8369e-04
4.0361e+04	6.6640e+00	1.8622e-04	4.0699e+04	6.6669e+00	1.8585e-04
4.1039e+04	6.6698e+00	1.8306e-04	4.1383e+04	6.6727e+00	1.8312e-04
4.1729e+04	6.6757e+00	1.8394e-04	4.2078e+04	6.6787e+00	1.8284e-04
4.2430e+04	6.6817e+00	1.8252e-04	4.2785e+04	6.6847e+00	1.7739e-04
4.3143e+04	6.6878e+00	1.7914e-04	4.3504e+04	6.6909e+00	1.8506e-04
4.3868e+04	6.6940e+00	1.8627e-04	4.4235e+04	6.6971e+00	1.9265e-04
4.4605e+04	6.7003e+00	1.9796e-04	4.4979e+04	6.7035e+00	1.9932e-04
4.5355e+04	6.7067e+00	2.0551e-04	4.5735e+04	6.7100e+00	2.0037e-04
4.6117e+04	6.7133e+00	1.9724e-04	4.6503e+04	6.7166e+00	2.0682e-04
4.6892e+04	6.7199e+00	2.0486e-04	4.7285e+04	6.7233e+00	2.0137e-04
4.7681e+04	6.7266e+00	1.9672e-04	4.8080e+04	6.7297e+00	1.8768e-04
4.8482e+04	6.7323e+00	1.7905e-04	4.8888e+04	6.7348e+00	1.6326e-04
4.9297e+04	6.7372e+00	1.3929e-04	4.9709e+04	6.7397e+00	1.1562e-04
5.0125e+04	6.7422e+00	9.8404e-05	5.0545e+04	6.7448e+00	9.5342e-05
5.0968e+04	6.7473e+00	1.0073e-04	5.1394e+04	6.7499e+00	1.0018e-04

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
5.1824e+04	6.7525e+00	8.7055e-05	5.2258e+04	6.7551e+00	7.2639e-05
5.2695e+04	6.7577e+00	6.6087e-05	5.3136e+04	6.7604e+00	7.3833e-05
5.3581e+04	6.7630e+00	9.6167e-05	5.4029e+04	6.7657e+00	1.1578e-04
5.4481e+04	6.7685e+00	1.2687e-04	5.4937e+04	6.7712e+00	1.3402e-04
5.5397e+04	6.7740e+00	1.4106e-04	5.5860e+04	6.7768e+00	1.4721e-04
5.6328e+04	6.7796e+00	1.4978e-04	5.6799e+04	6.7824e+00	1.5133e-04
5.7274e+04	6.7853e+00	1.4659e-04	5.7754e+04	6.7882e+00	1.4952e-04
5.8237e+04	6.7911e+00	1.6057e-04	5.8724e+04	6.7940e+00	1.6105e-04
5.9216e+04	6.7970e+00	1.5756e-04	5.9711e+04	6.8000e+00	1.6029e-04
6.0211e+04	6.8030e+00	1.6642e-04	6.0715e+04	6.8060e+00	1.6545e-04
6.1223e+04	6.8092e+00	1.5816e-04	6.1735e+04	6.8126e+00	1.4928e-04
6.2252e+04	6.8162e+00	1.3922e-04	6.2773e+04	6.8198e+00	1.2843e-04
6.3298e+04	6.8235e+00	1.2121e-04	6.3827e+04	6.8271e+00	1.1826e-04
6.4362e+04	6.8308e+00	1.1651e-04	6.4901e+04	6.8346e+00	1.1342e-04
6.5444e+04	6.8384e+00	1.1427e-04	6.5991e+04	6.8422e+00	1.1916e-04
6.6543e+04	6.8460e+00	1.2334e-04	6.7100e+04	6.8499e+00	1.2751e-04
6.7661e+04	6.8538e+00	1.3132e-04	6.8228e+04	6.8577e+00	1.3629e-04
6.8799e+04	6.8617e+00	1.4396e-04	6.9374e+04	6.8657e+00	1.5083e-04
6.9955e+04	6.8697e+00	1.5416e-04	7.0540e+04	6.8738e+00	1.5361e-04
7.1131e+04	6.8779e+00	1.4859e-04	7.1726e+04	6.8820e+00	1.4385e-04
7.2326e+04	6.8862e+00	1.3958e-04	7.2931e+04	6.8904e+00	1.2300e-04
7.3542e+04	6.8946e+00	8.1069e-05	7.4157e+04	6.8989e+00	6.4797e-05
7.4778e+04	6.9031e+00	8.6976e-05	7.5403e+04	6.9070e+00	1.0150e-04
7.6034e+04	6.9108e+00	1.0819e-04	7.6671e+04	6.9147e+00	1.1288e-04
7.7312e+04	6.9185e+00	1.2109e-04	7.7959e+04	6.9224e+00	1.3318e-04
7.8612e+04	6.9264e+00	1.4415e-04	7.9220e+04	6.9300e+00	1.5004e-04
7.9550e+04	6.9320e+00	1.5486e-04	7.9933e+04	6.9343e+00	1.5821e-04
8.0602e+04	6.9383e+00	1.6523e-04	8.1276e+04	6.9424e+00	1.7022e-04
8.1956e+04	6.9465e+00	1.5967e-04	8.2399e+04	6.9492e+00	1.4009e-04
8.2743e+04	6.9512e+00	1.0361e-04	8.3334e+04	6.9548e+00	6.6024e-05
8.4031e+04	6.9590e+00	6.2304e-05	8.4734e+04	6.9632e+00	7.8197e-05
8.5443e+04	6.9675e+00	8.9972e-05	8.6158e+04	6.9718e+00	9.5611e-05
8.6879e+04	6.9762e+00	9.9978e-05	8.7606e+04	6.9805e+00	1.0563e-04
8.8339e+04	6.9850e+00	1.0933e-04	8.9078e+04	6.9894e+00	1.1129e-04
8.9824e+04	6.9939e+00	1.0941e-04	9.0576e+04	6.9984e+00	1.1075e-04
9.1334e+04	7.0030e+00	1.1417e-04	9.2098e+04	7.0076e+00	1.1164e-04
9.2868e+04	7.0122e+00	1.0680e-04	9.3646e+04	7.0169e+00	1.0057e-04
9.4430e+04	7.0216e+00	9.2268e-05	9.5220e+04	7.0264e+00	8.6436e-05
9.6016e+04	7.0312e+00	8.3856e-05	9.6820e+04	7.0353e+00	8.0362e-05
9.7630e+04	7.0383e+00	7.6113e-05	9.8447e+04	7.0409e+00	7.4707e-05
9.9271e+04	7.0435e+00	7.7349e-05	1.0010e+05	7.0461e+00	8.0779e-05
1.0094e+05	7.0488e+00	8.3830e-05	1.0179e+05	7.0515e+00	8.4673e-05
1.0264e+05	7.0542e+00	8.7664e-05	1.0350e+05	7.0569e+00	9.2869e-05
1.0437e+05	7.0597e+00	9.5719e-05	1.0524e+05	7.0624e+00	9.5926e-05
1.0612e+05	7.0652e+00	9.5766e-05	1.0701e+05	7.0681e+00	9.1154e-05

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
1.0790e+05	7.0709e+00	8.2214e-05	1.0880e+05	7.0738e+00	8.0431e-05
1.0971e+05	7.0767e+00	8.3614e-05	1.1063e+05	7.0796e+00	8.4004e-05
1.1156e+05	7.0825e+00	8.4025e-05	1.1249e+05	7.0855e+00	8.7817e-05
1.1343e+05	7.0885e+00	9.0914e-05	1.1438e+05	7.0915e+00	9.2167e-05
1.1534e+05	7.0946e+00	9.3711e-05	1.1631e+05	7.0976e+00	9.5396e-05
1.1728e+05	7.1016e+00	9.5738e-05	1.1826e+05	7.1067e+00	9.5369e-05
1.1925e+05	7.1119e+00	9.4560e-05	1.2024e+05	7.1172e+00	9.2579e-05
1.2125e+05	7.1225e+00	8.3033e-05	1.2226e+05	7.1279e+00	7.6512e-05
1.2329e+05	7.1334e+00	7.9533e-05	1.2432e+05	7.1389e+00	8.3997e-05
1.2536e+05	7.1444e+00	9.0901e-05	1.2640e+05	7.1499e+00	9.4032e-05
1.2747e+05	7.1556e+00	9.4159e-05	1.2854e+05	7.1613e+00	8.1826e-05
1.2961e+05	7.1670e+00	6.7388e-05	1.3070e+05	7.1727e+00	8.0955e-05
1.3179e+05	7.1786e+00	1.0461e-04	1.3289e+05	7.1844e+00	1.1643e-04
1.3400e+05	7.1903e+00	1.2178e-04	1.3513e+05	7.1963e+00	1.2253e-04
1.3626e+05	7.2023e+00	1.1310e-04	1.3740e+05	7.2083e+00	9.8113e-05
1.3855e+05	7.2144e+00	7.6040e-05	1.3970e+05	7.2206e+00	4.9975e-05
1.4087e+05	7.2268e+00	3.9706e-05	1.4205e+05	7.2331e+00	4.0753e-05
1.4324e+05	7.2394e+00	4.6185e-05	1.4444e+05	7.2458e+00	5.2403e-05
1.4565e+05	7.2522e+00	5.5283e-05	1.4687e+05	7.2586e+00	5.7656e-05
1.4810e+05	7.2652e+00	5.9747e-05	1.4934e+05	7.2718e+00	6.3535e-05
1.5059e+05	7.2784e+00	6.7155e-05	1.5185e+05	7.2851e+00	6.9177e-05
1.5312e+05	7.2907e+00	7.0316e-05	1.5440e+05	7.2946e+00	7.0281e-05
1.5569e+05	7.2978e+00	6.7578e-05	1.5699e+05	7.3010e+00	6.4240e-05
1.5830e+05	7.3042e+00	6.2836e-05	1.5963e+05	7.3075e+00	6.2735e-05
1.6096e+05	7.3108e+00	6.3302e-05	1.6231e+05	7.3142e+00	6.5638e-05
1.6367e+05	7.3175e+00	6.8902e-05	1.6504e+05	7.3209e+00	7.1108e-05
1.6642e+05	7.3243e+00	7.3226e-05	1.6781e+05	7.3278e+00	6.1531e-05
1.6922e+05	7.3312e+00	4.9438e-05	1.7063e+05	7.3347e+00	5.3608e-05
1.7206e+05	7.3383e+00	5.7426e-05	1.7350e+05	7.3418e+00	6.0354e-05
1.7495e+05	7.3454e+00	6.6781e-05	1.7642e+05	7.3491e+00	7.2549e-05
1.7789e+05	7.3527e+00	7.5598e-05	1.7938e+05	7.3564e+00	7.7273e-05
1.8089e+05	7.3601e+00	8.1326e-05	1.8240e+05	7.3639e+00	8.2548e-05
1.8393e+05	7.3676e+00	7.5800e-05	1.8546e+05	7.3714e+00	6.1536e-05
1.8701e+05	7.3753e+00	4.4980e-05	1.8858e+05	7.3791e+00	3.8264e-05
1.9016e+05	7.3830e+00	4.0128e-05	1.9175e+05	7.3870e+00	4.1775e-05
1.9336e+05	7.3910e+00	4.3348e-05	1.9497e+05	7.3950e+00	4.4974e-05
1.9660e+05	7.3990e+00	4.4271e-05	1.9825e+05	7.4031e+00	4.3208e-05
1.9991e+05	7.4072e+00	4.3486e-05	2.0158e+05	7.4113e+00	4.5968e-05
2.0327e+05	7.4155e+00	4.7615e-05	2.0497e+05	7.4197e+00	4.5866e-05
2.0668e+05	7.4239e+00	4.5727e-05	2.0841e+05	7.4282e+00	4.7454e-05
2.1016e+05	7.4325e+00	4.8457e-05	2.1192e+05	7.4369e+00	4.9694e-05
2.1369e+05	7.4413e+00	5.1426e-05	2.1548e+05	7.4451e+00	5.2854e-05
2.1728e+05	7.4481e+00	5.4660e-05	2.1910e+05	7.4508e+00	4.7183e-05
2.2093e+05	7.4536e+00	3.9809e-05	2.2278e+05	7.4564e+00	4.2836e-05
2.2465e+05	7.4592e+00	4.5256e-05	2.2653e+05	7.4620e+00	4.7170e-05

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
2.2842e+05	7.4648e+00	4.7818e-05	2.3033e+05	7.4677e+00	4.5206e-05
2.3226e+05	7.4706e+00	4.0646e-05	2.3421e+05	7.4735e+00	3.6369e-05
2.3617e+05	7.4764e+00	3.4404e-05	2.3814e+05	7.4794e+00	3.6827e-05
2.4013e+05	7.4824e+00	4.0251e-05	2.4214e+05	7.4854e+00	4.1694e-05
2.4417e+05	7.4884e+00	3.8702e-05	2.4621e+05	7.4915e+00	3.6505e-05
2.4827e+05	7.4946e+00	3.8242e-05	2.5035e+05	7.4977e+00	3.9111e-05
2.5244e+05	7.5008e+00	4.0064e-05	2.5456e+05	7.5040e+00	4.2042e-05
2.5669e+05	7.5072e+00	4.2192e-05	2.5883e+05	7.5104e+00	4.3195e-05
2.6100e+05	7.5138e+00	4.5637e-05	2.6319e+05	7.5172e+00	4.6868e-05
2.6539e+05	7.5207e+00	4.7524e-05	2.6761e+05	7.5243e+00	4.8050e-05
2.6985e+05	7.5278e+00	4.9242e-05	2.7211e+05	7.5314e+00	4.6874e-05
2.7438e+05	7.5350e+00	3.7567e-05	2.7668e+05	7.5387e+00	2.9389e-05
2.7899e+05	7.5424e+00	2.9732e-05	2.8133e+05	7.5461e+00	3.1299e-05
2.8368e+05	7.5498e+00	3.2484e-05	2.8606e+05	7.5536e+00	3.4539e-05
2.8845e+05	7.5579e+00	3.5358e-05	2.9086e+05	7.5628e+00	3.5314e-05
2.9330e+05	7.5679e+00	3.6833e-05	2.9575e+05	7.5730e+00	3.9075e-05
2.9709e+05	7.5758e+00	3.9051e-05	2.9785e+05	7.5774e+00	3.5362e-05
2.9899e+05	7.5797e+00	3.3444e-05	3.0072e+05	7.5833e+00	3.7044e-05
3.0324e+05	7.5886e+00	3.8705e-05	3.0578e+05	7.5938e+00	3.8774e-05
3.0834e+05	7.5992e+00	3.9484e-05	3.1092e+05	7.6045e+00	3.9860e-05
3.1352e+05	7.6099e+00	3.7748e-05	3.1614e+05	7.6154e+00	3.1080e-05
3.1879e+05	7.6209e+00	2.5931e-05	3.2145e+05	7.6264e+00	2.5843e-05
3.2414e+05	7.6320e+00	2.6115e-05	3.2686e+05	7.6377e+00	2.6008e-05
3.2959e+05	7.6434e+00	2.5992e-05	3.3235e+05	7.6491e+00	2.6245e-05
3.3513e+05	7.6549e+00	2.8010e-05	3.3794e+05	7.6607e+00	2.8561e-05
3.4076e+05	7.6666e+00	2.8711e-05	3.4361e+05	7.6725e+00	2.9399e-05
3.4649e+05	7.6785e+00	2.8034e-05	3.4939e+05	7.6845e+00	2.7319e-05
3.5231e+05	7.6906e+00	2.7339e-05	3.5526e+05	7.6956e+00	2.4944e-05
3.5824e+05	7.6989e+00	2.1722e-05	3.6124e+05	7.7016e+00	1.8706e-05
3.6426e+05	7.7044e+00	1.7535e-05	3.6730e+05	7.7071e+00	1.8951e-05
3.7038e+05	7.7099e+00	2.1401e-05	3.7348e+05	7.7127e+00	2.3004e-05
3.7660e+05	7.7156e+00	2.1458e-05	3.7975e+05	7.7184e+00	1.8587e-05
3.8293e+05	7.7213e+00	1.6574e-05	3.8613e+05	7.7242e+00	1.5856e-05
3.8937e+05	7.7271e+00	1.6115e-05	3.9263e+05	7.7301e+00	1.6082e-05
3.9591e+05	7.7331e+00	1.6079e-05	3.9922e+05	7.7361e+00	1.5643e-05
4.0256e+05	7.7391e+00	1.5478e-05	4.0593e+05	7.7422e+00	1.5253e-05
4.0933e+05	7.7452e+00	1.4714e-05	4.1275e+05	7.7483e+00	1.4355e-05
4.1621e+05	7.7515e+00	1.3281e-05	4.1969e+05	7.7546e+00	1.3067e-05
4.2321e+05	7.7578e+00	1.3108e-05	4.2675e+05	7.7610e+00	1.2590e-05
4.3032e+05	7.7649e+00	1.2484e-05	4.3392e+05	7.7696e+00	1.2675e-05
4.3755e+05	7.7745e+00	1.2643e-05	4.4121e+05	7.7794e+00	1.2902e-05
4.4490e+05	7.7843e+00	1.3357e-05	4.4862e+05	7.7893e+00	1.4330e-05
4.5238e+05	7.7943e+00	1.6065e-05	4.5616e+05	7.7994e+00	1.7245e-05
4.5998e+05	7.8045e+00	1.8266e-05	4.6383e+05	7.8097e+00	1.9792e-05
4.6771e+05	7.8148e+00	1.9393e-05	4.7163e+05	7.8201e+00	1.8687e-05

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
4.7557e+05	7.8254e+00	1.9781e-05	4.7955e+05	7.8309e+00	2.0880e-05
4.8357e+05	7.8364e+00	2.1489e-05	4.8761e+05	7.8419e+00	2.0480e-05
4.9169e+05	7.8475e+00	2.1212e-05	4.9581e+05	7.8532e+00	2.2253e-05
4.9996e+05	7.8589e+00	2.0631e-05	5.0414e+05	7.8646e+00	2.0506e-05
5.0836e+05	7.8704e+00	1.9999e-05	5.1261e+05	7.8762e+00	2.0055e-05
5.1690e+05	7.8821e+00	2.1865e-05	5.2123e+05	7.8881e+00	2.1917e-05
5.2559e+05	7.8937e+00	2.1456e-05	5.2999e+05	7.8988e+00	2.0738e-05
5.3442e+05	7.9040e+00	1.9161e-05	5.3890e+05	7.9092e+00	1.8359e-05
5.4341e+05	7.9145e+00	1.8276e-05	5.4795e+05	7.9198e+00	1.8348e-05
5.5254e+05	7.9251e+00	1.8431e-05	5.5716e+05	7.9305e+00	1.7142e-05
5.6182e+05	7.9359e+00	1.6462e-05	5.6652e+05	7.9414e+00	1.6831e-05
5.7126e+05	7.9469e+00	1.5928e-05	5.7604e+05	7.9525e+00	1.4855e-05
5.8086e+05	7.9587e+00	1.5733e-05	5.8572e+05	7.9658e+00	1.6626e-05
5.9063e+05	7.9730e+00	1.6583e-05	5.9557e+05	7.9803e+00	1.6839e-05
6.0055e+05	7.9877e+00	1.6778e-05	6.0558e+05	7.9951e+00	1.6441e-05
6.1065e+05	8.0026e+00	1.5085e-05	6.1576e+05	8.0102e+00	1.4448e-05
6.2091e+05	8.0178e+00	1.5133e-05	6.2610e+05	8.0255e+00	1.5193e-05
6.3134e+05	8.0332e+00	1.5300e-05	6.3663e+05	8.0410e+00	1.5499e-05
6.4196e+05	8.0489e+00	1.4669e-05	6.4733e+05	8.0568e+00	1.4227e-05
6.5274e+05	8.0648e+00	1.3878e-05	6.5821e+05	8.0729e+00	1.3063e-05
6.6372e+05	8.0811e+00	1.2436e-05	6.6927e+05	8.0893e+00	1.1231e-05
6.7487e+05	8.0975e+00	1.0685e-05	6.8052e+05	8.1059e+00	1.0796e-05
6.8621e+05	8.1143e+00	1.0858e-05	6.9195e+05	8.1228e+00	1.0421e-05
6.9774e+05	8.1313e+00	1.0643e-05	7.0358e+05	8.1400e+00	1.1112e-05
7.0947e+05	8.1487e+00	1.0257e-05	7.1541e+05	8.1554e+00	9.3480e-06
7.2140e+05	8.1589e+00	9.0141e-06	7.2743e+05	8.1614e+00	9.7268e-06
7.3352e+05	8.1639e+00	1.0697e-05	7.3966e+05	8.1664e+00	1.0563e-05
7.4585e+05	8.1690e+00	1.0197e-05	7.5209e+05	8.1715e+00	9.5377e-06
7.5838e+05	8.1741e+00	9.5309e-06	7.6473e+05	8.1767e+00	9.6056e-06
7.7113e+05	8.1794e+00	8.6829e-06	7.7758e+05	8.1820e+00	8.3115e-06
7.8409e+05	8.1847e+00	7.8909e-06	7.9065e+05	8.1874e+00	7.9509e-06
7.9726e+05	8.1901e+00	8.3079e-06	8.0393e+05	8.1929e+00	8.4144e-06
8.1066e+05	8.1956e+00	8.4135e-06	8.1745e+05	8.1984e+00	8.2411e-06
8.2429e+05	8.2012e+00	7.9711e-06	8.3119e+05	8.2041e+00	7.5033e-06
8.3814e+05	8.2069e+00	7.1046e-06	8.4515e+05	8.2098e+00	7.0808e-06
8.5222e+05	8.2127e+00	7.0348e-06	8.5936e+05	8.2157e+00	6.5611e-06
8.6655e+05	8.2186e+00	6.1141e-06	8.7380e+05	8.2215e+00	5.9991e-06
8.8111e+05	8.2245e+00	6.0526e-06	8.8849e+05	8.2275e+00	5.8783e-06
8.9592e+05	8.2305e+00	5.5864e-06	9.0342e+05	8.2335e+00	5.1316e-06
9.1098e+05	8.2366e+00	4.7025e-06	9.1860e+05	8.2397e+00	4.5624e-06
9.2629e+05	8.2428e+00	4.5945e-06	9.3404e+05	8.2460e+00	4.5443e-06
9.4186e+05	8.2491e+00	4.5419e-06	9.4974e+05	8.2523e+00	4.4231e-06
9.5768e+05	8.2555e+00	4.3218e-06	9.6570e+05	8.2585e+00	4.1163e-06
9.7378e+05	8.2615e+00	3.7274e-06	9.8193e+05	8.2646e+00	3.5824e-06
9.9015e+05	8.2677e+00	3.5309e-06	9.9844e+05	8.2708e+00	3.5134e-06

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
1.0068e+06	8.2740e+00	3.6434e-06	1.0152e+06	8.2771e+00	3.6671e-06
1.0237e+06	8.2803e+00	3.6478e-06	1.0323e+06	8.2836e+00	3.6757e-06
1.0409e+06	8.2868e+00	3.6972e-06	1.0496e+06	8.2901e+00	3.7731e-06
1.0584e+06	8.2935e+00	3.6904e-06	1.0673e+06	8.2972e+00	3.7010e-06
1.0762e+06	8.3010e+00	3.8651e-06	1.0852e+06	8.3048e+00	3.9323e-06
1.0943e+06	8.3086e+00	3.9832e-06	1.1034e+06	8.3124e+00	4.0310e-06
1.1127e+06	8.3163e+00	4.1513e-06	1.1220e+06	8.3202e+00	4.3126e-06
1.1314e+06	8.3242e+00	4.2886e-06	1.1409e+06	8.3282e+00	4.2240e-06
1.1504e+06	8.3322e+00	4.2382e-06	1.1600e+06	8.3362e+00	4.1861e-06
1.1697e+06	8.3417e+00	4.2181e-06	1.1795e+06	8.3490e+00	4.3118e-06
1.1894e+06	8.3566e+00	4.4229e-06	1.1993e+06	8.3643e+00	4.2645e-06
1.2094e+06	8.3720e+00	4.0427e-06	1.2195e+06	8.3798e+00	3.9827e-06
1.2297e+06	8.3877e+00	3.9950e-06	1.2400e+06	8.3956e+00	4.1310e-06
1.2504e+06	8.4036e+00	4.1413e-06	1.2609e+06	8.4116e+00	4.0692e-06
1.2714e+06	8.4198e+00	3.9141e-06	1.2820e+06	8.4279e+00	3.5296e-06
1.2927e+06	8.4427e+00	3.0804e-06	1.3035e+06	8.4654e+00	2.7824e-06
1.3145e+06	8.4894e+00	2.7264e-06	1.3255e+06	8.5137e+00	2.9047e-06
1.3366e+06	8.5381e+00	3.1715e-06	1.3478e+06	8.5628e+00	3.3620e-06
1.3590e+06	8.5877e+00	3.4222e-06	1.3704e+06	8.6127e+00	3.4065e-06
1.3819e+06	8.6379e+00	3.3371e-06	1.3934e+06	8.6633e+00	3.2655e-06
1.4051e+06	8.6890e+00	3.1802e-06	1.4168e+06	8.7149e+00	3.1712e-06
1.4287e+06	8.7410e+00	3.2765e-06	1.4407e+06	8.7674e+00	3.2838e-06
1.4528e+06	8.7941e+00	3.1087e-06	1.4649e+06	8.8208e+00	3.0300e-06
1.4772e+06	8.8478e+00	3.0388e-06	1.4895e+06	8.8750e+00	3.0085e-06
1.5020e+06	8.9007e+00	2.9062e-06	1.5145e+06	8.9222e+00	2.8402e-06
1.5272e+06	8.9413e+00	2.8111e-06	1.5400e+06	8.9606e+00	2.7924e-06
1.5529e+06	8.9800e+00	2.7113e-06	1.5659e+06	8.9996e+00	2.5725e-06
1.5790e+06	9.0193e+00	2.5420e-06	1.5922e+06	9.0392e+00	2.4255e-06
1.6055e+06	9.0594e+00	2.3730e-06	1.6190e+06	9.0796e+00	2.4315e-06
1.6325e+06	9.1001e+00	2.2817e-06	1.6462e+06	9.1207e+00	2.2403e-06
1.6599e+06	9.1414e+00	2.4719e-06	1.6738e+06	9.1623e+00	2.5444e-06
1.6878e+06	9.1834e+00	2.4427e-06	1.7019e+06	9.2047e+00	2.3663e-06
1.7162e+06	9.2262e+00	2.3661e-06	1.7305e+06	9.2478e+00	2.2887e-06
1.7450e+06	9.2697e+00	2.2064e-06	1.7596e+06	9.2917e+00	2.2401e-06
1.7743e+06	9.3138e+00	2.2557e-06	1.7892e+06	9.3362e+00	2.2023e-06
1.8042e+06	9.3588e+00	2.1623e-06	1.8193e+06	9.3816e+00	1.9877e-06
1.8345e+06	9.4022e+00	1.9089e-06	1.8498e+06	9.4170e+00	2.0192e-06
1.8653e+06	9.4284e+00	2.0173e-06	1.8810e+06	9.4400e+00	1.9035e-06
1.8967e+06	9.4516e+00	1.7629e-06	1.9126e+06	9.4632e+00	1.7354e-06
1.9286e+06	9.4750e+00	1.7379e-06	1.9447e+06	9.4869e+00	1.7151e-06
1.9610e+06	9.4989e+00	1.6924e-06	1.9774e+06	9.5110e+00	1.7130e-06
1.9939e+06	9.5232e+00	1.6801e-06	2.0106e+06	9.5355e+00	1.6519e-06
2.0275e+06	9.5479e+00	1.6725e-06	2.0444e+06	9.5604e+00	1.6597e-06
2.0615e+06	9.5730e+00	1.6277e-06	2.0788e+06	9.5857e+00	1.6076e-06
2.0962e+06	9.5985e+00	1.6334e-06	2.1137e+06	9.6114e+00	1.6505e-06

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
2.1314e+06	9.6239e+00	1.6310e-06	2.1492e+06	9.6358e+00	1.6302e-06
2.1672e+06	9.6477e+00	1.6419e-06	2.1853e+06	9.6596e+00	1.5883e-06
2.2036e+06	9.6717e+00	1.5643e-06	2.2221e+06	9.6839e+00	1.5729e-06
2.2407e+06	9.6962e+00	1.5685e-06	2.2594e+06	9.7086e+00	1.5960e-06
2.2783e+06	9.7211e+00	1.6264e-06	2.2974e+06	9.7337e+00	1.6642e-06
2.3166e+06	9.7464e+00	1.7394e-06	2.3360e+06	9.7593e+00	1.7312e-06
2.3555e+06	9.7702e+00	1.6782e-06	2.3752e+06	9.7789e+00	1.6174e-06
2.3951e+06	9.7874e+00	1.5009e-06	2.4152e+06	9.7959e+00	1.4154e-06
2.4354e+06	9.8045e+00	1.3529e-06	2.4558e+06	9.8131e+00	1.3565e-06
2.4763e+06	9.8219e+00	1.3773e-06	2.4970e+06	9.8307e+00	1.3361e-06
2.5179e+06	9.8395e+00	1.3063e-06	2.5390e+06	9.8485e+00	1.2735e-06
2.5603e+06	9.8575e+00	1.2886e-06	2.5817e+06	9.8666e+00	1.2994e-06
2.6033e+06	9.8758e+00	1.2656e-06	2.6251e+06	9.8850e+00	1.2596e-06
2.6470e+06	9.8944e+00	1.2364e-06	2.6692e+06	9.9038e+00	1.2187e-06
2.6915e+06	9.9133e+00	1.1966e-06	2.7140e+06	9.9228e+00	1.1179e-06
2.7367e+06	9.9312e+00	1.0821e-06	2.7596e+06	9.9367e+00	1.0808e-06
2.7827e+06	9.9403e+00	1.0430e-06	2.8060e+06	9.9440e+00	1.0069e-06
2.8295e+06	9.9477e+00	9.8204e-07	2.8532e+06	9.9515e+00	9.7825e-07
2.8770e+06	9.9552e+00	9.6450e-07	2.9011e+06	9.9590e+00	9.5311e-07
2.9254e+06	9.9629e+00	9.4800e-07	2.9499e+06	9.9667e+00	9.4320e-07
2.9746e+06	9.9706e+00	9.2443e-07	2.9994e+06	9.9746e+00	9.1403e-07
3.0245e+06	9.9785e+00	9.2424e-07	3.0499e+06	9.9825e+00	9.1494e-07
3.0754e+06	9.9866e+00	9.0418e-07	3.1011e+06	9.9906e+00	8.8000e-07
3.1271e+06	9.9947e+00	8.2840e-07	3.1533e+06	9.9989e+00	7.7721e-07
3.1797e+06	1.0003e+01	7.4048e-07	3.2063e+06	1.0007e+01	7.1656e-07
3.2331e+06	1.0011e+01	6.8526e-07	3.2601e+06	1.0016e+01	6.4748e-07
3.2874e+06	1.0020e+01	6.2849e-07	3.3149e+06	1.0024e+01	6.1433e-07
3.3427e+06	1.0027e+01	5.9114e-07	3.3707e+06	1.0025e+01	5.6531e-07
3.3989e+06	1.0020e+01	5.5451e-07	3.4273e+06	1.0016e+01	5.4405e-07
3.4559e+06	1.0011e+01	5.2065e-07	3.4849e+06	1.0006e+01	5.0805e-07
3.5141e+06	1.0001e+01	4.9996e-07	3.5435e+06	9.9966e+00	4.9029e-07
3.5731e+06	9.9917e+00	4.7868e-07	3.6030e+06	9.9868e+00	4.6613e-07
3.6332e+06	9.9818e+00	4.5480e-07	3.6636e+06	9.9768e+00	4.4631e-07
3.6942e+06	9.9718e+00	4.3457e-07	3.7251e+06	9.9667e+00	4.0634e-07
3.7563e+06	9.9615e+00	3.9396e-07	3.7877e+06	9.9564e+00	4.1267e-07
3.8194e+06	9.9511e+00	4.2421e-07	3.8514e+06	9.9459e+00	4.1962e-07
3.8836e+06	9.9406e+00	4.1431e-07	3.9161e+06	9.9352e+00	4.0233e-07
3.9489e+06	9.9298e+00	3.9270e-07	3.9819e+06	9.9244e+00	3.9190e-07
4.0153e+06	9.9189e+00	3.9801e-07	4.0489e+06	9.9134e+00	4.0493e-07
4.0827e+06	9.9084e+00	3.9822e-07	4.1169e+06	9.9050e+00	3.7688e-07
4.1513e+06	9.9025e+00	3.5232e-07	4.1861e+06	9.8999e+00	3.4110e-07
4.2211e+06	9.8973e+00	3.4451e-07	4.2564e+06	9.8948e+00	3.3321e-07
4.2920e+06	9.8921e+00	2.9674e-07	4.3280e+06	9.8895e+00	2.7596e-07
4.3642e+06	9.8869e+00	2.8053e-07	4.4007e+06	9.8842e+00	2.8480e-07
4.4375e+06	9.8815e+00	2.8560e-07	4.4747e+06	9.8788e+00	2.7956e-07

(continued on next page)

Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
4.5121e+06	9.8760e+00	2.6941e-07	4.5499e+06	9.8732e+00	2.6416e-07
4.5879e+06	9.8705e+00	2.5951e-07	4.6263e+06	9.8676e+00	2.5803e-07
4.6651e+06	9.8648e+00	2.5933e-07	4.7041e+06	9.8619e+00	2.5715e-07
4.7435e+06	9.8591e+00	2.5014e-07	4.7832e+06	9.8562e+00	2.3232e-07
4.8232e+06	9.8532e+00	2.1602e-07	4.8635e+06	9.8503e+00	2.1481e-07
4.9042e+06	9.8473e+00	2.1697e-07	4.9453e+06	9.8443e+00	2.1390e-07
4.9867e+06	9.8438e+00	2.0722e-07	5.0284e+06	9.8498e+00	1.9444e-07
5.0705e+06	9.8597e+00	1.7479e-07	5.1129e+06	9.8697e+00	1.6673e-07
5.1557e+06	9.8798e+00	1.7103e-07	5.1988e+06	9.8900e+00	1.7013e-07
5.2423e+06	9.9002e+00	1.6768e-07	5.2862e+06	9.9105e+00	1.6126e-07
5.3304e+06	9.9210e+00	1.5383e-07	5.3750e+06	9.9315e+00	1.5143e-07
5.4200e+06	9.9421e+00	1.4737e-07	5.4653e+06	9.9528e+00	1.4202e-07
5.5111e+06	9.9635e+00	1.3598e-07	5.5572e+06	9.9744e+00	1.2623e-07
5.6037e+06	9.9853e+00	1.1856e-07	5.6506e+06	9.9964e+00	1.1609e-07
5.6979e+06	1.0008e+01	1.1498e-07	5.7456e+06	1.0019e+01	1.1357e-07
5.7937e+06	1.0035e+01	1.1108e-07	5.8422e+06	1.0057e+01	1.0607e-07
5.8911e+06	1.0080e+01	1.0023e-07	5.9404e+06	1.0104e+01	9.9216e-08
5.9901e+06	1.0128e+01	9.8474e-08	6.0402e+06	1.0151e+01	9.3812e-08
6.0907e+06	1.0175e+01	9.0513e-08	6.1417e+06	1.0200e+01	8.8335e-08
6.1931e+06	1.0224e+01	8.5725e-08	6.2449e+06	1.0249e+01	8.2781e-08
6.2972e+06	1.0273e+01	7.8882e-08	6.3499e+06	1.0299e+01	7.3778e-08
6.4030e+06	1.0332e+01	7.2361e-08	6.4565e+06	1.0375e+01	7.2585e-08
6.5106e+06	1.0421e+01	6.9391e-08	6.5651e+06	1.0466e+01	6.5220e-08
6.6200e+06	1.0512e+01	6.2140e-08	6.6754e+06	1.0559e+01	5.9631e-08
6.7313e+06	1.0606e+01	5.6272e-08	6.7876e+06	1.0653e+01	5.3808e-08
6.8444e+06	1.0700e+01	5.3275e-08	6.9017e+06	1.0748e+01	5.2340e-08
6.9594e+06	1.0797e+01	4.9722e-08	7.0177e+06	1.0845e+01	4.7159e-08
7.0764e+06	1.0895e+01	4.4856e-08	7.1356e+06	1.0944e+01	4.1455e-08
7.1953e+06	1.0994e+01	3.9001e-08	7.2555e+06	1.1045e+01	3.7840e-08
7.3162e+06	1.1096e+01	3.6551e-08	7.3775e+06	1.1147e+01	3.5353e-08
7.4392e+06	1.1194e+01	3.4133e-08	7.5015e+06	1.1232e+01	3.2959e-08
7.5642e+06	1.1264e+01	3.1372e-08	7.6275e+06	1.1295e+01	2.9765e-08
7.6914e+06	1.1328e+01	2.8271e-08	7.7557e+06	1.1360e+01	2.6604e-08
7.8206e+06	1.1393e+01	2.5345e-08	7.8861e+06	1.1426e+01	2.4918e-08
7.9521e+06	1.1459e+01	2.4568e-08	8.0186e+06	1.1493e+01	2.3520e-08
8.0857e+06	1.1526e+01	2.1920e-08	8.1534e+06	1.1560e+01	2.0313e-08
8.2216e+06	1.1595e+01	1.9114e-08	8.2904e+06	1.1630e+01	1.8276e-08
8.3598e+06	1.1665e+01	1.7525e-08	8.4297e+06	1.1700e+01	1.6861e-08
8.5003e+06	1.1735e+01	1.6224e-08	8.5714e+06	1.1771e+01	1.5325e-08
8.6431e+06	1.1807e+01	1.4291e-08	8.7154e+06	1.1844e+01	1.3509e-08
8.7884e+06	1.1881e+01	1.3076e-08	8.8619e+06	1.1918e+01	1.2647e-08
8.9361e+06	1.1955e+01	1.1970e-08	9.0109e+06	1.1993e+01	1.1269e-08
9.0863e+06	1.2026e+01	1.0780e-08	9.1623e+06	1.2049e+01	1.0337e-08
9.2389e+06	1.2066e+01	9.7662e-09	9.3163e+06	1.2083e+01	9.1566e-09
9.3943e+06	1.2100e+01	8.6165e-09	9.4729e+06	1.2117e+01	8.1480e-09

(continued on next page)


Table B.1. Continued

Energy	Adj. funct.	Spectrum	Energy	Adj. funct.	Spectrum
9.5521e+06	1.2135e+01	7.6656e-09	9.6321e+06	1.2152e+01	7.1967e-09
9.7127e+06	1.2170e+01	6.7605e-09	9.7939e+06	1.2188e+01	6.3710e-09
9.8759e+06	1.2206e+01	6.0222e-09	9.9585e+06	1.2224e+01	5.6123e-09
1.0042e+07	1.2242e+01	5.3057e-09	1.0126e+07	1.2260e+01	5.0495e-09
1.0211e+07	1.2279e+01	4.7319e-09	1.0296e+07	1.2298e+01	4.5192e-09
1.0382e+07	1.2316e+01	4.2477e-09	1.0469e+07	1.2335e+01	4.0114e-09
1.0557e+07	1.2355e+01	3.8164e-09	1.0645e+07	1.2374e+01	3.5993e-09
1.0734e+07	1.2393e+01	3.3922e-09	1.0824e+07	1.2419e+01	3.1776e-09
1.0915e+07	1.2452e+01	2.9677e-09	1.1006e+07	1.2489e+01	2.7390e-09
1.1098e+07	1.2527e+01	2.5515e-09	1.1191e+07	1.2564e+01	2.3740e-09
1.1284e+07	1.2602e+01	2.2317e-09	1.1379e+07	1.2640e+01	2.0933e-09
1.1474e+07	1.2678e+01	1.9763e-09	1.1570e+07	1.2717e+01	1.8550e-09
1.1667e+07	1.2756e+01	1.7345e-09	1.1765e+07	1.2796e+01	1.6380e-09
1.1863e+07	1.2836e+01	1.5382e-09	1.1962e+07	1.2876e+01	1.4470e-09
1.2063e+07	1.2916e+01	1.3790e-09	1.2164e+07	1.2957e+01	1.3104e-09
1.2265e+07	1.2998e+01	1.2260e-09	1.2368e+07	1.3040e+01	1.1500e-09
1.2471e+07	1.3081e+01	1.0786e-09	1.2576e+07	1.3124e+01	1.0170e-09
1.2681e+07	1.3168e+01	9.5827e-10	1.2787e+07	1.3241e+01	8.9744e-10
1.2894e+07	1.3342e+01	8.4153e-10	1.3002e+07	1.3445e+01	8.0219e-10
1.3111e+07	1.3548e+01	7.5697e-10	1.3220e+07	1.3652e+01	7.1302e-10
1.3331e+07	1.3757e+01	6.7025e-10	1.3443e+07	1.3863e+01	6.3372e-10
1.3556e+07	1.3970e+01	6.0168e-10	1.3669e+07	1.4077e+01	5.6797e-10
1.3783e+07	1.4186e+01	5.3828e-10	1.3898e+07	1.4295e+01	5.1200e-10
1.4015e+07	1.4406e+01	4.9002e-10	1.4132e+07	1.4517e+01	4.6896e-10
1.4250e+07	1.4629e+01	4.4804e-10	1.4369e+07	1.4742e+01	4.2791e-10
1.4490e+07	1.4853e+01	4.0907e-10	1.4611e+07	1.4965e+01	3.9478e-10
1.4733e+07	1.5077e+01	3.7807e-10	1.4856e+07	1.5190e+01	3.6093e-10
1.4981e+07	1.5304e+01	3.4856e-10	1.5106e+07	1.5419e+01	3.3885e-10
1.5233e+07	1.5535e+01	3.3188e-10	1.5360e+07	1.5652e+01	3.2362e-10
1.5489e+07	1.5770e+01	3.1460e-10	1.5618e+07	1.5889e+01	1.0000e-10
1.5749e+07	1.6009e+01	0.0000e+00	1.5881e+07	1.6130e+01	0.0000e+00
1.6014e+07	1.6252e+01	0.0000e+00	1.6148e+07	1.6365e+01	0.0000e+00
1.6283e+07	1.6463e+01	0.0000e+00	1.6419e+07	1.6557e+01	0.0000e+00
1.6556e+07	1.6652e+01	0.0000e+00	1.6695e+07	1.6748e+01	0.0000e+00
1.6835e+07	1.6845e+01	0.0000e+00	1.6976e+07	1.6942e+01	0.0000e+00
1.7118e+07	1.7040e+01	0.0000e+00	1.7261e+07	1.7140e+01	0.0000e+00
1.7406e+07	1.7239e+01	0.0000e+00	1.7551e+07	1.7340e+01	0.0000e+00
1.7698e+07	1.7441e+01	0.0000e+00	1.7846e+07	1.7544e+01	0.0000e+00
1.7995e+07	1.7647e+01	0.0000e+00	1.8146e+07	1.7751e+01	0.0000e+00
1.8298e+07	1.7856e+01	0.0000e+00	1.8451e+07	1.7962e+01	0.0000e+00
1.8605e+07	1.8068e+01	0.0000e+00	1.8761e+07	1.8176e+01	0.0000e+00
1.8918e+07	1.8285e+01	0.0000e+00	1.9076e+07	1.8394e+01	0.0000e+00
1.9236e+07	1.8505e+01	0.0000e+00	1.9397e+07	1.8616e+01	0.0000e+00
1.9559e+07	1.8728e+01	0.0000e+00	1.9640e+07	1.8784e+01	0.0000e+00


APPENDIX C

Detailed Results for the Lumped Nuclide

**Figure C.1. The radiative capture cross-section
of the lumped nuclide as a function of the energy**



**Figure C.2. The radiative capture cross-section
of the lumped nuclide as a function of the energy**



**Figure C.3. The radiative capture cross-section
of the lumped nuclide as a function of the energy**




Figure C.4. The inelastic scattering cross-section of the lumped nuclide as a function of the energy






Figure C.5. The inelastic scattering cross-section of the lumped nuclide as a function of the energy



**Figure C.6. The (n,2n) cross-section
of the lumped nuclide as a function of the energy**



APPENDIX D

Detailed Analysis of the Energy Dependence of Individual Fission-Product Capture Cross-Sections

This appendix has been prepared by JNDC.

Japan Atomic Energy Research Institute
Tokai-mura, Naka-gun, Ibaraki-ken 319-11
Japan
Tel: +81-29-282-6820
Fax: +81-29-282-5460
E-mail: kawai@ifmif.tokai.jaeri.go.jp

Table 1. Status of JENDL-3.2 capture data compared with the “average” of one group cross-sections for 40 high contribution FP nuclides, given in Table 5.1

In the following table, the difference between JENDL-3.2 and the others (ECN, JEF-2.2 and FOND-2.1) are shown with the symbol of the sign of plus, minus and asterisk.

Ru101+	Pd105-	Sm149-**	Tc99-*	Cs133-
Pd107-	Rh103+	(Pm147)-*	(Sm151)-**	(Ru103)-**
Mo97-*	Nd145+	(Xe131)-*	Eu153-*	Nd143+
Ru102-	Ag109-*	Ru104+	(Cs135)+**	Pr141+
Mo95+	Mo98-	Mo100+	(Eu155)-**	Pd108+*
Xe132+**	Zr93-*	Sm152-	(Ce141)+	I129+
(Ru106)+	Zr96-**	Pd106+**	I127-	Nd146+
Nd148-*	Xe134-**	La139-	(Nb95)+**	(Zr95)+**

N.B. * Difference > 5% (-: 6 nuclides, +: 2 nuclides)
 ** Difference > 10% (-:6 nuclides, +: 5 nuclides)
 -,+ JENDL-3.2 is smaller and larger than average, respectively.
 () No experimental data.

Note on energy dependence of capture cross-section for individual nuclides
(including 20 highest contribution nuclides and 7 nuclides with RMS (> 10%))

<Data source>

- JEF-2.2: Mainly RCN and ENDF/B-V, partially JENDL-1.
Cross-section adjustment based on the integral test results with the STEK experiments.
Artificial resonance parameters: ^{155}Eu .
- JENDL-3.2: JNDC original evaluation (JENDL-3.1: *J. Nucl. Sci. Technol.*, 29, 195 (1992) and re-evaluation: 1994 Gatlinburg Conf., p. 809).
Almost all evaluation for capture cross-section was made with the statistical model calculation taking into consideration of level overlapping and fluctuation effects on inelastic scattering cross-section. The optical parameters in the local mass ranges were determined to reproduce systematics of total cross-sections, s- and p-wave strength functions and scattering radius. Gamma-ray strength functions were determined on the basis of the differential experimental data of capture cross-sections.
Cross-section adjustment due to integral test was made only for $^{132,134}\text{Xe}$, $^{152,154}\text{Eu}$ because there were no experimental data in the keV energy region.
Artificial resonance parameters for $^{101,102}\text{Ru}$, $^{107,109}\text{Ag}$ were added to compensate missed levels.
- ENDF/B-VI: ENDF/B-V and re-evaluation (mainly for resonance parameters).
- BROND-2: IPPE original evaluation.
- FOND-2.1: BROND-2 + others.
- Ru101+** One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.7243, 0.7616, 0.7523.
Integral test result of JENDL-3.2 with the STEK experiment: C/E=0.94=0.01.

All evaluated data of JEF-2.2, BROND-2 and JENDL-3 agree well with the experimental data of Macklin *et al.* [1-3] in the energy range below 1 MeV. The data of JENDL-3.2 were modified by adopting the level scheme taken from the ENSDF.

- Pd105+** One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.9490, 0.9161, 0.9594.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.92\pm0.06$.

JENDL-3.2 and JEF-2.2 agree well with the experimental data of Macklin *et al.* [1,3,4] JENDL-3.2 connects smoothly with the resonance cross-sections but larger than the experimental data of Macklin *et al.* and Musgrove *et al.* [5] between 3 keV and 7 keV, where the other evaluated data agree with them.
- Sm149-**** One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 2.5437, 2.8700, 2.2990.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.88\pm0.06$.

JENDL-3.2 adopted the new experimental data of Macklin [6]. Thus, it is systematically lower than the others which were evaluated on the basis of the older measurements in the energy range between 3 keV and 400 keV.
- Tc99-*** One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.6479, 0.6561, 0.5923.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.80\pm0.01$.

Above 3 keV, JENDL-3.2, JEF-2.2 and BROND-2 are in agreement with the experimental data of Macklin *et al.* [7], while ENDF/B-VI runs along the averaged values of Macklin *et al.* and Little *et al.* [8] and is systematically larger than the other files below 100 keV. Below 3 keV, histogram of JENDL-3 calculated from the resolved resonance parameters is slightly lower than the others.
- Cs133-** One group cross-sections for JEF-2.2, FOND-2.1 and JENDL-3.2: 0.5167, 0.5184, 0.4874.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.80\pm0.05$.

All evaluated data of JEF-2.2, ENDF/B-VI and JENDL-3.2 agree with the experimental data of Yamamuro *et al.* [9] and Macklin [10], although one group cross-section of JEF-2.2.2 is 6% larger than JENDL-3.2. The difference seems to come from the difference in the evaluated resonance parameters.

- Pd107-** One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 1.0700, 1.0399, 1.0520.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.94\pm0.01$.

All evaluated data of JEF-2.2, BROND-2, ENDF/B-VI and JENDL-3.2 agree well with experimental data of Macklin [11] above 1.3 keV, while the cross-sections of JEF-2.2 are different from those of JENDL-3.2 and ENDF/B-VI in the resolved resonance region between 50 eV and 1.3 keV.
- Rh103+** One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.6832, 0.6526, 0.6774.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.96\pm0.00$.

JENDL-3.2, JEF-2.2 and BROND-2 are in good agreement with each other and close to the experimental data of Wisshak [12]. ENDF/B-VI and JENDL-3.1 are in agreement with Macklin's experimental data [1-3] and larger than the former three libraries.
- (Pm147)-*** One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 1.5167, 1.4309, 1.2753.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.88\pm0.05$.

There is no experimental data of cross-sections in the keV energy range. The cross-sections of JENDL-3.2 were evaluated so as to smoothly continue to the cross-sections calculated from the resolved resonance parameters and is 10-15% smaller than the other evaluated data (JEF-2.2, ENDF/B-VI and BROND-2) in the energy region below 100 keV. ENDF/B-VI shows steep reduction above 100 keV.
- (Sm151)-**** One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 3.3998, 2.9413, 2.1080.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.90\pm0.03$.

There is no experimental data of cross-sections in the keV energy range. JENDL-3.2 is several ten per cent smaller than JEF-2.2. Below 100 keV, ENDF/B-VI and BROND-2 are in agreement with each other but different from JEF-2.2 and JENDL-3.2.

(Ru103)-** One group cross-sections for JEF-2.2, FOND-2.1 and JENDL-3.2: 1.1992, 1.2140, 0.5047.

There is no experimental data of cross-sections in the keV energy range. JENDL-3.2 is a factor of 2 to 4 smaller than JEF-2.2. ENDF/B-VI is also smaller than JEF-2.2 and crosses JENDL-3.2.

Mo97-* One group cross-sections for JEF-2.2, FOND-2.1 and JENDL-3.2: 0.3406, 0.3568, 0.3484.

Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.96\pm0.02$.

All of JENDL-3.2, JEF-2.2 and ENDF/B-VI agree with the experimental data of Musgrove *et al.* [13,14].

Nd145+ One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.5700, 0.5124, 0.5648.

Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.85\pm0.03$.

JENDL-3.2 and JEF-2.2 are close to the experimental data of Jakajima *et al.* [15], while JENDL-3.2 is slightly larger than JEF-2.2 between 60 keV and 700 keV. ENDF/B-VI and BROND-2 generally agree with the data of Musgrove *et al.* [5,14,16] and Bokhovko *et al.* [17] and are 15% or more small compared to JENDL-3.2. Above 70 keV, BROND-2 steeply decreases along the data of Bokhovko *et al.*

(Xe131)+* One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.2937, 0.3323, 0.3461.

Integral test result of JENDL-3.2 with the STEK experiment: $C/E=1.00\pm0.10$.

Although there is no experimental data of cross-sections in the keV energy range, difference between the different evaluated files is considerably small. In the resolved resonance energy region below 4 keV, level missing effect is observed in ENDF/B-VI.

Eu153-* One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 2.7655, 2.9288, 2.5958.

Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.92\pm0.01$.

JENDL-3.2 agrees well with the experimental data of Macklin & Young [18] which are the lowest in the experimental data. JENDL-3.2, JEF-2.2 and ENDF/B-VI are in agreement with each other in the wide energy range, while BROND-2 is discrepant from them in the energy range between 1 keV and 20 keV.

Nd143+ One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.3550, 0.3370, 0.3589.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.90\pm0.01$.

JENDL-3.2 and ENDF/B-VI agree with the experimental data of Nakajima *et al.* [15], while JEF-2.2 is lower than these experimental data in the energy region between 5 keV and 40 keV. BROND-2 is in coincident with the JENDL-3.2 and ENDF/B-VI below 40 keV, but discrepant from them above 40 keV along the experimental data of Bokhovko *et al.* [17], of which energy dependence showing a steep decrease seems to be anomalous.

Ru102- One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.1581, 0.1796, 0.1642.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=1.07\pm0.14$.

In the energy region above 5 keV, JENDL-3.2, JEF-2.2 and ENDF/B-VI are in good agreement with the experimental data of Macklin [1-3]. BROND-2 is about 20% larger than the others. In the resolved resonance region, large difference is observed among libraries.

Ag109-* One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.7927, 0.7203, 0.6916.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.66\pm0.01$.

Above 3 keV, JENDL-3.2, ENDF/B-VI and BROND-2 agree with the experimental data of Macklin [19], Mizumoto *et al.* [20] and Bokhovko *et al.* [17], while JEF-2.2 is considerably larger than the others above 30 keV. In the energy region between 1 keV and 2.6 keV, JENDL-3.2 was revised taking account of resonance level missing effect so that discrepancy between JENDL-3.2 and JEF-2.2 become quite small in this energy range.

- Ru104+** One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.1546, 0.1658, 0.1685.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=1.06\pm0.14$.
All libraries of JENDL-3.2, JEF-2.2, ENDF/B-VI and BROND-2 remarkably agree with each other and reproduce the average value of the experimental data of Macklin *et al.* [1-3]. Evaluation well reproduce the fine structure due to competition with inelastic scattering at 360 keV and 900 keV.
- (Cs135)+**** One group cross-sections for JEF-2.2, FOND-2.1 and JENDL-3.2: 0.2445, 0.1361, 0.2284.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.88\pm0.05$.
There is no experimental data of cross-sections in the keV energy range. Evaluation of JENDL-3.2 was made so as to reproduce the experimental data of thermal value and resonance integral connecting the statistical model calculation with resonance cross-section due to the resonance parameter of Priesmyer [21] at 4 keV. JEF-2.2 contains the resonances belong to other isotopes, but agree with JENDL-3.2 above 600 eV. ENDF/B-VI shows an artificial shape between 10 and 100 eV.
- Pr141+** One group cross-sections for JEF-2.2, FOND-2.1 and JENDL-3.2: 0.1582, 0.1540, 0.1564.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.96\pm0.02$.
JENDL-3.2, JEF-2.2 and ENDF/B-VI agree well with each other and reproduce the experimental data of Stupeiga [22], Zaikin *et al.* [23], Taylor *et al.* [14,24] and Voignier *et al.* [25].
- (Eu155)-**** One group cross-sections for JEF-2.2, FOND-2.1 and JENDL-3.2: 2.8428, 2.9559, 1.3368.
¹⁵⁵Eu determine capture cross-sections of pseudo-fission-products in the energy range below 1 keV. JENDL-3.1 and ENDF/B-VI were evaluated with the measured resonance parameters given by Moller *et al.* [26], Friesenhahn *et al.* [27] and Ribon [28], while JEF-2.2 seems to adopt the artificially generated ones. FOND-2 may also take them. In evaluation of JENDL-3.2, a part of parameters in JENDL-3.1 were modified so as to reproduce the new experimental

data of thermal value and resonance integral reported by Sekine *et al.* [29]. Above 100 eV where there is no experimental data, JENDL-3.2 is about a factor of 2 smaller than JEF-2.2.

Pd108+* One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.1770, 0.2507, 0.2358.
Integral test result of JENDL-3.2 with the STEK experiment: $C/E=1.09\pm0.11$.

JENDL-3.2 and BROND-2 agree with the experimental data of Macklin *et al.* [1-3]. ENDF/B-VI is about 20% larger than them and close to the experimental data of Musgrove *et al.* [5]. On the other hand, JEF-2.2 which runs along the experimental data of Cornelis *et al.* [30] is about 20% smaller than JENDL-3.2.

Xe132+** One group cross-sections for JEF-2.2, FOND-2.1 and JENDL-3.2: 0.0708, 0.0755, 0.0980.

JENDL-3.2 reproduce the experimental data of Beer *et al.* [31], while JEF-2.2 and ENDF/B-VI are about a factor of 2 larger than JENDL-3.2 above 4 keV. Resolved resonance cross-sections of JENDL-3.2 based on the measurements of Ribon [28] are larger than ENDF/B-VI and JEF-2.2 for which the effect of level missing seems to appear.

Zr96-** One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.0358, 0.0590, 0.0391.

Integral test result of JENDL-3.2 with the STEK experiment: $C/E=0.66\pm0.05$ (0.97 for capture component).

JENDL-3.2 is in general agreement with the experimental data of Wyrick & Poenitz [32] and shows the lowest in the evaluated data, but the other libraries, JEF-2.2, BROND-2 and ENDF/B-VI are not. Moreover, there are large discrepancies between the different libraries. Below 3 keV, ENDF/B-VI and JEF-2.2 took the same resonance parameters which could not reproduce the experimental data of Macklin *et al.* [33,34] and Lyon *et al.* [35].

Pd106+** One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.2027, 0.2553, 0.2772.

Integral test result of JENDL-3.2 with the STEK experiment: $C/E=1.17\pm0.09$.

JENDL-3.2 runs in the intermediate between the experimental data of Macklin *et al.* [1-3] and Musgrove *et al.* [5] ENDF/B-VI is close to JENDL-3.2 except for the energy range below 10 keV. JEF-2.2 agree with the lower experimental data of Conelis *et al.* [30] and is systematically about 30% smaller than JENDL-3.2. BROND-2 is twisted between JENDL-3.2 and JEF-2.2.

Xe134-** One group cross-sections for JEF-2.2, FOND-2.1 and JENDL-3.2: 0.0360, 0.0374, 0.0272.

JENDL-3.2 reproduces the experimental data of Beer *et al.* [31], but JEF-2.2 which is the same as ENDF/B-VI is about a factor of 2 larger than JENDL-3.2 above 10 keV. Resolved resonance parameters of JENDL-3.2 were evaluated on the basis of the new measurements of Macklin [36].

(Zr95)+** One group cross-sections for JEF-2.2, BROND-2 and JENDL-3.2: 0.0643, 0.1229, 0.1489.

Since there is no experimental data of cross-sections in the keV energy range, a large difference is observed between the different evaluated data files among JENDL-3.2, JEF-2.2, ENDF/B-VI and BROND-2. They are arranged in decreasing order of magnitude from ENDF/B-VI, JENDL-3.2, BROND-2 and JEF-2.2. JEF-2.2 is about a factor of 2 smaller than JENDL-3.2.

Summary

Data comparison should be made for originally evaluated data. In statistics of the result of benchmark study, each data should be equally treated not to make a double count. In the present case, ideal benchmark study will be accomplished with that all participants will calculate the quantities of pseudo-FP from the common evaluated FP libraries, JEF-2.2, JENDL-3.2, ENDF/B-VI and BROND-2 with their own method. Unfortunately, we did not use such a method and no person has not participate the study from ENDF/B side. I think it is not easy to make a fair conclusion to satisfy all participants. The following is a summary of the present comparison study for capture cross-sections emphasising the reason of discrepancy between JEF-2.2 and JENDL-3.2.

In the present benchmark study, the JENDL-3.2 capture cross-sections of pseudo-fission-product is found to be smaller than JEF-2.2 and FOND-2.1. In order to clarify the reason for the discrepancy, I compare the evaluated capture cross-sections for 40 FP nuclides. It was surprising that the JENDL-3.2

data were larger than JEF-2.2 for about half the number of nuclides. Further check of cross-section was made for important 27 nuclides by comparing the evaluated data with the experimental data.

Large discrepancies are observed among the libraries for nuclides such as ^{151}Sm , ^{103}Ru and ^{155}Eu , whose experimental data is not available in the keV region and contribution to FBR capture rates is high. For these nuclides, JENDL-3.2 shows smaller values than JEF-2.2 and BROND-2. It might be pointed out that this discrepancy is due to the difference of parametrisation of nuclear model for such nuclides.

The selection of experimental is one of the cause to originate discrepancy between JENDL-3.2 and JEF-2.2. As shown in the figures, the JENDL-3.2 evaluation stands on later experimental data of ORNL and JAERI, which were not used for the JEF-2.2 evaluation. The later experiments show a tendency becoming smaller than older ones, for example ^{109}Ag and ^{149}Sm . New experiments have been made for important nuclides so the difference might affect to the pseudo-FP cross-sections. Another typical example is the resonance parameters of ^{155}Eu which determine cross-section of the pseudo-FP in the lower energy below 10 eV: JEF-2.2 adopted artificial ones to give large cross-sections, but JENDL-3.2 did the experimental data.

Besides, the cross-sections of JEF-2.2 are those adjusted to the integral data of the STEK experiments. For many nuclides, the C/E values of JENDL-3.2 to the STEK experiments correlate with the cross-section ratios of JENDL-3.2 to JEF-2.2. The results of integral test for JENDL-3.2 shows a trend of underestimation of reactivity worth by 5-10% for nuclides having masses more than 130. Accordingly, it is not strange that there is a systematic difference between JENDL-3.2 and JEF-2.2.

REFERENCES

- [1] R.L. Macklin *et al.*, Proc. Specialists' Mtg. Neutron Cross-Sections of Fission-Product Nuclei, Bologna, December 1979, NEANDC(E) 209L, p. 103 (1979).
- [2] R.L. Macklin, J. Halperin, *Nucl. Sci. Eng.*, 73, 174 (1980).
- [3] R.L. Macklin, R.R. Winters, *Nucl. Sci. Eng.*, 78, 110 (1981).
- [4] R.L. Macklin *et al.*, *Nucl. Sci. Eng.*, 71, 182 (1979).
- [5] A.R. de L. Musgrove *et al.*, Proc. Int. Conf. on Neutron Physics and Nuclear Data for Reactors and Other Applied Purposes, Harwell, Sept. 1978, p. 449 (1978).
- [6] R.L. Macklin, EXFOR 12966 (1986).
- [7] R.L. Macklin, *Nucl. Sci. Eng.*, 81, 520 (1982).
- [8] R.C. Little, R.L. Block, *Trans. Am. Nucl. Soc.*, 26, 574 (1977).
- [9] N. Yamamuro *et al.*, *J. Nucl. Sci. Technol.*, 20, 797 (1983).
- [10] R.L. Macklin, *Nucl. Sci. Eng.*, 81, 418 (1982).
- [11] R.L. Macklin, *Nucl. Sci. Eng.*, 89, 79 (1985).
- [12] K. Wisshak, *Phys. Rev.*, C42, 1731 (1990).
- [13] A.R. de L. Musgrove *et al.*, *Nucl. Phys.*, A270, 108 (1976).
- [14] B.J. Allen *et al.*, *Nucl. Sci. Eng.*, 82, 230 (1982).
- [15] Y. Nakajima *et al.*, Proc. Int. Conf. on Neutron Physics and Nuclear Data for Reactors and Other Applied Purposes, Harwell, Sept. 1978, p. 438 (1978).

- [16] A.R. de L. Musgrove *et al.*, AAEC/E40 (1977).
- [17] M.V. Bokhovko *et al.*, *Yad. Konst.*, 3, 12 (1985).
- [18] R.L. Macklin and P.G. Young, *Nucl. Sci. Eng.*, 95, 189 (1987).
- [19] R.L. Macklin, *Nucl. Sci. Eng.*, 82, 400 (1982).
- [20] M. Mizumoto *et al.*, Proc. Int. Conf. on Nuclear Data for Science and Technol., Antwerp, September 1982, p. 226 (1982).
- [21] H.G. Priesmeyer *et al.*, NEANDC(E) 212U, Vol. V, p. 41 (1980).
- [22] J.C. Stupeiga, *J. Nucl. Energy*, 22, 267 (1968).
- [23] G.G. Zaikin *et al.*, *Ukrainskij Fizichnij Zhurnal*, 16, 1205 (1971).
- [24] R.B. Taylor *et al.*, *Austl. J. Phys.*, 32, 551 (1979).
- [25] J. Voignier *et al.*, *Nucl. Sci. Eng.*, 93, 43 (1986).
- [26] H.B. Moller *et al.*, *Nucl. Sci. Eng.*, 8, 183 (1960).
- [27] S.J. Friesenhahn *et al.*, *Nucl. Phys.*, A146, 337 (1970).
- [28] P. Ribon, CEA-N-1149 (1969).
- [29] T. Sekine *et al.*, *Internat. J. Rad. Appl. and Instrum. Part A. Appl. Rads. and Isotopes*, 38, 513 (1987).
- [30] Cornelis *et al.*, Proc. Int. Conf. on Nuclear Data for Science and Technol., Antwerp, September 1982, p. 222 (1983).
- [31] Beer, Spencer, KFK-2180, 2, 44 (1982).
- [32] J.M. Wyrick & W.P. Poenitz, AND-83-4, p. 196 (1982).
- [33] R.L. Macklin *et al.*, *Phys. Rev.*, 197, 504 (1957).
- [34] R.L. Macklin *et al.*, BAP 8 81 (1963).
- [35] W.S. Lyon *et al.*, *Phys. Rev.*, 114, 1619 (1959).
- [36] R.L. Macklin, ORNL/TM-10766 (1988).

