

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 2525

Total
Cross Section

25-Mn-55
-26.10 To 75.56 %




25-Mn-55

MAT 2525

Elastic
Cross Section

25-Mn-55
-26.31 To 76.18 %




2


Incident Energy (eV)

25-Mn-55


MAT 2525 Inelastic Cross Section 25-Mn-55 To 0.256 %



MAT 2525 MT= 51 (n,n') Level Cross Section 25-Mn-55 To 0.256 %




MAT 2525 MT= 54 (n,n') Level Cross Section 25-Mn-55 To 0.110 %



MAT 2525

(n, γ)
Cross Section


25-Mn-55
-63.30 To 21.26 %



MAT 2525

MT=605 (n,p') Level
Cross Section

25-Mn-55
0.000 To 0.104 %



7

25-Mn-55

MAT 2525

MT=606 (n,p') Level
Cross Section

25-Mn-55
0.000 To 0.150 %

