

Program Complot  
(Version 2017-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 7837

Total

Cross Section

78-Pt-194

-61.00 To 322.3 %




Incident Energy (eV)

78-Pt-194

MAT 7837

Elastic  
Cross Section

78-Pt-194  
-60.49 To 323.3 %




MAT 7837

$(n, n') \alpha$

Cross Section

78-Pt-194

0.000 To 248.7 %



3


Incident Energy (eV)

78-Pt-194

MAT 7837

(n,2n) p  
Cross Section


78-Pt-194  
0.000 To 0.122 %



MAT 7837

MT= 65 (n,n') Level  
Cross Section


78-Pt-194  
0.000 To 0.106 %



MAT 7837

MT= 68 (n,n') Level  
Cross Section

78-Pt-194  
0.000 To 0.232 %



6

Incident Energy (eV)

78-Pt-194


MAT 7837

(n,  $\gamma$ )

78-Pt-194

Cross Section

-73.56 To 295.5 %



7

Incident Energy (eV)

78-Pt-194



MAT 7837

(n,  $\alpha$ )  
Cross Section  
78-Pt-194  
-2.610 To 0.098 %

