

Program Complot  
(Version 2017-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 9243

Total

Cross Section

92-U -240

-39.53 To 13.16 %




92-U -240

MAT 9243

Elastic  
Cross Section

92-U -240  
-34.67 To 11.53 %



2


Incident Energy (eV)

92-U -240

MAT 9243

Fission  
Cross Section

92-U -240  
-25.96 To 8.612 %



3


Incident Energy (eV)

92-U -240

MAT 9243

(n,f) First Chance  
Cross Section

92-U -240  
-25.96 To 8.612 %



92-U -240


Incident Energy (eV)

4

MAT 9243

MT= 72 (n,n') Level  
Cross Section

92-U -240  
0.000 To 1.201 %



5


Incident Energy (eV)

92-U -240

MAT 9243

(n,n') Continuum  
Cross Section

92-U -240  
0.000 To 0.337 %




MAT 9243

(n,  $\gamma$ )

92-U -240  
-99.74 To 33.25 %

Cross Section



7

Incident Energy (eV)

92-U -240