

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 1125

Total
Cross Section

11-Na-23
-57.82 To 27.49 %




Incident Energy (eV)

11-Na-23

MAT 1125

Elastic
Cross Section

11-Na-23
-57.19 To 26.48 %



2


Incident Energy (eV)

11-Na-23

MAT 1125

Inelastic
Cross Section


11-Na-23
-49.34 To 25.12 %



MAT 1125

MT= 51 (n,n') Level
Cross Section


11-Na-23
-49.34 To 25.12 %



MAT 1125

MT= 52 (n,n') Level
Cross Section

11-Na-23
-7.702 To 7.703 %




5

11-Na-23

MAT 1125

MT= 54 (n,n') Level
Cross Section

11-Na-23
0.000 To 0.815 %



6


Incident Energy (MeV)

11-Na-23

MAT 1125

MT= 57 (n,n') Level
Cross Section

11-Na-23
0.000 To 1.047 %



7

Incident Energy (MeV)

11-Na-23

MAT 1125

(n, γ)
Cross Section

11-Na-23
-77.68 To 352.6 %

