

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 2631

Total
Cross Section

26-Fe-56
-5.310 To 6.520 %




26-Fe-56

MAT 2631

Elastic
Cross Section

26-Fe-56
-5.586 To 7.370 %



2


Incident Energy (eV)

26-Fe-56

MAT 2631

Inelastic
Cross Section

26-Fe-56
-16.92 To 4902. %




3

26-Fe-56

MAT 2631

(n, n') p
Cross Section


26-Fe-56
0.000 To 0.296 %



MAT 2631

MT= 51 (n,n') Level
Cross Section

26-Fe-56
-16.92 To 4902. %




5

26-Fe-56

MAT 2631

MT= 52 (n,n') Level
Cross Section


26-Fe-56
-9.203 To 1.423 %



MAT 2631

MT= 53 (n,n') Level
Cross Section

26-Fe-56
-1.062 To 38.30 %



7


Incident Energy (eV)

26-Fe-56

MAT 2631

MT= 54 (n,n') Level
Cross Section


26-Fe-56
-1.059 To 0.792 %



MAT 2631

MT= 55 (n,n') Level
Cross Section

26-Fe-56
-1.061 To 0.731 %



9


Incident Energy (eV)

26-Fe-56

MAT 2631

MT= 56 (n,n') Level
Cross Section


26-Fe-56
-1.059 To 0.644 %



MAT 2631

MT= 57 (n,n') Level
Cross Section


26-Fe-56
-1.064 To 1.383 %



MAT 2631

MT= 58 (n,n') Level
Cross Section

26-Fe-56
-2.234 To 0.597 %



12


Incident Energy (eV)

26-Fe-56

MAT 2631

MT= 59 (n,n') Level
Cross Section

26-Fe-56
-1.063 To 0.598 %



13


Incident Energy (eV)

26-Fe-56

MAT 2631

MT= 60 (n,n') Level
Cross Section

26-Fe-56
-1.060 To 5.050 %



14


Incident Energy (eV)

26-Fe-56

MAT 2631

MT= 61 (n,n') Level
Cross Section

26-Fe-56
-1.060 To 0.603 %



15


Incident Energy (eV)

26-Fe-56

MAT 2631

MT= 62 (n,n') Level
Cross Section

26-Fe-56
-1.059 To 0.558 %



16


Incident Energy (eV)

26-Fe-56

MAT 2631

MT= 63 (n,n') Level
Cross Section

26-Fe-56
-1.062 To 0.558 %



17


Incident Energy (eV)

26-Fe-56

MAT 2631

MT= 64 (n,n') Level
Cross Section

26-Fe-56
-1.059 To 0.558 %



18


26-Fe-56

26-Fe-56

MAT 2631

MT= 65 (n,n') Level
Cross Section


26-Fe-56
-1.060 To 0.558 %



MAT 2631

MT= 66 (n,n') Level
Cross Section

26-Fe-56
-1.065 To 0.558 %



20


Incident Energy (eV)

26-Fe-56

MAT 2631

MT= 67 (n,n') Level
Cross Section

26-Fe-56
-1.062 To 0.558 %




21

MAT 2631

MT= 68 (n,n') Level
Cross Section


26-Fe-56
-1.061 To 0.557 %



MAT 2631

MT= 69 (n,n') Level
Cross Section


26-Fe-56
-1.060 To 0.557 %



MAT 2631

MT= 70 (n,n') Level
Cross Section

26-Fe-56
-1.061 To 2.486 %




24

MAT 2631

MT= 71 (n,n') Level
Cross Section

26-Fe-56
-1.061 To 2.979 %



25


26-Fe-56

26-Fe-56

MAT 2631

MT= 72 (n,n') Level
Cross Section

26-Fe-56
-1.058 To 0.393 %




26

MAT 2631

MT= 73 (n,n') Level
Cross Section

26-Fe-56
-1.059 To 1.184 %



27


Incident Energy (eV)

26-Fe-56

MAT 2631

MT= 74 (n,n') Level
Cross Section


26-Fe-56
-1.059 To 0.679 %



MAT 2631

MT= 75 (n,n') Level
Cross Section


26-Fe-56
-1.059 To 0.430 %



MAT 2631

MT= 76 (n,n') Level
Cross Section

26-Fe-56
-1.061 To 0.780 %



30


Incident Energy (eV)

26-Fe-56

MAT 2631

MT= 77 (n,n') Level
Cross Section

26-Fe-56
-1.058 To 0.837 %



31


Incident Energy (eV)

26-Fe-56

MAT 2631

MT= 78 (n,n') Level
Cross Section


26-Fe-56
-1.061 To 0.412 %



MAT 2631

MT= 79 (n,n') Level
Cross Section


26-Fe-56
-1.060 To 0.411 %



MAT 2631

MT= 80 (n,n') Level
Cross Section


26-Fe-56
-1.063 To 2.171 %



MAT 2631

MT= 81 (n,n') Level
Cross Section


26-Fe-56
-1.063 To 0.413 %



MAT 2631

MT= 82 (n,n') Level
Cross Section


26-Fe-56
-1.064 To 123.8 %



MAT 2631

(n,n') Continuum
Cross Section

26-Fe-56
-1.063 To 0.380 %



37

Incident Energy (eV)

26-Fe-56


MAT 2631

(n, γ)

26-Fe-56

Cross Section

-15.99 To 0.742 %



38

Incident Energy (eV)

26-Fe-56


MAT 2631

(n,d)

²⁶Fe-⁵⁶

Cross Section

0.000 To 0.431 %



39

Incident Energy (eV)

²⁶Fe-⁵⁶

MAT 2631


(n, t)

²⁶Fe-56

Cross Section

0.000

To 0.409 %



40

²⁶Fe-56

MAT 2631

(n, He-3)

²⁶Fe-56

Cross Section

0.000 To 1.650 %

