

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 2834

Total

Cross Section

28-Ni-61

-4.318 To 2.135 %




28-Ni-61

MAT 2834

Elastic
Cross Section


28-Ni-61
-75.78 To 9999. %



MAT 2834

Inelastic Cross Section


28-Ni-61
0.000 To 100.00%



3

28-Ni-61

MAT 2834 (n,2n) Cross Section 28-Ni-61 To 100.00%




4 28-Ni-61

MAT 2834

(n, n') p
Cross Section

28-Ni-61
0.000 To 100.0 %




28-Ni-61

MAT 2834

MT= 51 (n,n') Level
Cross Section

28-Ni-61
0.000 To 100.0 %



6


Incident Energy (eV)

28-Ni-61

MAT 2834

MT= 52 (n,n') Level
Cross Section

28-Ni-61
0.000 To 100.0 %



7


Incident Energy (eV)

28-Ni-61

MAT 2834

MT= 53 (n,n') Level
Cross Section


28-Ni-61
0.000 To 100.0 %



MAT 2834

MT= 54 (n,n') Level
Cross Section


28-Ni-61
0.000 To 100.0 %



MAT 2834


MT= 55 (n,n') Level
Cross Section

28-Ni-61
0.000 To 100.0 %



28-Ni-61


Incident Energy (eV)



MAT 2834

MT= 57 (n,n') Level
Cross Section

28-Ni-61
0.000 To 100.0 %




12

Incident Energy (eV)

28-Ni-61


MAT 2834 MT= 58 (n,n') Level Cross Section 28-Ni-61 To 100.0 %



MAT 2834

(n,n') Continuum
Cross Section


28-Ni-61
0.000 To 100.00%



MAT 2834

(n, γ)
Cross Section

28-Ni-61
-40.71 To 221.0 %



15

Incident Energy (eV)


28-Ni-61

MAT 2834

(n,p)
Cross Section

28-Ni-61

0.000 To 100.00%




16

28-Ni-61

MAT 2834

(n, α)
Cross Section
0.000 To 100.0 %
28-Ni-61



17

28-Ni-61


MAT 2834

(n,2p)

28-Ni-61

Cross Section

0.000 To 100.0 %



18

Incident Energy (eV)

28-Ni-61