

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 2637

Total
Cross Section

26-Fe-58
-5.347 To 15.88 %




26-Fe-58

MAT 2637

Elastic
Cross Section

26-Fe-58
-5.362 To 15.92 %



2


Incident Energy (eV)

26-Fe-58

MAT 2637

MT= 58 (n,n') Level
Cross Section

26-Fe-58
0.000 To 49.99 %



3


Incident Energy (eV)

26-Fe-58

MAT 2637

MT= 59 (n,n') Level
Cross Section

26-Fe-58
0.000 To 0.112 %



4


Incident Energy (eV)

26-Fe-58

MAT 2637

MT= 63 (n,n') Level
Cross Section

26-Fe-58
0.000 To 19.95 %



5


Incident Energy (eV)

26-Fe-58

MAT 2637

MT= 68 (n,n') Level
Cross Section

26-Fe-58
0.000 To 0.172 %



6


Incident Energy (eV)

26-Fe-58

MAT 2637

(n, γ)
Cross Section

26-Fe-58
-88.41 To 29.59 %



7

Incident Energy (eV)

26-Fe-58