

Program Complot  
(Version 2017-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 3443

Total  
Cross Section

34-Se-80  
-43.20 To 143.0 %




34-Se-80

MAT 3443

Elastic  
Cross Section

34-Se-80  
-43.25 To 143.2 %



2


Incident Energy (eV)

34-Se-80

MAT 3443

(n,n') p  $\alpha$   
Cross Section

34-Se-80  
0.000 To 0.670 %



3


Incident Energy (eV)

34-Se-80

MAT 3443

MT= 53 (n,n') Level  
Cross Section


34-Se-80  
0.000 To 0.233 %



MAT 3443

MT= 78 (n,n') Level  
Cross Section


34-Se-80  
0.000 To 4.317 %



MAT 3443

(n,  $\gamma$ )  
Cross Section


34-Se-80  
-16.76 To 50.96 %



MAT 3443

(n,p) d  
Cross Section

34-Se-80  
0.000 To 0.316 %



7

Incident Energy (eV)


34-Se-80



MAT 3443

(n,p) t  
Cross Section

34-Se-80  
0.000 To 0.203 %



MAT 3443

(n, d)  $\alpha$

34-Se-80  
0.000 To 1.265 %

Cross Section

