

Program Complot  
(Version 2017-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.


Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 4234

Total Cross Section  
42-Mo-95  
-0.598 To 124.1 %




42-Mo-95

MAT 4234

Elastic  
Cross Section

42-Mo-95  
-0.693 To 8.836 %



2


Incident Energy (eV)

42-Mo-95

MAT 4234

MT= 53 (n,n') Level  
Cross Section

42-Mo-95  
0.000 To 200.0 %



3


Incident Energy (eV)

42-Mo-95

MAT 4234

MT= 54 (n,n') Level  
Cross Section

42-Mo-95  
0.000 To 50.00 %



4


42-Mo-95



MAT 4234

MT= 59 (n,n') Level  
Cross Section


42-Mo-95  
0.000 To 33.33 %



MAT 4234

MT= 62 (n,n') Level  
Cross Section


42-Mo-95  
0.000 To 99.99 %



MAT 4234

MT= 64 (n,n') Level  
Cross Section


42-Mo-95  
0.000 To 50.00 %



MAT 4234

MT= 66 (n,n') Level  
Cross Section


42-Mo-95  
0.000 To 33.33 %



MAT 4234

MT= 70 (n,n') Level  
Cross Section

42-Mo-95  
0.000 To 33.33 %



10


Incident Energy (eV)

42-Mo-95

MAT 4234

MT= 71 (n,n') Level  
Cross Section


42-Mo-95  
0.000 To 33.33 %



MAT 4234

MT= 72 (n,n') Level  
Cross Section

42-Mo-95  
0.000 To 50.00 %



12


42-Mo-95



MAT 4234

MT= 74 (n,n') Level  
Cross Section

42-Mo-95  
0.000 To 50.00 %






MAT 4234

MT= 76 (n,n') Level  
Cross Section

42-Mo-95  
0.000 To 100.00%



16


Incident Energy (eV)

42-Mo-95

MAT 4234

MT= 78 (n,n') Level  
Cross Section

42-Mo-95  
0.000 To 33.33 %




MAT 4234

(n,  $\gamma$ )

42-Mo-95

Cross Section

-3.577 To 752.1 %



18

Incident Energy (eV)

42-Mo-95

MAT 4234

(n,  $\alpha$ )

42-Mo-95

Cross Section

-7.226 To 0.482 %

