

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 4631

Total

Cross Section

46-Pd-104

-9.726 To 0.478 %



46-Pd-104


MAT 4631

Elastic

Cross Section

46-Pd-104

-6.267 To 0.485 %



2

Incident Energy (eV)

46-Pd-104


MAT 4631

(n, γ)

46-Pd-104

Cross Section

-49.93 To 0.589 %



3

Incident Energy (eV)

46-Pd-104


MAT 4631

(n,p)


46-Pd-104

Cross Section

0.000 To 201.4 %



MAT 4631 (n,d) Cross Section 46-Pd-104 To 11.94 %




5 Incident Energy (MeV) 46-Pd-104

MAT 4631

MT=818 (n,α') Level
Cross Section

46-Pd-104
-91.50 To 176.5 %



6


Incident Energy (eV)

46-Pd-104

MAT 4631

MT=819 (n, α') Level
Cross Section

46-Pd-104
-76.49 To 0.006 %



46-Pd-104