

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 4735

Total

47-Ag-110

Cross Section

-73.80 To 24.57 %



Incident Energy (eV)

47-Ag-110


MAT 4735

Elastic

47-Ag-110

Cross Section

-8.140 To 2.694 %



2


Incident Energy (eV)

47-Ag-110

MAT 4735

Inelastic
Cross Section

47-Ag-110
-0.487 To 0.268 %




MAT 4735

(n, 3n)

47-Ag-110

Cross Section

0.000 To 0.232 %



4


Incident Energy (MeV)

47-Ag-110

MAT 4735

(n,2n) p
Cross Section


47-Ag-110
0.000 To 0.159 %



MAT 4735

MT= 51 (n,n') Level
Cross Section


47-Ag-110
-0.457 To 0.238 %



MAT 4735

MT= 52 (n,n') Level
Cross Section

47-Ag-110
-0.491 To 0.268 %



7


Incident Energy (eV)

47-Ag-110

MAT 4735

(n,n') Continuum
Cross Section

47-Ag-110
-0.193 To 5.968 %




MAT 4735

(n, γ)

47-Ag-110

Cross Section

-99.62 To 33.18 %




MAT 4735

(n, p)

47-Ag-110

Cross Section

-0.516 To 21.29 %



10

Incident Energy (eV)

47-Ag-110

MAT 4735

(n, α)
Cross Section
47-Ag-110
-0.495 To 0.269 %

