

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 5525

Total

Cross Section

55-Cs-133

-23.63 To 7.800 %




55-Cs-133


MAT 5525

Elastic
Cross Section


55-Cs-133
-10.36 To 3.360 %



MAT 5525 (n,2n) Cross Section 55-Cs-133 To 25.00 %




MAT 5525 MT= 54 (n,n') Level Cross Section 55-Cs-133 To 33.33 %



MAT 5525

MT= 55 (n,n') Level
Cross Section

55-Cs-133
0.000 To 50.00 %




5

Incident Energy (eV)


55-Cs-133

MAT 5525 MT= 57 (n,n') Level Cross Section 55-Cs-133 To 33.33 %




6 55-Cs-133

MAT 5525 MT= 62 (n,n') Level Cross Section 55-Cs-133 To 25.00 %



55-Cs-133

MAT 5525 MT= 63 (n,n') Level Cross Section 55-Cs-133 To 25.00 %



8 Incident Energy (eV) 55-Cs-133

MAT 5525

(n, γ)

55-Cs-133

Cross Section

-99.28 To 33.11 %

