

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 8831

Total

88-Ra-225
-0.403 To 0.371 %

Cross Section



Incident Energy (eV)

88-Ra-225


MAT 8831

Elastic

88-Ra-225

Cross Section

-0.178 To 0.358 %




2

Incident Energy (eV)

88-Ra-225


MAT 8831 Inelastic Cross Section 88-Ra-225 -0.025 To 0.457 %



MAT 8831

(n, 3n)


88-Ra-225
Cross Section
0.000 To 233.3 %



MAT 8831

MT= 51 (n,n') Level
Cross Section

88-Ra-225
-0.424 To 3.233 %



5


Incident Energy (eV)

88-Ra-225

MAT 8831

MT= 52 (n,n') Level
Cross Section

88-Ra-225
-0.427 To 3.241 %



6


Incident Energy (eV)

88-Ra-225

MAT 8831

MT= 53 (n,n') Level
Cross Section

88-Ra-225
-0.411 To 3.208 %




Incident Energy (eV)

88-Ra-225

MAT 8831

MT= 54 (n,n') Level
Cross Section


88-Ra-225
-0.419 To 3.222 %



MAT 8831

MT= 55 (n,n') Level
Cross Section


88-Ra-225
-0.427 To 3.241 %



MAT 8831

MT= 56 (n,n') Level
Cross Section

88-Ra-225
-0.427 To 3.240 %



10


Incident Energy (eV)

88-Ra-225

MAT 8831

(n,n') Continuum
Cross Section

88-Ra-225
-0.025 To 0.454 %



11


Incident Energy (eV)

88-Ra-225

MAT 8831

88-Ra-225
-0.521 To 0.374 %

(n, γ)
Cross Section



12

Incident Energy (eV)

88-Ra-225