



INTERNATIONAL ATOMIC ENERGY AGENCY

# NUCLEAR DATA SERVICES

DOCUMENTATION SERIES OF THE IAEA NUCLEAR DATA SECTION

---

**IAEA-NDS-204**

January 1998

## MENDL-2P

### Proton reaction data library for nuclear activation (Medium Energy Nuclear Data Library)

by Yu.N. Shubin, V.P. Lunev, A.Yu. Konobeyev, A.I. Dityuk  
Institute of Physics and Power Engineering  
Obninsk, Russia

Summary description by

P.K. McLaughlin and V.G. Pronyaev

**Abstract:** The library includes proton cross-sections for 505 nuclei with atomic number from 13 to 84 and energies up to 200 MeV. The total number of reactions is equal to 87,196.

---

Nuclear Data Section  
International Atomic Energy Agency  
P.O. Box 100  
A-1400 Vienna  
Austria

e-mail: [services@iaeand.iaea.or.at](mailto:services@iaeand.iaea.or.at)  
fax: (43-1)20607  
cable: INATOM VIENNA a  
telex: 1-12645 atom a  
telephone: (43-1)2060-21710

---

online: TELNET or FTP: [iaeand.iaea.or.at](http://iaeand.iaea.or.at)  
username: IAEANDS for interactive Nuclear Data Information System  
username: ANONYMOUS for FTP file transfer  
username: FENDL for FTP file transfer of FENDL-1 files, FENDL2 for FENDL-2 files  
For users with web-browsers: <http://www-nds.iaea.or.at>

---

**Note:**

The IAEA-NDS-reports should not be considered as formal publications. When a nuclear data library is sent out by the IAEA Nuclear Data Section, it will be accompanied by an IAEA-NDS-report which should give the data user all necessary documentation on contents, format and origin of the data library.

IAEA-NDS-reports are updated whenever there is additional information of relevance to the users of the data library.

For citations care should be taken that credit is given to the author of the data library and/or to the data center which issued the data library. The editor of the IAEA-NDS-report is usually not the author of the data library.

Neither the originator of the data libraries nor the IAEA assume any liability for their correctness or for any damages resulting from their use.

96/11

**Citation guideline:**

The present database package should be cited as follows.

Yu.N. Shubin, V.P. Lunev, A.Yu. Konobeyev, A.I. Dityuk, MENDL-2P Proton reaction data library for nuclear activation (Medium Energy Nuclear Data Library), IAEA-NDS-204, Nuclear Data Section, IAEA, Vienna (1998).

1. **Introduction** (*original version, not relevant references to diskettes*)

These diskettes contain catalogue and arj-packed files of the library MENDL-2P (Medium Energy Nuclear Data Library). The library includes proton cross-sections for 505 nuclei with atomic number from 13 to 84 at the energies up to 200 MeV. Total number of reactions is equal to 87,196.

The method used to obtain the cross-section is described in the IAEA report INDC(CCP)-410, 1998.

The diskettes contain the following information.

<b>Data</b>	<b>Diskette number</b>
Catalogue	1
Z = 13 - 21	2
Z = 22 - 27	3
Z = 28 - 32	4
Z = 33 - 36	5
Z = 37 - 40	6
Z = 41 - 44	7
Z = 45 - 48	8
Z = 49 - 51	9
Z = 52 - 54	10
Z = 55 - 57	11
Z = 58 - 61	12
Z = 62 - 63	13
Z = 64, 65, 67	14
Z = 66, 68, 69	15
Z = 70, 71, 73	16
Z = 72, 74, 75	17
Z = 76 - 78	18
Z = 79 - 81	19
Z = 82 - 84	20

## **Comment of Physical Principles**

MENDL-2 (proton) are calculated on the base ALICE-IPPE which differs from the ALICE-91 as follows.

Algorithm for the level density calculation according to the generalized superfluid model was tested, corrected and improved. Preequilibrium cluster emission calculation is included in the code. Calculation of the alpha-particle spectra is performed taking into account the pick-up and knock-out process. The phenomenological approach is used to describe direct channel for the deuteron emission. The triton and He-3 spectra are calculated according to the covalence pick-up model of Sato, Iwamoto, Harada. The description of the models used may be found in Acta.Phys.Slovaca 45 (1995) 705, IAEA report INDC(CCP)-385, 1995, and in INDC(CCP)-410, 1998.

Double precision calculations is used in all code.

The correction was made for cross-sections calculations taking into account gamma-ray emission. The contribution from residual Z-XX-A nucleus production due to photon and sequential particle emission to residual Z-XX-(A-1) or (Z-1)-XX-(A-1) nuclei is considered directly by introducing the CORG array.

The corrections were made for the algorithm of multiple precompound proton emission spectra calculation near threshold, Kalbach systematic treatment, angular distribution printing algorithm, gamma-spectra printing and for some other instructions.

## **ALICE-91**

ALICE-91 (released April 1991) initially also called ALICE-90 differs from earlier releases in the following respects:

Level density option due to Kataria/Ramamurthy with inclusion of shell corrections may be selected. Level density option due to Ignatyuk (superfluid nuclear model) may be selected. Some work needs to be done on fine tuning input for this option.

Kalbach systematics for precompound angular distributions is an option; it provides much faster algorithm than the option based on n-n scattering kinematics and gives better agreement with experimental results.

Gamma ray spectra are given for the reactions and gamma rays compete with nucleon emission. This helps to mitigate problems with trapped protons for very proton rich nuclei.

This version may be used to calculate for isotopically mixed targets, e.g. natural isotopic composition.

## **ALICE85/300**

Alice85/300 differs from Alice/Livermore82 as follows:

The fixed 1 MeV bin size is now variable.

The maximum excitation energy has been increased from 200 to 300 MeV.

Level densities differ according to ejectile mass.

Precompound angular distributions may be calculated for nucleon induced reactions (input variables "iast,irfr,imxx").

Some inconsistencies in pairing treatment have been corrected.

Modified rotating finite range fission barriers due to A.J. Sierk may be chosen.

## **Reference**

Some discussions of code physics may be found in:

- Phys.Rev. 28, 1475 (1983), and in LLNL report No. UCID 19614 (1982)
- INDC(CCP)-385, 1995, "Cross-Section Data Library MENDL-2 to Study Activation and Transmutation of Materials Irradiated by Nucleons of Intermediate Energies, Yu.N. Shubin, V.P. Lunev, A.Yu. Konobeyev, A.I. Dityuk
- INDC(CCP)-410, 1998, "New advanced version of the computer code ALICE-IPPE", M. Blann, A.Yu. Kobeyev, V.P. Lunev, Yu.N. Shubin, A.I. Dityuk

## **Address**

Yu.N. Shubin, V.P. Lunev, A.Yu. Konobeyev, A.I. Dityuk  
Institute of Physics and Power Engineering  
Bondarenko sq. 1  
Obninsk, Kaluga Region  
249020 Russia

Tel. +7 (08439) 9-86-11  
Fax +7 (095) 230-2326, 883-3112  
E-mail shubin@cjd.obnink.su